



LIBRARY OF THE
UNIVERSITY OF ILLINOIS
AT URBANA-CHAMPAIGN

550.5
FI
v. 14-15

JAN 2 1975



GEOLOGY

UNIVERSITY OF
ILLINOIS LIBRARY
AT URBANA-CHAMPAIGN
GEOLOGY



15
103

CATALOG OF THE COLLECTION
OF METEORITES

IN CHICAGO NATURAL HISTORY MUSEUM

HENRY HORBACK

AND

EDWARD J. OLSEN

THE LIBRARY OF THE

JUN 28 1966

UNIVERSITY OF ILLINOIS

FIELDIANA: GEOLOGY

VOLUME 15, NUMBER 3

Published by

CHICAGO NATURAL HISTORY MUSEUM

DECEMBER 30, 1965

JUL 8 1966

GEOLOGY LIBRARY

CATALOG OF THE COLLECTION
OF METEORITES

IN CHICAGO NATURAL HISTORY MUSEUM

HENRY HORBACK

*Assistant, Department of Geology,
Chicago Natural History Museum*

AND

EDWARD J. OLSEN

*Curator, Mineralogy,
Chicago Natural History Museum*

FIELDIANA: GEOLOGY

VOLUME 15, NUMBER 3

Published by

CHICAGO NATURAL HISTORY MUSEUM

DECEMBER 30, 1965

ACKNOWLEDGMENTS

The authors would like to thank Mrs. Winifred Reinders, Department of Geology, Chicago Natural History Museum, for typing the original manuscript, and Dr. M. H. Hey, British Museum (Natural History), for bringing several corrections to the attention of the authors.

Library of Congress Catalog Card Number: 65-28714

PRINTED IN THE UNITED STATES OF AMERICA
BY CHICAGO NATURAL HISTORY MUSEUM PRESS

Catalog of the Collection of Meteorites

INTRODUCTION

This is the fourth catalog to be published for the meteorite collection of the Chicago Natural History Museum. The preceding catalogs were published in 1895, 1903, and 1916. Over the past forty-eight years the collection has increased in size to a point where a new catalog was felt to be necessary.

At the present time there are approximately 2,400 catalog numbers assigned to specimens in this collection. Such numbers are, in a sense, not an accurate measure of the extent of the meteorite collection for, in some cases, one number may be assigned to many hundreds of specimens, as in the case of individuals from a meteorite shower, or a large meteorite which fragmented badly on impact. For example, in the collection CAÑON DIABLO is represented by 63 individuals, ESTHERVILLE by 145 individuals, and FOREST CITY by 688 individuals. On the other hand, one meteorite, specimens of which were acquired over a period of years, may have several catalog numbers assigned to it.

A more accurate measure of the extent of the collection is in terms of the representation of the number of known finds and falls. On the basis of the figures given by Mason (*Meteorites*, p. 22, 1962, John Wiley and Sons, New York) current coverage is as follows:

KIND	MUSEUM	WORLD TOTAL	% OF WORLD TOTAL
Irons	338	578	58%
Stony-irons	33	66	50%
Chondrites	437	954	46%
Achondrites	37	64	58%
TOTALS	845	1662	51%

No attempt has been made to assess the total gross weight of the collection; it is undoubtedly in the thousands of kilograms. The smallest weight specimen represented is MIDDLESBROUGH at 0.1 gram; the largest weight specimen is NAVAJO at 1,497,618 grams. In a num-

cont 17 1666

ber of cases the collection contains all, or virtually all, of individual meteorites as, for example, NAVAJO, QUINN CANYON and PARAGOULD.

The Chicago Natural History Museum collection represents one of the larger concentrations of meteorite materials in the world. The size and extent of the collection are largely due to the efforts of Dr. O. C. Farrington (1864–1933), former Curator of Geology, and the late Mr. Stanley Field, Chairman of the Board of Trustees of the Museum, who together added the major portions of the collection through a combination of purchases, exchanges, and field finds.

August 14, 1964

HENRY HORBACK
EDWARD J. OLSEN

ABEE,

Abee, Alberta, Canada

Fell: June 10, 1952, 6:00 A.M.

Stone, Enstatite chondrite

Description: Mass from interior, 214 grams Me2474

Slice with crust, 1,668 grams Me2475

ABERNATHY,

Abernathy, Lubbock County, Texas, USA

Found: 1941

Stone, Chondrite

Description: Slice, 504.5 grams Me2374

ADAMS COUNTY,

Adams County, Colorado, USA

Found: 1928

Stone, Brecciated chondrite

Description: Polished section with crust, 250 grams Me2151

ADARGAS,

Adargas, Jiminez, Chihuahua, Mexico

Found: 1780 (known for centuries)

Iron, Medium octahedrite

Description: Polished slab with crust, 78 grams Me1012

Full-sized etched section, 266 grams Me1013

- ADMIRE, Admire, Lyon County, Kansas, USA
Found: 1881
 Stony-iron, Brecciated pallasite
Description: Mass and fragments, 4,750 grams Me761
 Thick, full-sized section, polished, 2,430 grams Me1270
 Polished sections, two pieces, 1,175 grams Me557
 Fragment, 18.5 grams Me748
 End piece, 6,800 grams Me834
 Fragments, 9.3 grams Me750
- ADRIAN, Adrian, Deaf Smith County, Texas, USA
Found: 1936
 Stone, Veined crystalline spherical chondrite
Description: Polished section with crust, 140 grams Me2212
- AGEN, Agen, Lot-et-Garonne, France
Fell: September 5, 1814, noon
 Stone, Veined intermediate chondrite
Description: Mass with crust, 47 grams Me525
 Interior fragment, 0.5 gram Me235
 Nearly complete individual, with sawed surface, 292 grams Me1381
- AHUMADA, Ahumada, Chihuahua, Mexico
Found: 1909
 Stony-iron, Pallasite
Description: Nearly complete individual with sawed surface, 44,847 grams Me780
 Slice, 1,071 grams Me780
- AINSWORTH, Ainsworth, Brown County, Nebraska, USA
Found: 1907
 Iron, Coarsest octahedrite
Description: Full sized etched slab, 164 grams Me977
 Full sized slab, 544 grams Me767
- AKBARPUR, Akbarpur, Saharanpur district, N. W. provinces, India
Fell: April 18, 1838, 8:00 A.M.
 Stone, Polymict brecciated gray chondrite
Description: Fragment with crust and polished surface, 7 grams Me1507

- ALAIS, Alais, Gard, France
Fell: March 15, 1806, 5:00 P.M.
 Stone, Carbonaceous chondrite
Description: Coarse, brown-black powder, very friable, 14 grams
 Me1486
- ALAMOGORDO, Alamogordo, Otero County, New Mexico, USA
Found: 1938
 Stone, Crystalline spherical chondrite
Description: End piece with crust, 574.7 grams Me2302
- ALBARETO, Albareto, Modena, Italy
Fell: July, 1766, 5:00 P.M.
 Stone, Spherical hypersthene-chondrite
Description: Sawed fragment with crust, 6 grams Me1755
- ALDSWORTH, Aldsworth, Cirencester, Gloucestershire, England
Fell: August 4, 1835, 4:30 P.M.
 Stone, Veined gray chondrite
Description: Fragment with crust, 4 grams Me1776
- ALEPPO, Aleppo, Syria
Fell: 1873?
 Stone, Polymict brecciated white chondrite
Description: Fragment with crust, 1.5 grams Me544
 Fragment with crust, 10 grams Me1778
 Fragment from interior, 8 grams Me1779
- ALESSANDRIA, Alessandria, Piedmont, Italy
Fell: February 2, 1860, 11:45 A.M.
 Stone, Veined gray chondrite
Description: Mass with crust and polished surface, 70 grams
 Me1513
- ALFIANELLO, Alfianello, Brescia, Italy
Fell: February 16, 1883, 3:00 P.M.
 Stone, Intermediate hypersthene-chondrite
Description: Mass from interior, 131 grams Me333
 Mass from interior, 766 grams Me1386
 Mass with crust, 283 grams Me334
 Mass with crust, 147 grams Me1383
 Mass with crust, 24 grams Me332

Mass with crust, pitted, 236 grams Me1384
 Mass with crust, 475 grams Me1385
 Mass with crust, 4,041 grams Me1387

ALGOMA, Algoma, Kewaunee County, Wisconsin, USA
Found: 1887
 Iron, Medium octahedrite
Description: Etched fragment with crust, 10 grams Me1057

ALLEGAN, Allegan, Allegan County, Michigan, USA
Fell: July 10, 1899, 8:00 A.M.
 Stone, Spherical bronzite-chondrite
Description: Fragments, 6 grams Me500
 Mass with crust, 45.2 grams Me500
 Mass with crust, 83 grams Me498
 Mass with crust, 124 grams Me1430
 Mass with crust, chondrules readily separable,
 288 grams Me1433
 Mass with crust, 258 grams Me1432
 Chondrules, 1 gram Me1915
 Particles and dust, 1 gram Me498
 Mass from interior, 139 grams Me1431

ALT BELA, Alt Bela, Ostrava, Moravia, Czechoslovakia
Found: 1898
 Iron, Fine octahedrite
Description: Etched section with crust; figures well marked,
 19 grams Me1070

AMATES, (Rancho de los Amates), Iguala, Morelos, Mexico
Known: Before 1889
 Iron, Medium octahedrite
Description: Oxidized octahedral fragment, 3 grams Me1173

AMBAPUR NAGLA, Ambapur Nagla, Aligarh district,
 United Provinces, India
Fell: May 27, 1895, 1:00 A.M.
 Stone, Crystalline spherical chondrite
Description: Fragment from interior, 13 grams Me1575
 Fragment from interior, 12.6 grams Me1577
 Fragment with crust, 4 grams Me1576

- AMECA-AMECA, Ameca-Ameca, Mexico State, Mexico
Known: Before 1889
 Iron, Medium octahedrite?
Description: Two small chips, 1.2 grams Me2359
- ANDERSON, Anderson, Hamilton County, Ohio, USA
Found: 1882 (prehistoric)
 Stony-iron, Pallasite
Description: Fragment, 2 grams Me1317
- ANDOVER, Andover, Oxford County, Maine, USA
Fell: August 5, 1898, 7:30 A.M.
 Stone, Spherical chondrite
Description: Mass with crust, 91 grams Me1466
- ANGELICA, Angelica, Shawano County, Wisconsin, USA
Found: 1916
 Iron, Coarse octahedrite
Description: Mass with crust and polished faces, 84 grams
 Me2457
- ANGERS, Angers, Maine-et-Loire, France
Fell: June 3, 1822, 8:15 P.M.
 Stone, Veined white chondrite
Description: Fragment from interior, 25 grams Me1468
 Fragments with crust, 3 grams Me1469
- ANGRA DOS REIS, Angra dos Reis, Rio de Janeiro, Brazil
Fell: January 30, 1869, 5:00 A.M.
 Stone, Angrite
Description: Fragment with crust, 4 grams Me1368
 Sawed slice, 6 grams Me1369
- ANTHONY, Anthony, Harper County, Kansas, USA
Found: 1919
 Stone, Gray chondrite
Description: Polished slab, 21 grams Me2210
 Fragment, 0.8 gram Me2210
- APOALA, Apoala, Oaxaca, Mexico
Found: 1889
 Iron, Fine octahedrite

Description: Full-sized, etched section. Shows Reichenbach lamellae, 764 grams Me1008

Full-sized, etched section. Shows circular nodules of troilite and elongated ones of schreibersite, 1,405 grams Me1009

APT, Apt, Vaucluse, France

Fell: October 8, 1803, 10:30 A.M.

Stone, Veined gray chondrite

Description: Mass with crust. Extensive veining gives a brecciated appearance. 34 grams Me1472

ARAGON, Aragon, Polk County, Georgia, USA

Found: 1898

Iron, Nickel-poor ataxite

Description: Two fragments, 5 grams Me1962

ARAPAHOE, Arapahoe, Cheyenne County, Colorado, USA

Found: 1940

Stone, Black chondrite

Description: End piece with polished face, 1,720 grams Me2363

ARCADIA, Arcadia, Valley County, Nebraska, USA

Found: 1937

Stone, Achondrite

Description: Polished slice, 388.4 grams Me2301

ARCHIE, Archie, Cass County, Missouri, USA

Fell: August 10, 1932, 4:30 P.M.

Stone, Gray chondrite

Description: Complete individual, 97 grams Me2171

ARISPE, Arispe, Sonora, Mexico

Found: 1896

Iron, Coarsest octahedrite

Description: Full-sized etched section, 350 grams Me781

Nearly complete individual, 8,033 grams Me781

Thick, etched slab, 1,114 grams Me1011

End piece with etched face 30 x 44 cm.,

32,659 grams Me1099

Cohenite from siderite, 0.2 gram Me1983

- ARLINGTON, Arlington, Sibley County, Minnesota, USA
Found: 1894
 Iron, Medium octahedrite
Description: Etched slab with crust on broad surface, 94 grams
 Me976
 Etched fragment with crust, 70 grams Me459
- ARRIBA, Arriba, Lincoln County, Colorado, USA
Found: 1936
 Stone, Polymict brecciated intermediate chondrite
Description: One end piece with polished face, 2,041 grams
 Me2232
- ASCO, Asco, Corsica
Fell: November, 1805
 Stone, Veined white chondrite
Description: Fragment from interior, 5 grams Me1523
 Fragment with crust and large mass of troilite,
 4.2 grams Me1522
- ASHEVILLE, Asheville, Buncombe County, North Carolina, USA
Found: 1839
 Iron, Medium octahedrite
Description: Etched fragment with crust, 5 grams Me1086
- ASSAM, Assam, India
Found: 1846
 Stone, Polymict brecciated gray chondrite
Description: Coarse, dark powder with one light-colored fragment,
 3 grams Me1829
- ASSISI, Assisi, Perugia, Italy
Fell: May 24, 1886, 7:00 A.M.
 Stone, Spherical chondrite
Description: Fragment with crust, 44.3 grams Me1503
 Sawed fragment with crust, interior dark gray,
 70 grams Me1502
- ATEMAJAC, Atemajac, Sierra de Topalpo, Jalisco, Mexico
Fell: February 26, 1896
 Stone, Gray hypersthene-chondrite
Description: Mass with crust, 32 grams Me1521

- ATLANTA, Atlanta, Winn County, Louisiana, USA
Found: 1938
 Stone
Description: End piece with polished face, 267 grams Me2289
- AUBRES, Aubres, Nyons, Drome, France
Fell: September 14, 1836, 3:00 P.M.
 Stone, Aubrite (enstatite-achondrite)
Description: Fragments, color ash gray, 3 grams Me1506
- AUBURN, Auburn, Lee (formerly Macon) County, Alabama, USA
Found: 1867
 Iron, Hexahedrite
Description: Sawed fragments with crust, 5 grams Me92
 Two irregular fragments with oxidized surfaces,
 23 grams Me1111
- AUGUSTINOVKA, Augustinovka, Ekaterinoslav, USSR
Found: 1890
 Iron, Fine octahedrite
Description: Etched section, 209.6 grams Me508
 Etched end piece, 944 grams Me971
 Oxidized fragments, 49.5 grams Me972
 Oxidized fragment, 59 grams Me507
- AUMALE, Aumale, Alger, Algeria, Africa
Fell: August 25, 1865, 11:00 A.M.
 Stone, Veined white chondrite
Description: Fragment from interior, 1.5 grams Me283
 Mass from interior, 50.5 grams Me599
 Mass with crust, 284 grams Me1837
- AUMIERES, Aumieres, Lozere, France
Fell: June 3, 1842, 9:00 P.M.
 Stone, Veined white chondrite
Description: Fragment with crust, 11.3 grams Me491
 Fragment with crust, 19 grams Me1741
 Fragment from interior with one polished surface,
 15.3 grams Me1742

- AURORA, Aurora, Colfax County, New Mexico, USA
Found: 1938
 Stone
Description: Polished slice, 108.5 grams Me2294
- AUSSON, Ausson, Haute Garonne, France
Fell: December 9, 1858, 7:30 A.M.
 Stone, Spherical hypersthene-chondrite
Description: Mass from interior, 11 grams Me271
 Mass from interior, 181.5 grams Me1510
 Polished fragment, 21.6 grams Me272
 Mass with crust and sawed surface, 160 grams
 Me1511
- AVILEZ, Avilez, Cuencame, Durango, Mexico
Fell: June, 1855
 Stone, Gray or spherical chondrite
Description: Fragment with crust, 6 grams Me1574
- AZTEC, Aztec, San Juan County, New Mexico, USA
Fell: February 1, 1938, 5:00 P.M.
 Stone
Description: One nearly complete individual, 2,779 grams
 Me2298
- BABB'S MILL, Babb's Mill, Greene County, Tennessee, USA
Found: 1842
 Iron, Nickel-rich ataxite
Description: Morradal group, polished slab, 70 grams Me109
 Etched slab. Etching produces minute pits,
 43.5 grams Me904
 Etched slab, 47 grams Me906
 Polished slab with crust, 43.5 grams Me905
- BACHMUT, Bachmut, Ekaterinoslav, Ukraine, USSR
Fell: February 15, 1814, noon
 Stone, White hypersthene-chondrite
Description: Fragment with crust and polished surface, 9 grams
 Me234
 Fragment with crust, 5 grams Me1724
 Sawed slab with crust and polished surface, 26 grams
 Me1379

- BACUBIRITO, Bacubirito, Sinaloa, Mexico
Found: 1863
 Iron, Finest octahedrite
Description: Etched slab, 352 grams Me537
 End piece with etched surface, 1,497 grams
 Me1124
- BALD EAGLE, Bald Eagle, Williamsport, Lycoming County,
 Pennsylvania, USA
Found: 1891
 Iron, Medium octahedrite
Description: Full-sized section, etched, 300 grams Me1006
- BALD MOUNTAIN, Bald Mountain, Yancey County,
 North Carolina, USA
Fell: July 9, 1929, afternoon
 Stone, Veined gray chondrite
Description: Mass with crust, 306.5 grams Me2392
- BALLINGER, Ballinger, Runnels County, Texas, USA
Found: 1927
 Iron, Granular hexahedrite
Description: Etched section, 53 grams Me2152
 Etched section, 70 grams Me2110
- BALLINOO, Ballinoo, Murchison River, Western Australia
Found: 1892
 Iron, Finest octahedrite
Description: Section with crust, 145×253 mm., 8,290 grams
 Me979
 End piece, 70×150 mm., etched, 2,748 grams
 Me980
- BANDONG, Bandong, Preanger, Java
Fell: December 10, 1871, 1:30 P.M.
 Stone, Amphoterite (Rodite)
Description: Mass with crust, 17 grams Me1753
 Mass from interior, 8.5 grams Me1754
 Two fragments from interior, 1.5 grams Me304
- BARBOTAN, Barbotan, Gers, France
Fell: July 24, 1790, 9:00 P.M.
 Stone, Veined gray chondrite

- Description:* Mass with crust, 129 grams Me214
 Fragment from interior, 6.0 grams Me213
 Mass with crust and polished surface, 314.2 grams
 Me1844
- BAREA, Barea, Logrono, Spain
Fell: July 4, 1842
 Stony-iron, Mesosiderite
Description: Fragment with polished surface, 5 grams Me1264
 Two fragments, 6.5 grams Me1265
- BAROTI, Baroti, Bilaspur, Simla Hill States, Punjab, India
Fell: September 15, 1910, 10:00 A.M.
 Stone, White hypersthene-chondrite
Description: Two fragments with crust, 42 grams Me2001
- BARRANCA BLANCA, Barranca Blanca, Come Caballo Pass,
Atacama, Chile
Found: 1855
 Iron, Brecciated octahedrite
Description: Fragment 17 x 30 mm., with torn and etched surfaces,
 figures irregular, 16 grams Me1085
- BARRATTA, Deniliquin, County Townsend,
New South Wales, Australia
Found: 1845
 Stone, Black hypersthene-chondrite
Description: Nearly complete individual, one surface polished,
 72,348 grams Me1465
 Mass with crust, 288.5 grams Me539
 Full-sized, polished section, 2,107 grams Me1463
 Nearly complete individual, one surface polished,
 16,867 grams Me1464
- BATH, Bath, Brown County, South Dakota, USA
Fell: August 29, 1892, 4:00 P.M.
 Stone, Brecciated spherical chondrite
Description: Mass with crust and armored surface, 1,262 grams
 Me351
 Mass with crust and three polished surfaces,
 1,698.7 grams Me1782

BATH FURNACE, Bath Furnace, Bath County, Kentucky, USA

Fell: November 15, 1902, 6:45 P.M.

Stone, Intermediate chondrite

Description: End piece with crust and polished surface,

3,038 grams Me1331

Fragments, 3 grams Me555

Complete individual, 80,739 grams Me1332

BEAR CREEK, Bear Creek, Jefferson County, Colorado, USA

Found: 1866

Iron, Fine octahedrite

Description: Etched section with crust on three sides, 60 grams

Me1125

Fragment showing crust, 43.7 grams Me88

Thin slab, etched, 26 grams Me89

BEARDSLEY, Beardsley, Rawlins County, Kansas, USA

Fell: October 15, 1929, 11:30 P.M.

Stone, Gray chondrite

Description: Individual, 225 grams Me2193

Polished end, 218 grams Me2194

BEAVER CREEK, Beaver Creek, West Kootenay District,
British Columbia

Fell: May 26, 1893, 3:30 P.M.

Stone, Crystalline spherical bronzite-chondrite

Description: Mass from interior, 212 grams Me1391

Mass with crust, 19 grams Me353

Mass with crust, 573.3 grams Me1392

Mass with crust and polished surface, 1,098 grams
Me1393

Two fragments, 60.5 grams Me1390

Fragment with crust, 5.6 grams Me352

BEENHAM, Beenham, Union County, New Mexico, USA

Found: 1937

Stone, Veined gray hypersthene-chondrite

Description: Individual, 774.5 grams Me2297

BELLA ROCA, Sierra de San Francisco, Santiago Papasquiaro,
Durango, Mexico

Known: 1888

Iron, Fine octahedrite

Description: Etched slice with crust, 222 grams Me611

Section of troilite, 15.2 grams Me1903

Etched slice, 443 grams Me985

BENARES, Benares, United Provinces, India

Fell: December 19, 1798, 8:00 P.M.

Stone, Spherical chondrite

Description: Powder, 0.71 grams Me216

Mass with crust, 61 grams Me1505

BENDEGO, Bendego, Monte Santo, Bahia, Brazil

Found: 1784

Iron, Coarse octahedrite

Description: Etched slab with elongated troilite, 1,126 grams

Me6

Scalings from crust, 17 grams Me3

Etched slab, 851 grams Me5

Etched slab with crust, 754 grams Me896

BENLD, Benld, Macoupin County, Illinois, USA

Fell: September 29, 1938, 9:00 A.M.

Stone, Veined gray hypersthene-chondrite

Description: Complete individual, 1,748.5 grams Me2259

BERLANGUILLAS, Berlanguillas, Burgos, Spain

Fell: July 8, 1811, 8:00 P.M.

Stone, Veined intermediate chondrite

Description: Polished fragment, abundant metallic grains,

5.5 grams Me492

Fragment from interior with polished surface,

9 grams Me1757

Fragments with crust, 10.5 grams Me1756

BETHANY, Bethany, Great Namaqualand, Southwest Africa

Known: Before 1836

Iron, Fine octahedrite

Description: Etched slab, 14 grams Me552

Etched slab, 429 grams Me569

Thin shaving, etched, 0.8 gram Me825

Full-sized section, 33×37 cm., etched, 9,460 grams

Me789

Fragment with crust, 2.8 grams Me1028
 Etched slab, 215 grams Me1032
 Fragment, 11 grams Me1029
 Mass with crust and two etched surfaces,
 20,360 grams Me1033
 Etched fragment, 10.5 grams Me1030
 Full-sized section, 36 × 69 cm., etched, 22,620 grams
 Me1034

BETHLEHEM, Bethlehem, Albany County, New York, USA

Fell: August 11, 1859, 7:30 A.M.

Stone, Crystalline spherical chondrite

Description: Fragment from interior, 1 gram Me1843

BEUSTE, Beuste, Pau, Basses-Pyrenées, France

Fell: May, 1859, afternoon

Stone, Brecciated gray chondrite

Description: Full-sized section with crust, one side polished,
 37 grams Me1568

BIALYSTOK, Bialystok, Grodno, Poland

Fell: October 5, 1827, 9:30 A.M.

Stone, Howardite

Description: Fragment from interior, light colored, friable,
 4.5 grams Me1563

BIELOKRYNITSCHIE, Bielokrynitschie, Zaslavl, Volhynia,
 Ukraine, USSR

Fell: January 1, 1887, 6:00 P.M.

Stone, Veined spherical chondrite

Description: Complete individual, 257 grams Me1394

BILLINGS, Billings, Christian County, Missouri, USA

Found: 1903

Iron, Coarse octahedrite

Description: Full-sized, etched section, 925 grams Me1097

Drillings, 22 grams Me1098

About one-fourth the original mass, polished and
 etched, 11,884 grams Me1098

- BINGERA, Bingera, County Murchison,
New South Wales, Australia
Found: 1880
 Iron, Nickel-poor ataxite
Description: Shaving, 1 gram Me1078
- BISCHTÜBE, Bischtübe, Nikolaev, Turgai, Siberia, USSR
Found: 1888
 Iron, Coarse octahedrite
Description: Complete individual, 630 grams Me932
 Full-sized etched section, 1,864 grams Me933
 Thin slab from interior, etched, 14.3 grams Me934
- BISHOP CANYON, Bishop Canyon, San Miguel County,
Colorado, USA
Found: 1912
 Iron, Fine octahedrite
Description: Complete individual, 5,965 grams Me1955
 Etched fragment, 42.2 grams Me1948
- BISHOPVILLE, Bishopville, Lee County, South Carolina, USA
Fell: March 25, 1843
 Stone, Aubrite (enstatite-achondrite)
Description: Fragments with and without crust, 3 grams
 Me251 and 252
 Fragments with and without crust, 5 grams Me253
 Fragments showing crust, 32 grams Me1886
 Fragments, 7.5 grams Me1887
 Fragments from interior, 25 grams Me1888
- BISHUNPUR, Bishunpur, Mirzapur district, United Provinces, India
Fell: April 26, 1895, 3:00 P.M.
 Stone, Black chondrite
Description: Fragment with crust, 1 gram Me1537
- BITBURG, Bitburg, Trier, Rhenish Prussia, Germany
Found: 1802
 Stony-iron, Pallasite
Description: Porous slab with one surface polished, 186 grams
 Me1257
 Porous mass, 4×4 cm., containing grains of charcoal,
 206 grams Me1258

Porous slab with one surface, 6×9 cm., polished,
572 grams Me 1259

BJELAJA ZERKOV, Bjelaja Zerkov, Kiev, Ukraine, USSR
Fell: January 15, 1796
Stone, Spherical chondrite
Description: Fragments with crust, 7 grams Me1416

BJURBÖLE, Bjurböle, Borga, Nyland, Finland
Fell: March 12, 1899, 10:30 P.M.
Stone, Spherical hypersthene-chondrite
Description: Mass with crust, 307 grams Me522
Powder, 1 gram Me522
Mass with crust, 4,777 grams Me1428
Mass with crust, 944 grams Me1427
Mass from interior, shows veins of troilite,
84.8 grams Me1426

BLACK MOUNTAIN, Black Mountain, 15 miles east of Asheville,
Buncombe County, North Carolina, USA
Found: About 1839
Iron, Coarse octahedrite
Description: Several octahedral fragments, 7 grams Me 1080

BLANKET, Blanket, Brown County, Texas, USA
Fell: May 30, 1909, 10:30 P.M.
Stone, Gray chondrite
Description: Nearly complete individual, 1,460 grams Me1964
Nearly complete individual, 133.5 grams Me1964
Complete individual, 1,360 grams Me1965
Fragment, 3.1 grams Me1964

BLANSKO, Blansko, Brno, Moravia, Czechoslovakia
Fell: November 25, 1833, 6:30 P.M.
Stone, Veined gray bronzite-chondrite
Description: Nearly complete individual, one polished surface,
metal abundant, 9 grams Me1571

BLITHFIELD, Blithfield, Renfrew County, Ontario, Canada
Found: August 13, 1910

Stone, Enstatite-chondrite

Description: Mass with crust, 472 grams Me1979

BLUE TIER, Blue Tier, County Dorset, NE Coast of Tasmania

Found: 1890

Iron, Medium octahedrite

Description: Etched fragment, 14×19 mm., with oxidized surface, figures not well marked, 29 grams Me952

BLUFF, Bluff, Fayette County, Texas, USA

Found: About 1878

Stone, Brecciated crystalline hypersthene-chondrite

Description: End piece with polished surface, 25×35 cm., alternation extends inward from the crust about 1 cm., 10,962 grams Me173

Polished section, 31×38 cm., showing the characteristic veins of the meteorite, 2,918 grams Me174

Polished slab, 5,538 grams Me1459

Complete individual. This is a crusted fragment of a much larger individual; a primary crust is shown on a relatively small surface, the remainder of the crust is secondary; the surface is much reddened by oxidation, 7,516 grams Me1461

BOCAS, Bocas, San Luis Potosi, Mexico

Fell: November 24, 1804

Stone, White chondrite

Description: Fragment with crust, interior veined, 1 gram Me1497

BOHUMILITZ, Bohumilitz, Vimperk, Bohemia, Czechoslovakia

Fell: Possibly January 1, 1770, *Found:* 1829

Iron, Coarse octahedrite

Description: Etched slab with crust, 275 grams Me487

Thin slab, etched, 23.6 grams Me898

Full-sized, etched section, 13×22 cm., 1,604 grams Me899

BONDOC, Bondoc Peninsula, Luzon, Philippine Islands

Found: 1957

Iron (with silicate inclusions)

Description: Slab, polished on one side, 10.2×6.4 cm. Almost all silicate with small patches of iron, 153.8 grams
Me2557

BONITA SPRINGS, Bonita Springs, Lee County, Florida, USA
Found: 1938
Stone
Description: Thin slab with crust, 546 grams Me2442

BORGO SAN DONINO, Borgo San Donino, Cusignano,
Parma, Italy
Fell: April 19, 1808, noon
Stone, (Howarditic chondrite of Brezina) Polymict brecciated gray chondrite
Description: Fragment with crust, 6.4 grams Me1530
Interior fragment, 4.2 grams Me1531

BORI, Bori, Betul district, Central Provinces, India
Fell: May 9, 1894, 4:00 P.M.
Stone, Veined intermediate chondrite
Description: Mass, 5×5×7 cm., with crust, 482 grams Me1382

BORKUT, Borkut, Maramaros, Ruthenia, Ukraine
(formerly in Czechoslovakia)
Fell: October 13, 1852, 3:00 P.M.
Stone, Spherical chondrite
Description: Sawed fragment with crust, texture coarse, 77.5 grams Me1555
Individual chondrules, 0.12 gram Me262

BORODINO, Borodino, Moscow, USSR
Fell: September 5, 1812, 1:00 A.M.
Stone, Brecciated gray chondrite
Description: Fragment with crust, polished, firm texture, rusty brown color, 1 gram Me1420

BOTSCHETSCHKI, Botschetschki, Kursk, USSR
Fell: 1823 (end of the year)
Stone, Gray chondrite
Description: Slice, 2×3 cm., from interior, two sides polished; color so dark that the meteorite appears like a black chondrite, 11 grams Me1570

- BRADY, Brady, McCulloch County, Texas, USA
Found: 1937
 Stone, Gray chondrite
Description: Polished slice with crust, 67.6 grams Me2303
- BRAHIN, Brahin, Minsk, USSR
Found: 1810
 Stony-iron, Pallasite
Description: Slab with polished surface, 51 grams Me1318
 Fragment, 32 grams Me1319
- BRAUNAU, Braunau, Trutnov, Bohemia, Czechoslovakia
Fell: July 14, 1847, 3:45 A.M.
 Iron, Hexahedrite
Description: Sawed block showing natural surface with pits,
 47 grams Me55
 Mass with crust, 36 grams Me604
 Etched slab with crust, three faces etched, 106 grams
 Me907
 Wedge-shaped mass from interior, shows cubic cleav-
 age, 278 grams Me908
- BREECE, Breece, McKinley County, New Mexico, USA
Found: 1921
 Iron, Medium octahedrite
Description: Nearly complete iron meteorite with etched surface,
 36,500 grams Me2140
 Etched section of Me2140, 1,680 grams Me2162
 Two fragments, etched, 8.2 grams Me2164
 Etched section of Me2140, 1,614 grams Me2165
 Etched section of Me2140, 747 grams Me2167
- BREMERVÖRDE, Bremervörde, Hanover, Germany
Fell: May 13, 1855, 5:00 P.M.
 Stone, Polymict brecciated spherical bronzite-chondrite
Description: Fragment with crust and polished surface, 72 grams
 Me438
 Interior fragment, 0.5 gram Me265
 Fragment with crust, 17 grams Me1758
- BRENHAM, Brenham Township, Kiowa County, Kansas, USA
Found: 1882

Stony-iron, Pallasite, passing in some specimens into an iron.

Description: Polished section, 40 grams Me199

One-half of a complete individual, one surface polished, 1,832 grams Me195

Four fragments, 29.3 grams Me436

Full-sized section, polished. The central portion for a width of about 5 cm. is solid metal, but on either side the pallasite structure occurs, 1,243 grams Me196

Full-sized section polished, 4,977 grams Me198

Complete individual, the largest of the fall, 218,847 grams Me200

Chrysolite grains, 19 grams Me1914

Full-sized polished section, 1,665 grams Me201

Complete individual, 8,049 grams Me202

Complete individual, of spheroidal form, almost wholly iron, 16,091 grams Me205

Full-sized polished section, 8,490 grams Me203

Complete individual, almost wholly iron, 155,473 grams Me204

Etched section, 160 grams Me432

Full-sized etched section showing transition from siderite to pallasite, 410 grams Me1271

Full-sized etched section showing transition from siderite to pallasite, 587 grams Me1272

Cubical section, $5 \times 5 \times 8$ cm., with crust, 768 grams Me1273

Thin, broad section 16×36 cm., polished, 3,065 grams Me1275

End piece with polished surface 16×31 cm., 9,814 grams Me1276

Twelve altered individuals, 1,016 grams Me2119 to 2130

Altered meteorite, 2,014 grams Me2134

End piece with polished surface, 12,522 grams Me1277

End piece of large individual, one polished surface, 44,905 grams Me1278

Sand from Brenham meteorite, 1 gram Me2131

BRIDGEWATER, Bridgewater, Burke County, North Carolina, USA

Found: 1890

Iron, Fine octahedrite

Description: Etched slab with crust, 83 grams Me1895

Etched slab with crust, 19 grams Me137

BRISTOL, Bristol, Sullivan County, Tennessee, USA

Recognized: 1937

Iron, Finest octahedrite

Description: Polished slab, 443 grams Me2248

BROKEN BOW, Broken Bow, Custer County, Nebraska, USA

Found: 1937

Stone, Chondrite

Description: End piece with polished surface, 287 grams Me2244

BRUDERHEIM, Bruderheim, Alberta, Canada

Fell: March 24, 1960, 1:06 A.M.

Stone, Olivine-hypersthene chondrite

Description: Complete individual, 1,199 grams Me2476

BUR-GHELUI, Bur-Gheluai, Province of Bur-Hagaba,
Italian Somaliland, Africa

Fell: October 16, 1919, 8:00 A.M.

Stone, Gray hypersthene-chondrite

Description: Complete individual, 1,556 grams Me2098

BURLINGTON, Burlington, Otsego County, New York, USA

Found: Before 1819

Iron, Medium octahedrite

Description: Etched slab from interior, 61 grams Me915

Wedge-shaped, etched section, showing cleavage,
60.5 grams Me916

BUSCHHOF, Buschhof, Zemgale, Latvia

Fell: June 2, 1863, 7:30 A.M.

Stone, Veined white hypersthene-chondrite

Description: Mass with crust, 37 grams Me774

Fragment from interior, fine grained and friable,
15 grams Me1475

Mass with crust, 21 grams Me1473

BUSTEE, Bustee, between Gorakhpur and Fyzabad, Basti District,
United Provinces, India

Fell: December 2, 1852, 10:00 A.M.

Stone, Polymict brecciated aubrite (enstatite-achondrite)

Description: Fragments, 5 grams Me1352

BUTLER, Butler, Bates County, Missouri, USA

Found: Before 1874

Iron, Finest octahedrite

Description: Slab with crust, 108 grams Me1121

Etched slab with crust, 325 grams Me1122

Small slab, etched, 71.5 grams Me96

BUTSURA, Bagaha, Champaran District, Bihar, India

Fell: May 12, 1861, about noon

Stone, Intermediate chondrite

Description: Fragments with crust, 1.85 grams Me277

Polished slab with crust, color dark-brown, metal
abundant, 27 grams Me1884

Fragment with crust and polished surface,
10.5 grams Me1885

CABEZO DE MAYO, Cabezo de Mayo, Murcia, Spain

Fell: August 18, 1870, 6:15 A.M.

Stone, White chondrite

Description: Mass with crust, 102.5 grams Me1514

Mass with crust, 59.5 grams Me1515

CABIN CREEK, Cabin Creek, Johnson County, Arkansas, USA

Fell: March 27, 1886, 3:00 P.M.

Iron, Medium octahedrite

Description: Etched fragment with crust on one side, 1 gram
Me1091

CACARIA, Cacaria, Durango, Mexico

Found: 1867

Iron, Hammond medium octahedrite

Description: Mass with crust and three etched surfaces,
1,644 grams Me922

Etched slab with crust, 383 grams Me923

- CACHIYUYAL, Cachiyuyal, Atacama, Chile
Found: 1874
 Iron, Medium octahedrite
Description: End piece with etched surface, 723 grams Me958
- CAMBRIA, Cambria, Niagara County, New York, USA
Found: 1818
 Iron, Fine octahedrite
Description: Etched slab, 78 grams Me927
 Slab with crust; etched, 102.5 grams Me928
- CANELLAS, Canellas, Barcelona, Spain
Fell: May 14, 1861, 1:30 P.M.
 Stone, Polymict brecciated intermediate chondrite
Description: Fragment with crust, 7 grams Me1793
 Fragment from interior, 2 grams Me1794
- CANGAS DE ONIS, Cangas de Onis, Asturias, Spain
Fell: December 6, 1866, 11:00 A.M.
 Stone, Polymict brecciated gray chondrite
Description: Part of a small individual, 40.8 grams Me1841
 Nearly complete individual with crust broken from
 one end, 53.5 grams Me1842
- CAÑON DIABLO, Cañon Diablo, Coconino County, Arizona, USA
Found: 1891
 Iron, Coarse octahedrite
Description: Complete individual, flattened form, 460.304 kg.
 Me143
 Six fragments, 122.5 grams Me152
 Etched section, 20×29 cm., 2,920 grams Me144
 Complete individual, 60 grams Me455
 Complete individual, 120.657 kg. Me146
 Complete individual, 155 grams Me610
 Etched section, 19×30 cm., 4,309 grams Me147
 One fragment, 34 grams Me751
 Nearly complete individual, 23.590 kg. Me148
 Meteoric crust, three fragments, 31.3 grams Me771
 Thick slab, 20×27 cm., polished, 26.047 kg. Me150
 Nearly complete individual, one polished surface,
 24.489 kg. Me151

- Complete individual, 185 grams Me2153
 Complete individual, 383.292 kg. Me1233
 Section of graphitic meteorite and filings; filings
 10.9 grams, fragment 31.3 grams Me2150
 Cohenite from meteorite, 2.5 grams Me1910
 Cohenite, 2.2 grams Me2349
 Polished section, 190 grams Me2342
 Complete individual, 252.202 kg. Me1234
 Complete individual, 169.553 kg. Me1235
 Complete individual, 143.791 kg. Me1236
 End piece, etched, 48.080 kg. Me1244
 End piece, etched, 31.752 kg. Me1245
 Etched section, 35×46 cm., 18,514 grams Me1246
 Etched section, 35×52 cm., 17.290 kg. Me1247
 Etched section, 18×40 cm., 8.455 kg. Me1248
 Etched section, 1,286 grams Me1249
 Fifty-one individuals ranging from 900 to 25 grams
 each in weight, 10,731 grams Me1252

CANTON, Canton, Cherokee County, Georgia, USA

Found: 1894

Iron, Medium octahedrite

Description: Fragment from interior, one surface polished,
 110 grams Me1092

Full-sized section, etched, 152 grams Me1093

CANYON CITY, Canyon City, Trinity County, California, USA

Found: 1875

Iron, Medium octahedrite

Description: Full-sized section, etched, 412 grams Me1018

End piece, etched, 4,240 grams Me1019

CAPE GIRARDEAU, Cape Girardeau, Cape Girardeau County,
 Missouri, USA

Fell: August 14, 1846, 3:00 P.M.

Stone, Spherical bronzite-chondrite

Description: Mass with crust, 43 grams Me1566

Mass with crust, 18 grams Me1567

- CAPE OF GOOD HOPE, Cape of Good Hope, Cape Province,
South Africa
Found: 1793
Iron, Nickel-rich ataxite
Description: Polished slab, 27 grams Me29
Thin, broad slab, etched, 169 grams Me911
- CAPERR, Caperr, Rio Senguerr, Chubut Territory, Patagonia
Known: 1869
Iron, Medium octahedrite
Description: Full-sized section, etched, 383 grams Me1005
- CAPE YORK, Cape York, West Greenland
Known: 1818
Iron, Medium octahedrite
Description: Shavings, 6 grams Me953
- CARBO, Carbo, Alamo Ranch, Sonora, Mexico
Found: 1923
Iron, Medium octahedrite
Description: Torn piece, 41 grams Me2148
- CARCOTE, Carcote, western Cordilleras, Atacama, Chile
Found: 1888
Stone, Crystalline bronzite-chondrite
Description: Sawed fragment, 1 gram Me1492
- CARLTON, Carlton, Hamilton County, Texas, USA
Found: 1887
Iron, Fine octahedrite
Description: Full-sized etched section, 2,750 grams Me880
Full-sized etched section, 3,215 grams Me879
Full-sized, thin slab, 22×30 cm., showing polished
and etched surfaces, 3,385 grams Me131
- CARTHAGE, Carthage, Smith County, Tennessee, USA
Found: 1840
Iron, Medium octahedrite
Description: Thick slab showing polished and etched surface and
crust, 50 grams Me51
Etched section with crust, 445 grams Me924
Etched section with crust, 14 grams Me925

CASAS GRANDES, Casas Grandes, de Malintzin, Chihuahua, Mexico
Recognized: 1867

Iron, Medium octahedrite

Description: Etched section, 12×12 cm., found in old Aztec tomb,
 608 grams Me524

Broad slab, 24×41 cm., etched, 6,026 grams Me881

Broad slab, etched, 3,353 grams Me882

CASEY COUNTY, Casey County, Kentucky, USA

Found: 1877

Iron, Coarse octahedrite

Description: Etched section with crust, 29 grams Me1075

Etched section in two parts, 42 grams Me1076

CASTALIA, Castalia, Nash County, North Carolina, USA

Fell: May 14, 1874, 2:30 P.M.

Stone, Gray brecciated bronzite-chondrite

Description: Fragment with crust, 1.5 grams Me307

Fragment from interior, 6.5 grams Me308

Mass with crust and one sawed surface, 184 grams
 Me1519

CASTINE, Castine, Hancock County, Maine, USA

Fell: May 20, 1848, 4:00 A.M.

Stone, Veined white hypersthene-chondrite

Description: Mass with crust and polished surface, 42 grams
 Me1565

CAVOUR, Cavour, Beadle County, South Dakota, USA

Found: 1941

Stone, Brecciated crystalline hypersthene?-chondrite

Description: End piece, polished slice, 301 grams Me2416

CEDAR (KANSAS), Cedar, Smith County, Kansas, USA

Found: 1937

Stone, Black chondrite

Description: Slice, polished on both sides, 79.1 grams Me2293

CEDARTOWN, Cedartown, Polk County, Georgia, USA

Found: Before 1898

Iron, Hexahedrite

Description: Slice, polished, 213 grams Me2373

- CENTRAL MISSOURI, Central Missouri, USA
Found: 1855
 Iron, Coarsest octahedrite
Description: End piece with polished surface, 2,530 grams
 Me1059
- CERESETO, Cereseto, Casale, Piedmont, Italy
Fell: July 17, 1840, 7:30 A.M.
 Stone, Brecciated spherical chondrite
Description: Fragment with crust and armoured surface,
 9.5 grams Me1476
- CHAMBERLIN, Chamberlin, Dallam County, Texas, USA
Found: 1941
 Stone, Crystalline spherical chondrite
Description: Polished slice, 271.5 grams Me2377
- CHAMBORD, Chambord, Lake Saint John County,
 Quebec, Canada
Found: 1904
 Iron, Medium octahedrite
Description: Etched section with crust, 18.2 grams Me921
- CHANARAL, Chanaral, Atacama, Chile
Found: 1884
 Iron, Medium octahedrite
Description: End piece with etched surface, 11 grams Me939
- CHANDAKAPUR, Chandakapur, Berar, Central Provinces, India
Fell: June 6, 1838, noon
 Stone, Polymict brecciated intermediate hypersthene-chondrite
Description: Three fragments from interior; two polished,
 3.5 grams Me245
 Mass with crust, 68 grams Me1800
 Fragment from interior with two polished surfaces,
 12 grams Me1802
- CHANNING, Channing, Hartley County, Texas, USA
Found: 1936
 Stone, Black chondrite
Description: Chondrite with large metallic inclusions, 639 grams
 Me2215

- CHANTONNAY, Chantonnay, Vendée, France
Fell: August 5, 1812, 2:00 A.M.
 Stone, Polymict brecciated gray hypersthene-chondrite
Description: Polished chip, 2 grams Me232
 Mass from interior, 46 grams Me1790
 Mass from interior, 51 grams Me1791
- CHARCAS, Charcas, San Luis Potosi, Mexico
Known: 1804
 Iron, Medium octahedrite
Description: Broad, etched section, 5,230 grams Me931
- CHARLOTTE, Charlotte, Dickson County, Tennessee, USA
Fell: August 1, 1835, 2-3 P.M.
 Iron, Fine octahedrite
Description: Thin slab, one surface etched, 5 grams Me40
 Triangular section with crust, etched, 6 grams
 Me903
- CHARSONVILLE, Charsonville, Meung, Loiret, France
Fell: November 23, 1810, 1:30 P.M.
 Stone, Veined gray chondrite
Description: Fragment from interior, 22 grams Me229
 Two fragments from interior, one with polished sur-
 face, 43 grams Me1489
 Fragment from interior, 15 grams Me1490
- CHARWALLAS, Charwallas, Hissar District, Punjab, India
Fell: June 12, 1834, 8:00 A.M.
 Stone, Intermediate chondrite
Description: Fragments, 0.2 gram Me1832
- CHASSIGNY, Chassigny, Haute Marne, France
Fell: October 3, 1815, 8:00 A.M.
 Stone, Chassignite
Description: Fragment from interior, 9.3 grams Me1780
 Powder from the interior, 0.70 gram Me546
- CHATEAU-RENARD, Chateau-Renard, Montargis, Loiret, France
Fell: June 12, 1841, 1:30 P.M.
 Stone, Veined intermediate hypersthene-chondrite

Description: Fragment from interior, 7 grams Me248
 Mass with crust, 174 grams Me1804
 Mass from interior, 62 grams Me1805
 Fragment with crust and polished surface, 15 grams
 Me1806

CHERVETTAZ, Chervettaz, Palezieux, Vaud, Switzerland

Fell: November 30, 1901, 2:00 P.M.

Stone, Crystalline spherical chondrite

Description: Fragment with crust and polished surface, 26 grams
 Me1562

CHESTERVILLE, Chesterville, Chester County, South Carolina,
 USA

Found: Before 1849

Iron, Nickel-poor ataxite

Description: Thin etched slab, 6.5 grams Me56
 Etched slab with crust, 138 grams Me1077

CHIHUAHUA CITY, Chihuahua City, Mexico

Recognized: 1929

Iron, Brecciated hexahedrite

Description: End piece with polished surface, 1,994 grams
 Me2136

CHILKOOT, Chilkoot Inlet, Portage Bay, Alaska, USA

Found: 1881

Iron, Medium octahedrite

Description: Etched section with crust, 62 grams Me1069

CHINAUTLA, Chinautla, Guatemala, Central America

Found: 1902

Iron, Medium octahedrite

Description: Full-sized etched section, 127 grams Me1949

CHULAFINNEE, Chulafinnee, Cleburne County, Alabama, USA

Found: 1873

Iron, Medium octahedrite

Description: Etched slab, 29 grams Me94
 Etched slab with crust, 87 grams Me1109

CHUPADEROS, Chupaderos, Jimenez, Chihuahua, Mexico

Found: 1852—first mentioned (known for centuries)

Iron, Fine octahedrite

Description: Etched mass with crust, 293.2 grams Me1044
 Full-sized etched slab; troilite and schreibersite are prominent constituents, 2,593 grams Me1045
 Full-sized, etched slab, 2,492 grams Me1046
 End piece, etched, 5,438 grams Me1047
 Fragment, 2.7 grams Me1902

CINCINNATI, Cincinnati, Hamilton County, Ohio, USA

Found: 1870

Iron, Nickel-poor ataxite

Description: A section with crust, 61.4 grams Me2104
 Etched fragment with crust, 1.1 grams Me1089
 Powder, 1 gram Me2104

CLARETON, Clareton, Weston County, Wyoming, USA

Found: After 1931

Stone, Gray chondrite

Description: Polished slice, 3×2 cm., 43.7 grams Me2304

CLEVELAND, Cleveland, Bradley County, Tennessee, USA

Found: 1860

Iron, Medium octahedrite

Description: Etched slab with crust, 94.2 grams Me1197
 Large, thin slab showing crust, polished and etched surfaces, 234 grams Me127
 Etched slab, 174.5 grams Me1196

COAHUILA, Coahuila, Mexico

Known: 1837

Iron, Hexahedrite

Description: Thin polished slab, partly etched, 70.3 grams Me37
 Turnings (drill chips), 10.3 grams Me90
 Etched slab with crust, 1,233 grams Me847
 Etched slabs, 163 grams Me849
 Etched slab with crust, 104 grams Me113
 Etched section with crust, 425.7 grams Me852
 Sawed fragment with crust, 11.5 grams Me853

End section with polished surface; crust surface
smooth, 3,381 grams Me43
Etched section, 924 grams Me841
Broad slab, 15×33 cm., etched, 2,153 grams Me843
Thin, etched section, 440 grams Me844

COBIJA, Cobija, Pampa of Santa Barbara, Antofagasta, Chile

Found: February, 1892

Stone, Crystalline bronzite-chondrite

Description: Polished section, 120 grams Me753

End piece with polished surface, 1,100 grams
Me1409

One fragment, 2.5 grams Me753

COLBY (KANSAS), Colby, Thomas County, Kansas, USA

Found: 1940

Stone, Crystalline spherical chondrite

Description: Slice, 108.5 grams Me2376

COLBY (WISCONSIN), Colby, Clark County, Wisconsin, USA

Fell: July 4, 1917, 6:20 P.M.

Stone, Veined intermediate hypersthene-chondrite

Description: Mass with crust, 760 grams Me1988

One large fragment, 670 grams Me1989

Three fragments, probably from larger mass,
431 grams Me1989

429 fragments, 8,169 grams Me1990

COLD BOKKEVELD, Cold Bokkeveld, Cape Province, South Africa

Fell: October 13, 1838, 9:00 A.M.

Stone, Carbonaceous chondrite

Description: Fragment with crust, 35 grams Me1736

Fragment with crust, 18 grams Me1737

Four fragments with crust, one from interior,
12 grams Me1738

COLDWATER (IRON), Coldwater, Comanche County, Kansas, USA

Found: 1923

Iron, Octahedrite

Description: Section, 3,736 grams. Meteorite altered to limonite
by weathering Me2051

COLDWATER (STONE), Coldwater, Comanche County, Kansas, USA

Found: 1924

Stone, Crystalline spherical chondrite

Description: Nearly complete individual, 3,550 grams Me2052

Polished section, 275 grams Me2071

Polished section, 215 grams Me2072

Three polished sections, 37 grams Me2076

COLFAX, Colfax, Rutherford County, North Carolina, USA

Found: 1880

Iron, Medium octahedrite

Description: End piece etched, 652 grams Me1960

End piece etched (cut from Me153), 193 grams

Me1961

COLLESCIPOLI, Collescipoli, Terni, Umbria, Italy

Fell: February 3, 1890, 1:30 P.M.

Stone, Spherical bronzite-chondrite

Description: Fragment with crust, 3 grams Me356

Mass with crust, 40 grams Me1532

Mass with crust, 45 grams Me1533

COOKEVILLE, Cookeville, Putnam County, Tennessee, USA

Found: 1913

Iron, Coarse octahedrite

Description: Etched section, 216 grams Me1985

COOLAC, Coolac, County Harden, New South Wales, Australia

Found: 1874

Iron, Coarse octahedrite

Description: Slice, etched and polished, 14.9 grams Me2421

COOLIDGE, Coolidge, Hamilton County, Kansas, USA

Found: 1937

Stone, Chondrite

Description: End piece, polished face, 213 grams Me2243

COON BUTTE, Coon Butte, Coconino County, Arizona, USA

Found: 1905

Stone, Brecciated gray chondrite

Description: Full-sized section, one surface polished, 308 grams

Me1434

- COOPERTOWN, Coopertown, Robertson County, Tennessee,
USA
- Known:* 1860
Iron, Medium octahedrite
Description: Thin slab, etched, 82.5 grams Me83
Polished section, 21 grams Me822
Etched section with crust on three edges, 50 grams
Me1126
Etched section with crust, 60 grams Me1127
- COPE, Cope, Washington County, Colorado, USA
- Found:* 1934
Stone, Chondrite
Description: Complete individual, 451.4 grams Me2250
- COPIAPO, Copiapo, Atacama, Chile
- Found:* 1863
Iron, Brecciated octahedrite with silicate inclusions
Description: Surface section, etched, 195 grams Me833
- COSBY'S CREEK, Cosby's Creek, Cocke County, Tennessee, USA
- Known:* Before 1837
Iron, Coarse octahedrite
Description: Five irregular fragments, 34 grams Me48
Irregular fragment, shows octahedral cleavage,
43 grams Me49
Four octahedral fragments, 115 grams Me53
Taenite, 5 grams Me1906
Etched slab with crust, 96 grams Me889
Graphite, 10 grams Me1907
Irregular fragment, shows octahedral cleavage,
56 grams Me890
Mass with crust, 2,880 grams Me891
- COSINA, Cosina, Dolores Hidalgo, Guanajuato, Mexico
- Fell:* January, 1844, 11:00 A.M.
Stone, Crystalline chondrite
Description: Fragment with one sawed surface, color
dark gray, 5 grams Me1561
- COSTILLA PEAK, Costilla Peak, Taos County, New Mexico, USA
- Found:* 1881

Iron, Medium octahedrite

- Description:* Nearly full-sized section, etched, 11×20 cm.,
1,133 grams Me502
Full-sized, etched section, 11×31 cm., 1,740 grams
Me856
Broad, etched section with crust, 6,807 grams
Me857

COTESFIELD, Cotesfield, Howard County, Nebraska, USA

Found: 1928

Stone, Veined chondrite

Description: Slice with crust, 77.5 grams Me2154

COVERT, Covert, Osborne County, Kansas, USA

Recognized: 1929, known before 1896

Stone, Veined spherical chondrite

Description: Thick slab, polished one side, 798 grams Me2366

COWRA, Cowra, County Bathurst, New South Wales,
Australia

Found: 1888

Iron, Finest octahedrite

Description: Etched section, 68 grams Me783

Thin, broad, etched section, 25 grams Me973

CRAB ORCHARD, Crab Orchard Mountains, Rockwood,
Cumberland County, Tennessee, USA

Found: 1887

Stony-iron, Mesosiderite

Description: Etched section, 40.5 grams Me184

Complete individual, the surface shows weathering,
4,343 grams Me185

End piece, with polished surface, 17×26 cm.,
6,030 grams Me187

End piece, with polished surface, 600 grams
Me1262

Full-sized polished section, 18×27 cm., 1,920 grams
Me1263

CRANBERRY PLAINS, Poplar Hill, Giles County, Virginia, USA

Found: 1852

Iron, Fine octahedrite

Description: Fragment, 1.2 grams Me1084

CRANBOURNE, Cranbourne, near Melbourne, County
Morningside, Victoria, Australia

Found: 1854

Iron, Coarse octahedrite

Description: Etched section, contains two troilite nodules, each
rimmed by schreibersite, 321 grams Me499

Thin, etched slab, 15.4 grams Me70

Two fragments, 2.3 grams Me1159

Etched slice, 712 grams Me1159

Interior fragment with octahedral structure,
22.8 grams Me1198

Three fragments from interior, 38 grams Me68

Cohenite fragments from meteorite, 0.5 grams
Me1909

Troilite powder, 0.5 grams Me2344

Anthracite-like carbon from decomposition of cohe-
nite, 0.7 grams Me2353

Full-sized, etched section, 100×120 mm., 707 grams
Me1159

Full-sized, etched section, 1,628 grams Me1199

CRONSTAD, Cronstad, Orange Free State, South Africa

Fell: November 19, 1877, 4:00 P.M.

Stone, Veined gray bronzite-chondrite

Description: Fragment with crust, 6 grams Me1546

Slice with crust, 4.5 grams Me1547

CROSS ROADS, Cross Roads, Boyett, Wilson County,
North Carolina, USA

Fell: May 24, 1892, 5:00 A.M.

Stone, Gray chondrite

Description: Mass with crust, 18 grams Me1559

CRUMLIN, Crumlin, County Antrim, Ireland

Fell: September 13, 1902, 10:30 A.M.

Stone, Gray hypersthene-chondrite

Description: Fragment with crust, texture firm, 13 grams
Me1499

- CRUZ DEL AIRE, Sabina Hidalgo, Nuevo Leon, Mexico
Found: 1930 (part of second mass)
 Iron, Fine octahedrite
Description: Polished and etched slab, 217 grams Me2405
- CUBA, Cuba, West Indies
Described: 1871
 Iron, Medium octahedrite
Description: Oxidized fragments, 2.6 grams Me1087
- CUERNAVACA, Cuernavaca, Morelos, Mexico
Found: 1889
 Iron, Fine octahedrite
Description: Full-sized slab, etched, 338 grams Me1024
 End piece with two polished surfaces, 17,340 grams
 Me1025
- CULLISON, Cullison, Pratt County, Kansas, USA
Found: 1911
 Stone, Polymict brecciated, spherical bronzite-chondrite
Description: Thin, broad slab with crust and polished surface,
 154 grams Me1746
- CUMBERLAND FALLS, Cumberland Falls, Whitley County,
 Kentucky, USA
Fell: April 9, 1919, noon
 Stone, Whitleyite, a breccia consisting of fragments of white aubrite
 and black enstatite-chondrite
Description: Complete individual, 877 grams Me1996
 Two end pieces, with polished surface, 1,611 grams
 Me1997
 Complete individual, 2,192 grams Me1998
 Fragments with crust, 45 grams Me2002
 Fragments of brecciated structure, 11 specimens,
 150 grams Me2015
- CYNTHIANA, Cynthiana, Harrison County, Kentucky, USA
Fell: January 23, 1877, 4:00 P.M.
 Stone, Gray hypersthene-chondrite
Description: Five fragments with crust, 22 grams Me1504

- DALTON, Dalton, Whitfield County, Georgia, USA
Found: 1877
 Iron, Medium octahedrite
Description: Etched section, 91.7 grams Me1967
 Full-sized, etched section, 123 grams Me1119
 Angular block etched on two faces, 41 grams
 Me1120
- DANDAPUR, Dandapur, Gorakhpur district, United Provinces,
 India
Fell: September 5, 1878, 5:00 P.M.
 Stone, Veined intermediate hypersthene-chondrite
Description: Sawed mass from interior, 65 grams Me1548
- DANIEL'S KUIL, Daniel's Kuil, Griqualand, West Africa
Fell: March 20, 1868
 Stone, Crystalline enstatite-chondrite
Description: Polished slice and fragment with crust, 16 grams
 Me1500
- DANVILLE, Danville, Morgan County, Alabama, USA
Fell: November 27, 1868, 5:00 P.M.
 Stone, Polymict brecciated veined gray hypersthene-chondrite
Description: Fragment from interior, 5 grams Me1578
- DAVIS MOUNTAINS, Davis Mountains, Jeff Davis County,
 Texas, USA
Found: 1903
 Iron, Medium octahedrite
Description: Individual, complete except for a small piece cut from
 a projecting corner, 693.09 kg. Me1946
 Etched mass with crust, 460 grams Me2107
- DEAL, Deal, Long Branch, Monmouth County, New Jersey, USA
Fell: August 15, 1829, 12:30 A.M.
 Stone, Intermediate chondrite
Description: Fragment from interior, veined, 0.3 grams Me1543
- DE CEWSVILLE, De Cewsville, Haldimand County, Ontario,
 Canada
Fell: January 21, 1887, 2:00 P.M.

Stone, White chondrite

Description: Fragment from interior, 0.2 grams Me1558

DEEP SPRINGS, Deep Springs, Rockingham County,
North Carolina, USA

Found: Said to have fallen, 1846

Iron, Nickel-rich ataxite

Description: Nearly complete, etched section, 420 grams Me453

Sawdust, 1.3 grams Me453

Fragment, 9 grams Me884

DELEGATE, Delegate, County Wellesley, New South Wales,
Australia

Found: About 1904

Iron, Medium to coarse octahedrite

Description: Etched section, 359.2 grams Me1969

DELLYS, Dellys, Algeria

Found: 1865

Iron, Medium octahedrite

Description: Two irregular fragments, one etched, 3 grams

Me1064

DE NOVA, De Nova, Washington County, Colorado, USA

Found: 1940

Stone, White veined crystalline spherical chondrite

Description: Mass with crust and polished face, 632 grams

Me2378

DENTON COUNTY, Denton County, Texas, USA

Found: 1856

Iron, Medium octahedrite

Description: Thin slab, polished, 2 grams Me74

Pyramidal fragment with crust, etched, 25 grams

Me1190

Thin slab with crust on edge, etched, 17 grams

Me1191

DEPORT, Deport, Red River County, Texas, USA

Found: 1926

Iron, Coarse octahedrite

Description: Etched section, 315 grams Me2169

DESCUBRIDORA, Descubridora, Catorce, San Luis Potosi, Mexico

Found: Between 1780 and 1783

Iron, Medium octahedrite

Description: Pyramidal mass with one etched surface,

28,576 grams Me947

Etched slab, 14.2 grams Me2

Full-sized triangular, etched section, 4,755 grams

Me 948

Rhabdite from meteorite, 1.6 grams Me1913

Etched slab, 41.2 grams Me949

DHULIA, Dhulia, West Khandesh District, Bombay, India

Fell: November 27, 1877, 6:00 P.M.

Stone, Veined white chondrite

Description: Fragment from interior, 1.5 grams Me1544

Fragments of dark glass, perhaps from crust, 1 gram

Me1545

DHURMSALA, Dhurmsala, Kangra District, Punjab, India

Fell: July 14, 1860, 2:15 P.M.

Stone, Intermediate hypersthene chondrite

Description: Mass with crust, 500 grams Me1346

Fragments from interior, 3.6 grams Me275

Mass with crust, 985 grams Me1347

Mass with crust, 1,409 grams Me1348

DIMMITT, Dimmitt, Castro County, Texas, USA

Found: About 1942

Stone, Chondrite

Description: Complete individual, 734 grams Me2402

DIX, Dix, Kimball County, Nebraska, USA

Found: 1927

Stone, Chondrite

Description: End piece with polished surface, 834.1 grams

Me2296

DJATI-PENGILON, Djati-Pengilon, Ngawi district, Java

Fell: March 19, 1884, 4:30 A.M.

Stone, Crystalline bronzite-chondrite

Description: Mass with crust and sawed surface, 28 grams
Me1556
Mass with crust and sawed surface, 11 grams
Me1557

DOKACHI, Dokachi, Munshiganj Subdivision, Dacca District,
East Bengal, Pakistan

Fell: October 22, 1903, 7:00 P.M.
Stone, Intermediate veined hypersthene-chondrite
Description: Mass with crust, 25 grams Me772
Nearly complete individual with polished surface,
193 grams Me1380

DOLGOVOLI, Dolgovoli, Luck, Volhynia, West Ukraine
(formerly in Wolyn, Poland)

Fell: June 26, 1864, 7:00 A.M.
Stone, White chondrite
Description: Fragment from interior, 6.3 grams Me1509

DORONINSK, Doroninsk, Irkutsk, Siberia, USSR

Fell: April 6, 1805, 5:00 P.M.
Stone, Brecciated gray chondrite
Description: Mass with crust, 53 grams Me1560

DRAKE CREEK, Drake Creek, Nashville, Sumner County,
Tennessee, USA

Fell: May 9, 1827, 4:00 P.M.
Stone, Polymict brecciated veined white hypersthene-chondrite
Description: Mass with crust, crust cracked, interior friable,
119.5 grams Me1526

DRUM MOUNTAINS, Drum Mountains, Millard County, Utah,
USA

Found: September 24, 1944
Iron, Medium octahedrite
Description: Slice, polished and etched, 1,030 grams Me2419

DUCHESNE, Duchesne County, Utah, USA

Found: 1906
Iron, Fine octahedrite
Description: Etched section, 95 grams Me2109

- DUEL HILL (1854), Duel Hill, Walnut Mountains,
Madison County, North Carolina, USA
Found: 1854
 Iron, Fine octahedrite
Description: Etched slab with crust, 40 grams Me1108
- DUEL HILL (1873), Duel Hill, Walnut Mountains,
Madison County, North Carolina, USA
Found: 1873
 Iron, Coarse octahedrite
Description: Etched slab with crust on edge, 178 grams Me864
 Etched slab with crust on one edge, 12.7 grams
 Me865
- DUNDRUM, Dundrum, County Tipperary, Ireland
Fell: August 12, 1865, 7:00 P.M.
 Stone, Crystalline bronzite-chondrite
Description: Fragment from interior, 1 gram Me1501
- DUNGANNON, Dungannon, Scott County, Virginia, USA
Found: 1922-23
 Iron, Medium (to coarse) octahedrite
Description: Incomplete individual, 6,540 grams Me2037
 Fragments, 3.7 grams Me2037
 Polished and etched section of Me2037, 331 grams
 Me2090
 Polished and etched section, 365 grams Me2091
- DURALA, Durala, N. W. of Karnal District, Patiala State,
Punjab, India
Fell: February 18, 1815, noon
 Stone, Veined intermediate hypersthene-chondrite
Description: Sawed fragment with crust, 53 grams Me559
 Sawed fragment with crust, 25 grams Me1542
- DURANGO, Durango, Mexico
Recognized: 1904
 Iron, Medium octahedrite
Description: Section of iron meteorite, 302 grams Me2138
- DURUMA, Duruma, Mombasa, Wanikaland, Kenya, Africa
Fell: March 6, 1853

Stone, Veined intermediate chondrite

Description: Fragment from interior, 4 grams Me1552

DWIGHT, Dwight, Geary County, Kansas, USA

Found: 1940

Stone, Chondrite

Description: End piece, with polished surface, 435.5 grams
Me2379

DYALPUR, Dyalpur, Sultanpur District, United Provinces, India

Fell: May 8, 1872

Stone, Ureilite

Description: Fragment, one side polished, black and friable,
0.4 grams Me1541

EAGLE STATION, Eagle Station, Carroll County, Kentucky, USA

Found: 1880

Stony-iron, Pallasite

Description: Sawed slab showing deeply pitted, natural surface and
polished surface, 106 grams Me180
Polished slab, 180 grams Me1314
Olivine grains, 4.7 grams Me182

ECTOR COUNTY, Ector County, Texas, USA

Found: About 1943-44

Iron

Description: End piece with polished surface, 721.5 grams
Me2329

Three fragments, 473 grams Me2330

Slice, 369.3 grams Me2331

Polished slice, 75.9 grams Me2388

One large and two small fragments, 60 grams
Me2332

EDMONTON KENTUCKY, Edmonton, Metcalfe County,
Kentucky, USA

Found: 1942

Iron, Finest to fine octahedrite

Description: Slice, etched, 151.5 grams Me2399

EICHSTADT, Eichstadt, Middle Franconia, Bavaria, Germany

Fell: February 19, 1785, 12:15 P.M.

Stone, Spherical bronzite-chondrite

Description: Fragment from interior, 1 gram Me212
 Fragment with crust, 13.7 grams Me1876

ELBOGEN, Elbogen, Bohemia, Czechoslovakia

Fell: 1400?, recognized: 1811

Iron, Medium octahedrite

Description: Etched fragment, 2.5 grams Me1
 Lath-shaped section from interior, etched,
 41.7 grams Me919
 Section with polished and oxidized surface,
 18.7 grams Me920

EL CAPITAN, El Capitan Range, Lincoln County, New Mexico,
 USA

Found: 1893

Iron, Medium octahedrite

Description: Etched section with crust, 137 grams Me828
 Full-sized, etched section, 483 grams Me968
 Full-sized, etched section, 1,612 grams Me969

ELI ELWAH, Eli Elwah, Hay, County Waradgery,
 New South Wales, Australia

Found: 1888

Stone, White hypersthene-chondrite

Description: Polished slab with crust, 81 grams Me779
 Two fragments with crust, 3 grams Me1343

ELM CREEK, Elm Creek, Admire, Lyon County, Kansas, USA

Found: 1906

Stone, Spherical hypersthene-chondrite

Description: Full-sized section, one surface polished, 386 grams
 Me765
 Full-sized section, one surface polished, 378 grams
 Me1415

EMMITSBURG, Emmitsburg, Frederick County, Maryland,
 USA

Found: 1854

Iron, Medium octahedrite

Description: Etched slab with crust, 28.2 grams Me67
 Etched slab with crust, 13.5 grams Me1182

- ENSISHEIM,** Ensisheim, Upper Alsace, France
Fell: November 16, 1492, 11:30 A.M.
 Stone, Polymict brecciated crystalline hypersthene-chondrite
Description: Fragment from interior, 22.5 grams Me207
 Fragment from interior, 4 grams Me208
 Mass with crust and armoured surface, 36 grams Me1739
 Two masses with polished surfaces, 57 grams Me1740
- EPINAL,** Epinal, Vosges, France
Fell: September 13, 1822, 7:00 A.M.
 Stone, Spherical chondrite
Description: Fragment with crust, 7 grams Me1786
 Mass from interior, 12 grams Me1787
- ERGHEO,** Ergheo, Brava, Italian Somaliland, East Africa
Found: July, 1889
 Stone, Crystalline hypersthene-chondrite
Description: Polished section with crust, 186 grams Me553
 Fragment of larger specimen, 2 grams Me553
 Polished section with crust, 399 grams Me1769
- ERXLEBEN,** Erxleben, Magdeburg, Prussia, Germany
Fell: April 15, 1812, 4:00 P.M.
 Stone, Crystalline bronzite-chondrite
Description: Fragment with crust, 49 grams Me1772
- ESNANDES,** Esnandes, Charente-Inferieure, France
Fell: August 3, 1837
 Stone, Gray chondrite
Description: Fragment from interior, 23 grams Me1569
- ESPIRITU SANTO,** Espiritu Santo, Michoacan, Mexico
Found: Before 1916(?)
 Iron, Fine octahedrite
Description: Etched fragment with crust, 54 grams Me1056
- ESTACADO,** Estacado, Hale County, Texas, USA
Found: 1883
 Stone, Crystalline bronzite-chondrite

Description: Full-sized slab with polished surfaces, 15,380 grams
Me760

About one-third the original mass, has two broad polished surfaces, 103,200 grams Me1439

ESTHERVILLE, Estherville, Emmet County, Iowa, USA

Fell: May 10, 1879, 5:00 P.M.

Stony-iron, Mesosiderite

Description: Irregular fragment, 75 grams Me176

Full-sized section, 18×31 cm., one surface polished, 2,716 grams Me177

Thirteen complete individuals, 34 grams Me178

Complete individual, 7 grams Me458

Full-sized section, one surface polished, 5,050 grams Me1302

Section with crust, 489 grams Me1303

Stony mass with crust, 240 grams Me1305

Two individuals, 42 grams Me1306

Twelve small individuals, 23 grams Me1307

One hundred and thirteen complete individuals, 855 grams Me1308

FAIRBANKS, Fairbanks, Alaska, USA

Found: Before 1947

Iron, Medium octahedrite

Description: Polished and etched piece, 75 grams Me2409

FARLEY, Farley, Colfax County, New Mexico, USA

Found: 1936

Stone, Veined gray crystalline-chondrite

Description: Polished slice, 635 grams Me2216

FARMINGTON, Farmington, Washington County, Kansas, USA

Fell: June 25, 1890, 1:00 P.M.

Stone, Polymict brecciated, veined, black hypersthene-chondrite

Description: Mass with crust, 134.4 grams Me345

Fragment, 0.5 grams Me345

Full-sized section, 3,292 grams Me346

End piece of 84 kg. individual, one surface 15×40 cm., polished, 13,353 grams Me347

Nearly encrusted mass, 2,263 grams Me349

Full-sized section, 3,561 grams Me1820

Full-sized section, 2,724 grams Me1820

FAVARS, Favars, Laissac, Aveyron, France

Fell: October 21, 1844, 6:45 A.M.

Stone, Intermediate chondrite

Description: Fragment with crust, 21 grams Me1838

Fragment with crust and polished surface, 8 grams
Me1839

FELIX, Felix, Perry County, Alabama, USA

Fell: May 15, 1900, 11:30 A.M.

Stone, Spherical carbonaceous hypersthene-chondrite

Description: Mass with crust, 39.4 grams Me613

Mass with crust, 50 grams Me1330

Mass with crust, 41.9 grams Me613

FINMARKEN, Finmarken, Arctic Norway

Found: 1902

Stony-iron, Pallasite

Description: Polished slab, 462 grams Me2225

Broad polished slab, 2,395 grams Me1310

Polished slab, 181 grams Me2226

Polished slab, 290 grams Me1311

Fragments, 60 grams Me1312

Fragment, 25.8 grams Me2227

Polished slab, 39 grams Me2228

Mass and fragments, 542 grams Me2229

Fragments, 55.6 grams Me1310

FISHER, Fisher, Polk County, Minnesota, USA

Fell: April 9, 1894, 4:00 P.M.

Stone, Veined intermediate hypersthene-chondrite

Description: Mass from interior, 184 grams Me596

Mass with crust, 277 grams Me1341

FÖLLINGE, Föllinge, Ottsjön, Jämtland, Sweden

Found: September, 1932

Iron

Description: Fragment with crust, 17.9 grams Me2451

FOREST CITY, Forest City, Winnebago County, Iowa, USA

Fell: May 2, 1890, 5:15 P.M.

Stone, Brecciated spherical bronzite-chondrite

Description: Five hundred and eighty-eight small, complete individuals, 7,951 grams Me340

One complete individual, 4,218 grams Me340

Fifty-five small, complete individuals, 326 grams Me341

Complete individual, 96 grams Me1816

Complete individual, 175 grams Me1816

Complete individual, 59 grams Me1816

Complete individual, 1,765 grams Me1807

About two-thirds of a complete individual, 998 grams Me1808

Complete individual, 491.5 grams Me1810

Complete individual, 294 grams Me1811

Complete individual, 273 grams Me1812

Complete individual, 234 grams Me1813

Complete individual, 261 grams Me1815

Twenty-one small, complete individuals, 139 grams Me1818

Eight small, complete individuals, 11.7 grams Me1819

Complete individual, 1,698 grams Me1972

Complete individual, 464 grams Me2034

Complete individual, 143 grams Me2035

Complete individual, 282 grams Me2036

FORSYTH, Forsyth, Monroe County, Georgia, USA

Fell: May 8, 1829, 3:30 P.M.

Stone, Veined white hypersthene-chondrite

Description: Polished chip and fragment, 3.5 grams Me240

Mass with crust, 33.5 grams Me241

Mass with crust, 41.6 grams Me1788

Fragment from interior, 6 grams Me1789

FORSYTH COUNTY, Forsyth County, North Carolina, USA

Found: 1891

Iron, Nickel-poor ataxite

Description: Full-sized section with crust, 536 grams Me1014

FORT PIERRE, Fort Pierre, Stanley County, South Dakota, USA

Found: 1856

Iron, Medium octahedrite

Description: Etched section with crust, 64 grams Me1068

FOUR CORNERS, Four Corners, San Juan County,
New Mexico, USA

Found: 1924

Iron, Brecciated octahedrite, with silicate inclusions

Description: Polished section, 1,842 grams Me2048

FRANCEVILLE, Franceville, El Paso County, Colorado, USA

Found: 1890

Iron, Medium octahedrite

Description: Full-sized etched section, 892 grams Me863

FRANKFORT (STONE), Frankfort, Franklin County, Alabama, USA

Fell: December 5, 1868, 3:00 P.M.

Stone, Howardite

Description: Fragment, 0.5 gram Me296

Mass from interior, with sawed surface, 16 grams

Me1359

Fragment with crust, 6 grams Me1358

FRANKFORT (IRON), Frankfort, Franklin County, Kentucky, USA

Found: 1866

Iron, Medium octahedrite

Description: Etched interior section, 5.5 grams Me1073

FUKUTOMI, Fukutomi, Kinoshima, Saga, Kyushu, Japan

Fell: March 19, 1882, 1:00 P.M.

Stone, Veined gray chondrite

Description: End piece with crust and polished surface, 180 grams

Me1491

FUTTEHPUR, Futtehpur, Allahabad District, United Provinces,
India

Fell: November 30, 1822, 6:00 P.M.

Stone, Veined white chondrite

- Description:* Polished fragment with crust, 17 grams Me588
 Mass with crust and sawed surfaces, 37.5 grams
 Me1733
 Mass with crust and sawed surfaces, 38.5 grams
 Me1734
- GALAPIAN, Galapian, Agen, Lot-et-Garonne, France
Fell: August (?), 1826
 Stone, Veined white chondrite
Description: Two fragments, one with crust, 5 grams Me1777
- GAMBAT, Gambat, Khairpur State, Sind, Pakistan
Fell: September 15, 1897
 Stone, Veined intermediate chondrite
Description: Mass with crust and two polished surfaces,
 72 grams Me1512
- GARNETT, Garnett, Anderson County, Kansas, USA
Found: 1938
 Stone, Chondrite
Description: Polished slice; contains free copper, 254.5 grams
 Me2288
- GARRAF, Garraf, Barcelona, Catalonia, Spain
Found: 1905
 Stone, Chondrite
Description: Fragment with crust, 61 grams Me2105
 Fragment with crust, 7 grams Me2106
- GERONA, Gerona, Catalonia, Spain
Found: 1899
 Stone, Polymict brecciated gray to white chondrite
Description: Fragment from interior showing dark and light areas,
 1 gram Me1487
- GILGOIN, Gilgoin Station, Brewarrina, County Clyde,
 New South Wales, Australia
Recognized: 1889
 Stone, Crystalline bronzite-chondrite
Description: Mass with crust and polished surface, 195.5 grams
 Me538
 Fragments, 7 grams Me538

Mass with crust, 757 grams Me1424
 Complete individual; the surface is much reddened by
 oxidation, 11,947 grams Me1425

GIRGENTI, Girgenti, Sicily, Italy

Fell: February 10, 1853, 1:00 P.M.

Stone, Veined white hypersthene-chondrite

Description: Mass with crust on two surfaces, 45 grams
 Me1774

Incomplete individual with crust, 2,141 grams
 Me2412

Mass with crust, 29 grams Me1775

GLADSTONE (IRON), Gladstone, Port Curtis, Queensland,
 Australia

Found: 1915

Iron, Coarsest octahedrite

Description: Nearly complete individual, 634,200 grams Me2114
 End piece with crust and polished surface, 40 lbs.
 (18 kgs.) Me2147

Many fragments, 290 grams Me2147

Iron shale, 247.2 grams Me2147

Turnings no. 1, 1777 grams Me2147

Turnings no. 2, 970 grams Me2147

Fragment, 26.9 grams Me2147

Fragments 4,944 grams Me2192

Metal strips on blocks, 2 grams Me2147

Troilite from crust, 1.3 grams Me2147

Carbon residue, 0.1 gram Me2147

Troilite from nodule, 8.7 grams Me2147

GLADSTONE (STONE), Gladstone, Union County, New Mexico,
 USA

Found: 1936

Stone, Black veined crystalline spherical chondrite

Description: Mass from interior with polished surface, 800 grams
 Me2219

GLASGOW, Glasgow, Barren County, Kentucky, USA

Found: 1922

Iron, Coarse octahedrite

Description: Polished and etched slice, 138.4 grams Me2254

GLORIETA MOUNTAIN, Glorieta Mountain, Canoncito,
Santa Fe County, New Mexico, USA

Found: 1884

Iron, Medium octahedrite, passing in parts into a pallasite

Description: Individual of pallasite, 167.5 grams Me2365

Broad, thin etched section showing curved figures,
65 grams Me1001

Full-sized etched section, 1,262 grams Me122

Complete individual, 358 grams Me998

Etched section, 284.5 grams Me1002

Etched section, 13.3 grams Me123

Complete individual, 1,467 grams Me997

Cut mass showing etched, torn and striated surfaces,
1,054 grams Me999

Etched section, 40.8 grams Me2170

GNADENFREI, Between Reichenbach and Frankenstein,
Silesia, Germany (now Poland)

Fell: May 17, 1879, 4:00 P.M.

Stone, Polymict brecciated spherical bronzite-chondrite

Description: Fragment with crust, 18 grams Me1549

Fragment with crust, 6 grams Me1550

GOALPARA, Goalpara, Assam, India

Found: 1868

Stone, Ureilite

Description: Fragments, 7 grams Me764

Fragments, including crust and polished surface,
6 grams Me1771

GRADY (1937), Grady, Curry County, New Mexico, USA

Found: 1937

Stone, Veined crystalline spherical chondrite

Description: Polished slice with crust, 581 grams Me2305

GRAND RAPIDS, Grand Rapids, Kent County, Michigan, USA

Found: 1883

Iron, Fine octahedrite

Description: Full-sized etched section, 2,246 grams Me1102

Full-sized etched section, 1,136.3 grams Me116

Thick, full-sized section, polished and etched,
7,862 grams Me117

GREENBRIER COUNTY, Greenbrier County, West Virginia, USA

Found: 1880

Iron, Coarse octahedrite

Description: Polished slab with crust, 21.5 grams Me957

GROSNAJA, Mekensk, Terek, Caucasus, USSR

Fell: June 28, 1861, 7:00 P.M.

Stone, Black hypersthene-chondrite

Description: Fragments from interior, 4 grams Me485

Slab from interior with polished surfaces, 76.3 grams

Me1732

GROSS-DIVINA, Gross-Divina, Sillein, Trencsen,
Czechoslovakia*Fell:* July 24, 1837, 11:30 A.M.

Stone, Spherical chondrite

Description: Crust fragments, 0.559 grams Me545

Fragments with crust, friable, 4.3 grams Me1792

GROSSLIEBENTHAL, Grossliebenthal, Odessa, Kherson,
Ukraine, USSR*Fell:* November 19, 1881, 6:30 A.M.

Stone, Veined white hypersthene-chondrite

Description: Mass from interior, 24 grams Me785

Mass with crust, 20.3 grams Me1830

Fragment with crust, 1 gram Me549

GRÜNEBERG, Grüneberg, Silesia, Germany (Now Poland)

Fell: March 22, 1841, 3:30 P.M.

Stone, Veined gray chondrite

Description: Slab with crust and two polished surfaces, 12 grams

Me1479

Two fragments from interior, 3.8 grams Me1481

Mass with slightly crusted surface, 98.5 grams

Me1478

GRUVER, Gruver, Hansford County, Texas, USA

Found: 1934

Stone, Chondrite

Description: End piece with polished surface, 783.6 grams

Me2214

Iron, Medium octahedrite

Description: Etched section with crust, 97 grams Me987
Thin slab, showing one etched and one polished surface, 35 grams Me124

HANIET-EL-BEGUEL, Haniet-El-Beguel, Oued Mzab,
South Algeria, Africa

Found: 1888

Iron, Medium octahedrite

Description: Full-sized section with polished surface, 11 grams
Me944

HARDWICK, Hardwick, Battle Plain Township,
Rock County, Minnesota, USA

Found: 1937

Stone, Chondrite

Description: Slice, one surface polished, 279.6 grams Me2292

HARRISON COUNTY, Harrison County, Indiana, USA

Fell: March 28, 1859, 4:00 P.M.

Stone, Polymict brecciated spherical hypersthene-chondrite (Howarditic chondrite)

Description: Fragments from interior, 1.3 grams Me1494

HARRISONVILLE, Harrisonville, Cass County, Missouri, USA

Found: April 9, 1933

Stone, Crystalline chondrite

Description: Polished slice, 93 grams Me2198

Complete individual, 1,450 grams Me2217

HASSI-JEKNA, Oued Mequiden, El Golea, South Algeria, Africa

Found: 1890

Iron, Fine octahedrite

Description: Fragment, 1 gram Me1065

HAWK SPRINGS, Hawk Springs, Goshen County, Wyoming, USA

Found: December 23, 1935

Stone, Black chondrite

Description: Fragment with crust, 53.8 grams Me2306

HAYDEN CREEK, Hayden Creek, Lemhi County, Idaho, USA

Found: 1895

Iron, Medium octahedrite

Description: Etched section with crust, 45 grams Me489

Etched section with crust, 23.5 grams Me1020

HEDESKOGA,

Hedekoga, Ystad, Sweden

Fell: April 20, 1922, 7:45 P.M.

Stone, Veined hypersthene-chondrite

Description: Fragment with crust and polished faces, 40.5 grams
Me2445

HELT TOWNSHIP, Helt Township, Vermillion County, Indiana,
USA

Fell: About 1883-84

Iron, Coarsest octahedrite

Description: Etched slice, 49.5 grams Me2389

HENBURY, Henbury, MacDonnell Ranges, Central Australia

Found: June, 1931

Iron, Medium octahedrite

Description: Two individuals, 40 grams, 34 grams Me2156

Individual, 13,669 grams Me2173

Individual, 2,684 grams Me2174

Individual, 261.5 grams Me2175

Individual, 279 grams Me2176

Slug, 249 grams Me2177

Shale fused by impact of meteorite, 247 grams
Me2190

Slug, 359 grams Me2178

Slug, 76 grams Me2179

Slug, 910 grams Me2180

Shale ball from meteor crater, 93 grams Me2189

Etched half of slug, 429 grams Me2202

Etched slice, 351 grams Me2203

Lava from meteor crater, 40 grams Me2181

Lava from meteor crater, 117 grams Me2182

Lava from meteor crater, 29.3 grams Me2183

Lava from meteor crater, 39 grams Me2184

Lava from meteor crater, 51.5 grams Me2185

Fragments of silica glass from crater, 35 grams
Me2186

Shale ball from oxidation of meteorite, 93 grams
 Me2187
 Shale ball from oxidation of meteorite, 81 grams
 Me2188

HENDERSONVILLE, Hendersonville, Henderson County,
 North Carolina, USA

Found: 1901
 Stone, Spherical hypersthene-chondrite
Description: Fragment with crust, 23 grams Me1773

HEREDIA, Heredia, San Jose, Costa Rica, Central America

Fell: April 1, 1857, night
 Stone, Brecciated spherical chondrite
Description: Fragment from interior, 4.5 grams Me442
 Fragment with crust, 5 grams Me1781

HERMITAGE PLAINS, Hermitage Plains, County Canbelego,
 New South Wales, Australia

Found: 1909
 Stone, Gray hypersthene-chondrite
Description: Mass with crust, 216.3 grams Me784

HESSLE, Hessle, Upsala, Sweden

Fell: January 1, 1869, 12:30 P.M.
 Stone, Spherical bronzite-chondrite
Description: Sawed fragment with crust, 9 grams Me297
 Nearly complete individual, 6 grams Me298
 Complete individual, 363 grams Me1750
 Complete individual, 42.7 grams Me1751
 Complete individual, 1.8 grams Me1752

HEX RIVER MOUNTAINS, Hex River Mountains, Cape Province,
 South Africa

Found: 1882
 Iron, Hexahedrite
Description: Sawed slab, one surface etched, 446 grams Me115
 Polished slab with crust, 248 grams Me986

HIGH POSSIL, Glasgow, Lanarkshire, Scotland

Fell: April 5, 1804, morning
 Stone, White chondrite
Description: Fragments with crust, 3.5 grams Me1551

- HILL CITY, Hill City, Graham County, Kansas, USA
Found: 1945
 Iron, Finest octahedrite
Description: Small slab, etched and polished, 22 grams Me2413
 Slice, etched and polished, 139 grams Me2417
- HOBA, Hoba, Grootfontein, South-West Africa
Found: 1920
 Iron, Nickel-rich ataxite
Description: Iron shale from meteorite, 197 grams Me2191
 Meteorite iron shale, 26.5 grams Me2201
 Meteorite iron shale, 1,326 grams Me2200
 Rectangular block drilled out of fresh metal, with
 crust on one side, 503 grams Me2477
- HOBBS, Hobbs, Lea County, New Mexico, USA
Found: 1931, recognized: 1933
 Stone, Gray chondrite
Description: Polished slice, 145 grams Me2206
- HÖKMARK, Hökmark, Västerbotten, Sweden
Fell: June 9, 1954, 8:31 P.M.
 Stone, Chondrite
Description: Three fragments with crust, 9.5 grams Me2443
- HOLBROOK, Holbrook, Navajo County, Arizona, USA
Fell: July 19, 1912, 7:15 P.M.
 Stone, Crystalline spherical hypersthene-chondrite
Description: 170 small, complete individuals, 617 grams Me801
 Eight complete individuals, 69.7 grams Me2014
 Complete individual, 3.5 grams Me2016
 Complete aerolite, 57 grams Me2017
 Complete aerolite, 24 grams Me2018
 Complete aerolite, 36 grams Me2019
 Complete aerolite, 126 grams Me2020
 Complete aerolite, 188 grams Me2021
 Complete aerolite, 462 grams Me2022
 Complete aerolite, 316 grams Me2023
 Complete aerolite, 307 grams Me2024
 Complete aerolite, 142 grams Me2025
 Complete aerolite, 84 grams Me2026

Complete aerolite, 385 grams Me2027
 Complete aerolite, 573 grams Me2028
 Complete aerolite, 1,673 grams Me2030
 Complete aerolite, 1,557 grams Me2031
 Complete aerolite, 3,465 grams Me2032
 Complete aerolite, 180 grams Me2033

HOLLAND'S STORE, Holland's Store, Chattooga County,
 Georgia, USA

Found: 1887

Iron, Brecciated hexahedrite

Description: Thin fragment with crust, polished surface,
 27.4 grams Me129

Full-sized slab, thin, with polished surface,
 247 grams Me1007

HOLYOKE, Holyoke, Phillips County, Colorado, USA

Found: About 1933, recognized: 1935

Stone, Gray chondrite

Description: Polished slice with crust, 344.2 grams Me2307

HOMESTEAD, Homestead, Iowa County, Iowa, USA

Fell: February 12, 1875, 10:15 P.M.

Stone, Polymict brecciated gray bronzite-chondrite

Description: Complete individual, 3,162 grams Me312

Three-fourths of a complete individual, 7,512 grams
 Me313

Complete individual, 5,085 grams Me1345

Full-sized, polished section, 16×20 cm., 1,744 grams
 Me314

HONOLULU, Honolulu, Oahu, Hawaiian Islands, USA

Fell: September 27, 1825, 10:30 A.M.

Stone, Veined white hypersthene-chondrite

Description: Two fragments with crust, 18.2 grams Me1553

HOPEWELL MOUNDS, Hopewell Mounds, Ross County, Ohio, USA

Prehistoric

Iron, Medium octahedrite

Description: Fragment with etched surface, 103 grams Me480

Dust, 0.4 gram Me480

Beads made from meteorite, 23 grams Me481

- HOPPER, Henry County, Virginia, USA
Found: 1889
Iron, Medium octahedrite
Description: Cleavage pieces, much oxidized, 47 grams Me136
- HORACE, Greeley County, Kansas, USA
Found: 1940
Stone, Gray chondrite
Description: End piece with polished surface, 1,563 grams
Me2362
- HORSE CREEK, Baca County, Colorado, USA
Found: 1937
Iron, Pseudo-octahedrite
Description: Etched slice with crust, 15.2 grams Me2309
Etched slice with crust, 33.5 grams Me2308
- HOUCK, Apache County, Arizona, USA
Found: Summer, 1927
Iron, Coarse octahedrite
Description: Nearly complete individual, 65,000 grams Me2108
End piece with etched surface, 1,709 grams Me2108
Drillings, 10 grams Me2108
Fragment with crust and polished surface, 34.5 grams
Me2108
- HOWE, Grayson County, Texas, USA
Found: 1938
Stone, Veined gray chondrite
Description: Polished slice, 402 grams Me2310
- HRASCHINA, Zagreb, Croatia, Yugoslavia
Fell: May 26, 1751, 6:00 P.M.
Iron, Medium octahedrite
Description: Etched interior fragment, 9 grams Me1072
- HRESSK, Pukovo Village, Hressk District, Minsk, USSR
Found: 1954
Iron, Hexahedrite
Description: Small slab with crust on one side, 538.5 grams
Me2423

- HUGOTON, Hugoton, Stevens County, Kansas, USA
Found: 1927, recognized: 1936
 Stone, Polymict brecciated black chondrite
Description: Mass with crust and polished surface, 1,264 grams
 Me2221
- HUIZOPA, Huizopa, Temosachic, Guerrero District,
 Chihuahua, Mexico
Found: 1907
 Iron, Fine octahedrite
Description: Etched slab, 303 grams Me2137
- HUNGEN, Hungen, Hesse, Germany
Fell: May 17, 1877, 7:00 A.M.
 Stone, Veined gray chondrite
Description: Three fragments with crust, 8 grams Me1573
- HVITTIS, Hvittis, Abo, Finland
Fell: October 21, 1901, noon
 Stone, Crystalline enstatite-chondrite
Description: Polished fragment with crust, 130 grams Me578
 Mass with crust and polished surface, 566 grams
 Me1470
- IBBENBUHREN, Ibbenbuhren, Westphalia, Germany
Fell: June 17, 1870, 2:00 P.M.
 Stone, Monomict brecciated diogenite
Description: Fragments from interior, 4 grams Me1554
- ILIMAES (PALLASITE), Ilimaes, Taltal, Atacama, Chile
Found: 1874-5
 Stony-iron, Pallasite
Description: Full-sized, polished section, 11,472 grams Me1267
 Polished segment with crust, 391 grams Me742
- ILLINOIS GULCH, Illinois Gulch, Deer Lodge County,
 Montana, USA
Found: 1899
 Iron, Nickel-rich ataxite
Description: Full-sized thick section with polished surfaces,
 457 grams Me838

End piece with polished surface, 116 grams Me839
Shavings, 30 grams Me839

IMILAC, Imilac, Desert of Atacama, Chile

Known: 1822

Stony-iron, Pallasite

Description: Etched section, 205 grams Me162
Complete individual, 118 grams Me1325
Fragment of iron matrix, 12.8 grams Me160
End piece, 206 grams Me1326
Fragment of iron matrix, 21.8 grams Me161
Polished slab, 62 grams Me1328
Fragment of iron matrix, 4.3 grams Me463

INDARCH, Indarch, Shusha, Elisavetpol, Transcaucasia, USSR

Fell: April 7, 1891, 8-10 P.M.

Stone, Enstatite-chondrite

Description: Mass with crust, 64.5 grams Me1402
Full-sized polished section, 892 grams Me1403
Nearly complete individual, one surface polished,
18,139 grams Me104
Small slab, 132 grams Me1403

INDIANOLA, Indianola, Red Willow County, Nebraska, USA

Found: 1939

Stone, Gray chondrite

Description: Polished slice with crust, 200 grams Me2311

INDIAN VALLEY, Indian Valley Township, Floyd County,
Virginia, USA

Found: 1887

Iron, Brecciated nickel-poor ataxite to hexahedrite

Description: One-half the original mass, 7,426 grams Me154
Full-sized section, polished, 531 grams Me1950

INDIO RICO, Indio Rico, Buenos Aires, Argentina

Found: 1887

Stone, Crystalline chondrite

Description: Fragment with crust, 11 grams Me1520

- IQUIQUE, Iquique, Pampa del Tamarugal, Tarapaca, Chile
Found: 1871
 Iron, Nickel-rich ataxite
Description: Etched slab with crust, 16 grams Me1067
- IREDELL, Iredell, Bosque County, Texas, USA
Found: 1898
 Iron, Hexahedrite
Description: Fragment from surface, etched, 11 grams Me1079
- IRON CREEK, Iron Creek, Battle River, North Alberta,
 Canada
Known: Before 1869
 Iron, Medium octahedrite
Description: Full-sized, etched section, 251 grams Me1897
- ITAPICURU-MIRIM, Itapicuru-Mirim, Maranhao, Brazil
Fell: March, 1879
 Stone, Spherical chondrite
Description: Mass with crust and sawed surface, 220 grams
 Me1747
- IVANPAH, Ivanpah, San Bernardino County, California, USA
Found: 1880
 Iron, Medium octahedrite
Description: Etched slab with crust, 220 grams Me1118
- JACKSON COUNTY, Jackson County, Tennessee, USA
Found: 1846
 Iron, Medium octahedrite
Description: Cleaved mass with nearly plane surfaces, one end
 etched, 116 grams Me1116
- JAMESTOWN, Jamestown, Stutsman County, North Dakota, USA
Found: 1885
 Iron, Fine octahedrite
Description: End piece etched, 581 grams Me1021
- JAMKHEIR, Jamkheir, Ahmadnagar district, Bombay, India
Fell: October 5, 1866, noon
 Stone, Brecciated spherical chondrite
Description: Fragment with crust and polished surface, 1 gram
 Me1572

JELICA, Jelica, near Jezevica, Serbia, Yugoslavia

Fell: December 1, 1889, 2:30 P.M.

Stone, Monomict brecciated amphoterite

Description: Fragment with crust. Crust black, rather smooth, the surface showing typical pittings. Interior gray, with angular pieces of bronzite projecting from a fine grained ground mass. Texture friable. Metallic grains small and scarce. 67.5 grams Me511

Mass with crust, 44 grams Me1353

Mass with crust, 68 grams Me1354

Mass with crust, 71.5 grams Me1355

JENNY'S CREEK, Jenny's Creek, Wayne County, West Virginia,
USA

Found: 1883

Iron, Coarse octahedrite

Description: Two masses showing cleavage octahedrons, separated by bright plates of taenite, 114 grams Me954
Chiseled fragments, 21 grams Me114

JEROME, Jerome, Gove County, Kansas, USA

Found: 1894

Stone, Crystalline spherical bronzite-chondrite

Description: Mass with crust, all oxidized to uniform rust-brown color, 64 grams Me1518

JHUNG, Jhung, West Punjab, Pakistan

Fell: June, 1873, 3:00 P.M.

Stone, Spherical chondrite

Description: Fragments from interior, 1 gram Me305

Fragment from interior, 4.5 grams Me306

Two fragments with crust, 12.7 grams Me1798

Polished interior fragment, 5.4 grams Me1799

JODZIE, Jodzic, Panevezys, Kovno, Lithuania

Fell: June 17, 1877, 4:30 A.M.

Stone, Brecciated howardite

Description: Mass with crust. The black glassy crust and brecciated interior are striking characters, 38 grams Me1371

- JOEL'S IRON,** Desert of Atacama, Chile
Found: 1858
 Iron, Medium octahedrite
Description: Full-sized etched section, 43.5 grams Me940
- JOE WRIGHT MOUNTAIN,** Joe Wright Mountain, Independence
 County, Arkansas, USA
Found: 1884
 Iron, Medium octahedrite
Description: Etched slice, 265 grams Me982
 Complete individual, 8,750 grams Me2265
- JOHNSTOWN,** Johnstown, Weld County, Colorado, USA
Fell: July 6, 1924, 4:30 P.M.
 Stone, Monomict brecciated diogenite (hypersthene-achondrite)
Description: Complete individual, 67 grams Me2058
 Nearly complete individual, 145 grams Me2059
 Complete individual, 1,520 grams Me2060
- JONZAC,** Jonzac, Charente-Inferieure, France
Fell: June 13, 1819, 6:00 A.M.
 Stone, Monomict brecciated eucrite
Description: Fragment with crust, 4.5 grams Me1482
 Fragment from interior, 3.3 grams Me1483
- JUDESEGIRI,** Judesegiri, Tumkur district, Mysore, India
Fell: February 16, 1876, evening
 Stone, Spherical chondrite
Description: Fragment from interior, 4 grams Me1529
- JUNCAL,** Juncal, Desert of Atacama, Chile
Found: 1866
 Iron, Medium octahedrite
Description: Etched slab with crust, 60 grams Me140
 Etched slab with crust, 50 grams Me1201
- JUVINAS** Juvinas, Libonnes, Entraigues, Ardeche, France
Fell: June 15, 1821, 3:00 P.M.
 Stone, Monomict brecciated eucrite
Description: Mass with crust, 107 grams Me1365
 Mass from interior, 67 grams Me1366

- KABA, Kaba, Debreczen, Hungary
Fell: April 15, 1857, 10:00 P.M.
Stone, Carbonaceous hypersthene-chondrite
Description: Fragment from interior, 1.5 grams Me1745
- KADONAH, Kadonah, Agra district, United Provinces, India
Fell: August 7, 1822, night
Stone, Veined gray chondrite
Description: Fragment with crust, 19 grams Me1508
Fragment with crust, 0.6 gram Me584
- KAKOWA, Kakowa, Oravicza, Krasno-Szoreny, Romania
Fell: May 19, 1858, 8:00 A.M.
Stone, Veined gray hypersthene-chondrite
Description: Fragments, 0.2 gram Me1493
- KARAKOL, Karakol, Ayagus, Semipalatinsk, Siberia, USSR
Fell: May 9, 1840, noon
Stone, White chondrite
Description: Mass with crust and polished surface, 30 grams
Me1498
- KARKH, Karkh, Jhalawan, Baluchistan, Pakistan
Fell: April 27, 1905, 1:00 P.M.
Stone, Gray chondrite
Description: Five fragments, one with crust, 30 grams Me2246
- KARVAL, Karval, Lincoln County, Colorado, USA
Found: 1936
Stone, Gray chondrite
Description: Slice, 194.3 grams Me2385
- KELLY, Kelly, Logan County, Colorado, USA
Recognized: 1937
Stone, White to gray brecciated chondrite
Description: One polished slice, 2,138 grams Me2235
Three fragments, 77 grams Me2235
- KENDALL COUNTY, Kendall County, Texas, USA
Found: 1887
Iron, Brecciated hexahedrite

Description: Full-sized slab with polished surface, 286 grams
 Me1022
 Full-sized slab with polished surface, 408 grams
 Me1023

KENTON COUNTY, Kenton County, Kentucky, USA

Found: 1889

Iron, Medium octahedrite

Description: Mass with crust and polished surface, 22×42 cm.,
 39,454 grams Me133
 Full-sized slab, both sides polished, 7,515 grams
 Me1053
 Scalings, 1,000 grams Me1053
 Full-sized slab, etched, 14×19 cm., 6,845 grams
 Me134
 Full-sized slab, both sides polished, 23×44 cm.,
 9,565 grams Me135

KERILIS, Kerilis, Mael Pestivien, Callac, Cotes-du-Nord,
 France

Fell: November 26, 1874, 10:30 A.M.

Stone, Veined gray chondrite

Description: Fragment with crust, 3 grams Me758
 Slab with crust, one surface polished, 35 grams
 Me1524
 Fragment with crust, 4 grams Me1525

KERMICHE, Kermiche, Vannes, Morbihan, France

Fell: June 30, 1903? *Found:* 1911

Stone, Crystalline chondrite

Description: Mass much oxidized, 62.8 grams Me796

KERNOUVE, Kernouve, Morbihan, France

Fell: May 22, 1869, 10:00 P.M.

Stone, Veined crystalline bronzite-chondrite

Description: Interior fragment, 0.4 gram Me299
 Interior fragment, 0.4 gram Me300
 Mass with polished surface, 24.2 grams Me301
 Mass from interior, 104.3 grams Me1484

- KESEN, Kesen, Iwate, Honshu, Japan
Fell: June 12, 1850, 5:00 A.M.
 Stone, Brecciated spherical hypersthene-chondrite
Description: Mass showing crust and interior, 1,273 grams
 Me257
 Similar to specimen Me 257, 1,189 grams
 Me258
 Mass from interior, with polished surface,
 601.2 grams Me1828
- KEYES, Keyes, Cimarron County, Oklahoma, USA
Found: 1939
 Stone, Veined howarditic chondrite
Description: Fragment, one side polished, 312 grams Me2415
 Fragment, 355 grams Me2375
- KHAIRPUR, Khairpur, Bahawalpur State, Pakistan
Fell: September 23, 1873, 5:00 A.M.
 Stone, Crystalline enstatite-chondrite
Description: Slab with polished surface, 63 grams Me1538
- KHARKOV, Kharkov, Ukraine, USSR
Fell: October 12, 1787, 3:00 P.M.
 Stone, Veined white chondrite
Description: Fragment with crust, 10.3 grams Me1535
 Fragment from interior with polished surface,
 6.5 grams Me1536
- KHETRI, Khetri, Shekhawati, Jaipur State, Rajputana, India
Fell: January 19, 1867, 9:00 A.M.
 Stone, Brecciated gray bronzite-chondrite
Description: Fragment from interior, 5.2 grams Me1485
- KIKINO, Kikino, Vyazma, Smolensk, USSR
Found: 1809
 Stone, Gray to white chondrite
Description: Mass with crust, 61 grams Me1496
- KILBOURN, Kilbourn, Columbia County, Wisconsin, USA
Fell: June 16, 1911, 5:00 P.M.
 Stone, Gray chondrite

Description: Full-sized sawed section with crust, 68 grams
Me797
Fragment, 7.5 grams Me1991

KILLETER, Killeter, County Tyrone, Ireland
Fell: April 29, 1844, 3:30 P.M.
Stone, Veined white chondrite
Description: Fragment with crust, 3 grams Me1477

KINGSTON, Kingston, Sierra County, New Mexico, USA
Found: 1891
Iron, Medium octahedrite
Description: End piece, etched, 1,128 grams Me800

KISSIJ, Kissij, Christopol, Kazan, USSR
Found: 1899
Stone, Black chondrite
Description: Mass with crust and polished surfaces, 420 grams
Me1471

KLEIN-WENDEN, Klein-Wenden, Nordhausen, Erfurt, Germany
Fell: September 16, 1843, 4:45 P.M.
Description: Fragment with crust and polished surface, 2 grams
Me1534

KLONDIKE, Klondike, Yukon, Canada
Found: 1901
Iron, Nickel-rich ataxite
Description: Etched section, 715 grams Me1963

KNYAHINYA, Knyahinya (Nagy-Bereszna, Ungvar) Velke
Berežno, Uzhorod, Czechoslovakia
Fell: June 9, 1866, 5:00 P.M.
Stone, Polymict brecciated gray hypersthene-chondrite
Description: Complete individual, 239 grams Me286
Complete individual, 8.6 grams Me285
Complete individual, 1,525 grams Me1821
Complete individual, 1,526 grams Me1822
Mass with crust and polished surface, 1,963 grams
Me1823

- KODAIKANAL, Kodaikanal, Palni Hills, Madura District,
Madras, India
Found: 1898, perhaps fell in 1890
Iron, Brecciated fine octahedrite
Description: Slab with crust, 168.5 grams Me574
Broad, etched slice with crust, 128 grams Me943
- KOFA, Kofa, Yuma County, Arizona, USA
Found: 1917
Iron, Ataxite
Description: Portion of meteorite, 492 grams Me1993
- KOKOMO, Kokomo, Howard County, Indiana, USA
Found: 1862
Iron, Nickel-rich ataxite
Description: Thin, etched slab with crust, 22 grams Me1060
Etched slab with crust, 40 grams Me1061
- KOKSTAD, Kokstad, Griqualand East, Cape Province,
South Africa
Found: 1884
Iron, Medium octahedrite
Description: Broad, thin etched slab with crust, 268 grams
Me1015
- KRÄHENBERG, Krähenberg, Zweibrücken, Rhenish Prussia,
Germany
Fell: May 5, 1869, 6:30 P.M.
Stone, Polymict brecciated intermediate hypersthene-chondrite
Description: Fragments with crust, 0.2 grams Me1488
- KRASNOI-UGOL, Krasnoi-Ugol, Ryazan, USSR
Fell: September 9, 1829, 2:00 P.M.
Stone, Spherical chondrite
Description: Fragment from interior, 0.2 grams Me1564
- KRASNOJARSK, Krasnojarsk, Yeniseisk, Siberia, USSR
Found: 1749
Stony-iron, Pallasite
Description: Fragments of iron and chrysolite, 77.5 grams
Me159
Torn mass, 186 grams Me1254

Torn mass, 300 grams Me1255

Torn mass, 298 grams Me1256

KULESCHOVKA, Kuleschovka, Poltava, Ukraine, USSR

Fell: March 12, 1811, 11:00 A.M.

Stone, Veined white chondrite

Description: Mass with crust, 10 grams Me1349

Mass from interior, 14 grams Me1350

KUTTIPPURAM, Kuttippuram, Ponnani taluq, Malabar district,
Madras, India

Fell: April 6, 1914, 7:00 A.M.

Stone, Veined white chondrite

Description: Mass showing crust, 67 grams Me1999

KYANCUTTA, Kyancutta, Le Hunte County, Eyre Peninsula,
South Australia

Found: June, 1932

Iron, Medium octahedrite

Description: Block with three polished faces, 1410 grams

Me2204

KYUSHU, Kyushu, Japan

Fell: October 26, 1886, 3:00 P.M.

Stone, Veined white chondrite

Description: Mass with primary and secondary crust, 158 grams

Me1783

Mass with crust and sawed surface, 54 grams

Me1785

Complete individual, 85 grams Me1784

LA BECASSE, La Becasse, Dun le Poelier, Indre, France

Fell: January 31, 1879, noon

Stone, White chondrite

Description: Slab with crust and sawed surfaces, 27 grams

Me1364

Fragment with crust, 0.7 gram Me1364

Sawed mass with crust, 61 grams Me741

LABOREL, Laborel, Drome, France

Fell: June 14, 1871, 8:00 P.M.

Stone, Brecciated intermediate chondrite

Description: Two fragments with crust, 16 grams Me1670

LA CAILLE, La Caille, Grasse, Alpes Maritimes, France

Recognized: 1828

Iron, Medium octahedrite

Description: Poorly etched slab with crust, 65 grams Me900

Etched mass with crust, 34 grams Me901

Etched slab with crust, 8 grams Me902

LADDER CREEK, Ladder Creek, Greeley County, Kansas, USA

Found: July, 1937

Stone, Crystalline spherical chondrite

Description: One polished end slice with crust, 440 grams

Me2233

LAFAYETTE, Lafayette, Tippecanoe County, Indiana, USA

Known: Before 1931

Stone, Achondrite?, nakhlite (diopside-olivine achondrite)

Description: End piece with polished surface, 111.3 grams

Me2116

Fragments, 0.5 gram Me2116

LA GRANGE, La Grange, Oldham County, Kentucky, USA

Found: 1860

Iron, Fine to finest octahedrite

Description: Etched section with crust, 172 grams Me1194

Polished section with crust, 46.5 grams Me84

L'AIGLE, L'Aigle, Orne, France

Fell: April 26, 1803, 1:00 P.M.

Stone, Brecciated, intermediate hypersthene-chondrite

Description: Gray powder, 0.25 grams Me218

Mass with crust, 110 grams Me219

Portions of two individuals with crust, 402 grams

Me1407

Interior fragment with polished surface, 15 grams

Me1405

Portions of three individuals with crust, 228 grams

Me1406

- LAKE LABYRINTH, Lake Labyrinth, South Australia
Fell: February 5, 1924, night. Found: October, 1934
 Stone, Brecciated and slickensided chondrite (Intermediate enstatite chondrite)
Description: Mass with crust and polished face, 124.5 grams
 Me2236
- LALITPUR, Lalitpur district, United Provinces, India
Fell: April 7, 1887, 10:30 A.M.
 Stone, Polymict brecciated veined intermediate chondrite
Description: Sawed fragment with crust, 9.5 grams Me1516
- LAMPA, Lampa, Sierra de Chicauma Atacama, Chile
Found: 1905
 Stone, Crystalline bronzite-chondrite
Description: Mass with crust and polished surface, 554 grams
 Me769
 Mass with crust and polished surface, 884 grams
 Me1408
- LANCE, Lance, Vendome, Loir-et-Cher, France
Fell: July 23, 1872, 5:20 P.M.
 Stone, Spherical carbonaceous chondrite
Description: Mass with crust and sawed surface, 84 grams
 Me589
 Mass with crust and sawed surface, 91 grams
 Me1351
- LANCON, Lancon, Bouches-du-Rhone, France
Fell: June 20, 1897, 8:30 P.M.
 Stone, Veined intermediate chondrite
Description: Mass with crust, 78 grams Me526
 Mass with crust and sawed surfaces, 101 grams
 Me1803
- LANGHALSEN, Langhalsen, Vrena, Södermanland, Sweden
Fell: February 6, 1947, 3:15 P.M.
 Stone, Chondrite
Description: Fragment with crust and polished surface,
 67.5 grams Me2446

- LA PORTE, La Porte, La Porte County, Indiana, USA
Found: 1900
 Iron, Medium octahedrite
Description: Bottle of drillings, 5 grams Me2271
 Etched slice, 775 grams Me2271
 Full-sized etched slice, 805 grams Me2343
 Part of individual with etched surface, 10,030 grams
 Me2269
- LA PRIMITIVA, La Primitiva, Santa Catalina,
 Desert of Tarapaca, Chile
Found: 1888
 Iron, Nickel-poor ataxite
Description: Thin slab, polished, 30 grams Me1071
- LAURENS COUNTY, Laurens County, South Carolina, USA
Found: 1857
 Iron, Fine octahedrite
Description: Thin, broad, full-sized section, 40 grams Me959
 Thin, broad, full-sized section, 41 grams Me960
- LEEDS, Leeds, Quebec, Canada
Found: 1931
 Iron, Medium octahedrite
Description: Slice, etched, 80 grams Me2197
- LEIGHTON, Leighton, Colbert County, Alabama, USA
Fell: January 12, 1907, 8:00 P.M.
 Stone, Polymict brecciated gray chondrite
Description: Nearly complete individual with polished surface,
 640 grams Me768
 Three fragments, 3.4 grams Me768
- LENARTO, Lenarto, Saros, Czechoslovakia
Found: 1814
 Iron, Medium octahedrite
Description: Etched slab with crust, 336 grams Me1177
 Etched slab with crust and well-marked figures,
 273 grams Me1178
 Small slab with torn edges, etched, 68 grams
 Me1179

- LEONOVKA, Leonovka, Novgorod-Syeveresk district,
Chernigov Government, Ukraine, USSR
Fell: August 23, 1900, 9:00 P.M.
Stone, White enstatite-chondrite
Description: Fragment with crust, 1 gram Me1413
- LE PRESSEIR, Le Pressoir, Indre-et-Loire, France
Fell: January 25, 1845, 3:00 P.M.
Stone, Spherical chondrite
Description: Fragment with crust. Crust black, smooth, 17 grams
Me439
Mass with crust and polished surface, 48.4 grams
Me1664
- LES ORMES, Les Ormes, Yonne, France
Fell: October 1, 1857, 5:00 P.M.
Stone, White chondrite
Description: Fragments with crust, 1.5 grams Me1417
- LESVES, Lesves, Namur, Belgium
Fell: April 13, 1896, 7:30 A.M.
Stone, Gray hypersthene-chondrite
Description: Fragment with crust, 10 grams Me542
Mass with crust, 32 grams Me1661
- LE TEILLEUL, Le Teilleul, Manche, France
Fell: July 14, 1845, 3:00 P.M.
Stone, Howardite
Description: Three fragments with crust, 14 grams Me1418
- LEXINGTON COUNTY, Lexington County, South Carolina, USA
Found: 1880
Iron, Coarse octahedrite
Description: Etched slab with crust, 23.5 grams Me111
Etched slab with crust, 87 grams Me1113
End piece, etched, 969 grams Me1114
- LICK CREEK, Lick Creek, Davidson County, North Carolina, USA
Found: 1879
Iron, Hexahedrite
Description: Etched slab, 15 grams Me1074

- LILLAVERKE, Lillaverke, Kalmar, Smaland, Sweden
Fell: May 11, 1930, 4:00 P.M.
 Stone, Veined chondrite
Description: Mass with crust, 111 grams Me2447
- LIME CREEK, Claiborne, Monroe County, Alabama, USA
Found: 1834
 Iron, Nickel-rich ataxite
Description: Full-sized etched section, 84.5 grams Me937
- LIMERICK, Limerick County, Ireland
Fell: September 10, 1813, 9:00 A.M.
 Stone, Veined gray bronzite-chondrite
Description: Polished chip, 1.5 grams Me233
 Nearly complete individual, 51 grams Me1795
- LINCOLN COUNTY, Lincoln County, Colorado, USA
Found: 1937
 Stone, Chondrite
Description: End piece with polished face, 64.7 grams Me2319
- LINUM, Linum, Fehrbellin, Brandenburg, Germany
Fell: September 5, 1854, 8:00 P.M.
 Stone, White chondrite
Description: Fragment with crust, 0.5 gram Me1414
- LINVILLE, Linville Mountain, Burke County,
 North Carolina, USA
Found: 1882
 Iron, Nickel-rich ataxite
Description: Thin slab, etched, 27 grams Me1110
- LINWOOD, Linwood, Butler County, Nebraska, USA
Found: About 1940-41
 Iron, Coarsest octahedrite with silicate inclusions
Description: Polished and etched slice, 8×5 inches, 760 grams
 Me2395
- LISSA, Lissa, Bunzlau, Bohemia, Czechoslovakia
Fell: September 3, 1808, 3:30 P.M.
 Stone, Veined white hypersthene-chondrite

Description: Interior fragment, 30 grams Me510
 Mass with crust, 150 grams Me1410
 Mass with crust, 26 grams Me1411

LITTLE PINEY, Little Piney, Pulaski County, Missouri, USA
Fell: February 13, 1839, 3:30 P.M.
 Stone, Spherical chondrite
Description: Two fragments from interior, 3 grams Me1423

LIVINGSTON, Livingston, Overton County, Tennessee, USA
Found: 1937
 Iron, Irregular medium octahedrite
Description: Fragment, 57.5 grams Me2404

LIXNA, Lixna, Dvinsk, Latvia
Fell: July 12, 1820, 5:30 P.M.
 Stone, Veined gray bronzite-chondrite
Description: Mass with crust, 61 grams Me1764
 Interior fragment, 2 grams Me550
 Slice from interior, with polished surface, 10 grams
 Me1765

LOCUST GROVE, Locust Grove, Henry County, Georgia, USA
Found: 1857
 Iron, Nickel-poor ataxite
Description: Thick, etched slab with crust, 370 grams Me558

LODRAN, Lodran, Multan district, West Punjab, Pakistan
Fell: October 1, 1868, 2:00 P.M.
 Stony-iron, Lodranite
Description: Three fragments, 2 grams Me1260

LONACONING, Lonaconing, Allegany County, Maryland, USA
Found: 1888
 Iron, Coarse octahedrite
Description: Full-sized etched section, 39 grams Me941

LONG ISLAND, Long Island, Phillips County, Kansas, USA
Found: 1891
 Stone, Veined intermediate hypersthene-chondrite
Description: Four large masses with crust, about 3,000 smaller

pieces belonging to the same individual,
536.353 kgs. Me350

Mass with crust, 8,059 grams Me1889
Small mass cut from Me1889, 709 grams Me1889a
Polished mass from interior, 1,902 grams Me1891
Polished mass from interior, 1,015 grams Me1892
Mass with crust, 270 grams Me1894
Mass with polished surface, 794 grams Me2061
Mass with polished surface, 1,464 grams Me2062

LOS REYES, Los Reyes, Mexico State, Mexico

Found: 1897

Iron, Medium octahedrite

Description: Nearly complete individual, 14,593 grams Me454
Etched section, 984 grams Me1986
End piece, etched, 2,148 grams Me1987
Etched section, 638 grams Me2223

LOSTTOWN, Losttown, Cherokee County, Georgia, USA

Found: 1868

Iron, Medium octahedrite

Description: Polished mass with crust, 75 grams Me1058

LUBBOCK, Lubbock, Lubbock County, Texas, USA

Found: November 28, 1938

Stone, Veined gray chondrite

Description: Polished slice with crust, 150.1 grams Me2312

LUCÉ, Lucé, Sarthe, France

Fell: September 13, 1768, 4:30 P.M.

Stone, Veined white chondrite

Description: Two fragments from interior, 4.3 grams Me1421

LUCKY HILL, Lucky Hill, Bellevue, St. Elizabeth, Jamaica

Found: 1885

Iron, Medium octahedrite

Description: Six oxidized fragments, 51 grams Me1151

LUIS LOPEZ, Luis Lopez, Socorro County, New Mexico, USA

Found: 1896

Iron, Medium octahedrite

Description: About one-half the original mass with etched surface,
11×19 cm., 3,107 grams Me913

LUJAN, Lujan, Buenos Aires, Argentina

Prehistoric: Found before 1892

Stony-iron, Mesosiderite(?)

Description: Three crust fragments, 2.7 grams Me1400

LUMPKIN, Lumpkin, Stewart County, Georgia, USA

Fell: October 6, 1869, 11:45 P.M.

Stone, Crystalline spherical hypersthene-chondrite

Description: Slice with crust and polished surface, 3 grams
Me1412

LUNDSGARD, Lundsgard, Ljungby, Gottland, Sweden

Fell: April 3, 1889, 8:30 P.M.

Stone, White hypersthene-chondrite (somewhat brecciated)

Description: Mass with crust, 34 grams Me1398

Mass with crust, 21 grams Me1399

LUOTOLAX, Luotolax, Viborg, Finland

Fell: December 13, 1813, day

Stone, Howardite

Description: Fragments from interior, 3 grams Me1613

LUPONNAS, Luponnas, Ain, France

Fell: September 7, 1753, 1:00 P.M.

Stone, Brecciated intermediate hypersthene-chondrite

Description: Mass with crust, 14.7 grams Me1419

MACAU, Macau, Rio Grande do Norte, Brazil

Fell: November 11, 1836, 5:00 A.M.

Stone, Veined intermediate chondrite

Description: Fragment with crust, 4 grams Me787

Three fragments with crust, 68 grams Me1640

Slab with crust and polished surface, 12 grams

Me1641

MADOC, Madoc, Hastings County, Ontario, Canada

Found: 1854

Iron, Fine octahedrite

Description: Spheroidal fragment, 9 grams Me65
Thin sawed slab, 5 grams Me66
Slab with crust and etched surface, 24 grams
Me1189

MADRID, Madrid, Spain

Fell: February 10, 1896, 9:30 A.M.

Stone, Veined white hypersthene-chondrite

Description: Fragments from interior, 1 gram Me1422

MAGURA, Magura, Arva, Czechoslovakia

Found: 1840

Iron, Coarse octahedrite

Description: Rough mass, 134.5 grams Me46

Etched mass, 166 grams Me47

Rough mass, 847 grams Me887

Etched mass, 520 grams Me888

Taenite from meteorite, 1 gram Me1904

MAINZ, Mainz, Hesse, Germany

Found: 1852

Stone, Veined intermediate hypersthene-chondrite

Description: Polished fragment, 2 grams Me441

Two fragments from interior with polished surfaces,
27.5 grams Me1649

Fragment from interior with polished surfaces,
11.5 grams Me1650

MAKAREWA, Makarewa, Invercargill, County Southland,
New Zealand

Found: 1879

Stone, Brecciated gray hypersthene-chondrite

Description: Polished slice with crust, 3 grams Me1590

MANBHOOM, Manbhoom, Manbhoom district, Bihar, Bengal, India

Fell: December 22, 1863, 9:00 A.M.

Stone, Monomict brecciated amphoterite

Description: Mass with crust, 11.8 grams Me1620

Fragments from interior, 11 grams Me583

Mass from interior, 19 grams Me1621

- MANEGAON, Manegaon, Bhusawal taluq,
East Khandesh district, Bombay, India
Fell: June 29, 1843, 3:30 P.M.
Stone, Monomict brecciated diogenite (hypersthene-achondrite)
Description: Fragment from interior, 1 gram Me1632
- MANTOS BLANCOS, Mantos Blancos, Atacama Desert, Chile
Found: 1876
Iron, Fine octahedrite
Description: Thin slab, etched, 72 grams Me1062
- MAPLETON, Mapleton, Monona County, Iowa, USA
Found: June 17, 1939
Iron, Medium octahedrite
Description: End piece with etched surface, 21,291 grams
Me2286A
End piece with polished surface, 15,120 grams
Me2286B
Etched slab, 3,375 grams Me2286D
Four fragments with crust, 73 grams Me2286F
- MARION, Marion, Linn County, Iowa, USA
Fell: February 25, 1847, 2:45 P.M.
Stone, Veined white hypersthene-chondrite
Description: Mass with crust, 121 grams Me255
Mass with crust and polished surfaces, 60 grams
Me1749
- MARJALAHTI, Marjalahti, Viipuri, Finland
Fell: June 1, 1902, 10:00 P.M.
Stony-iron, Pallasite
Description: Mass with crust, 537 grams Me1323
Mass with crust, 738 grams Me1324
- MARMANDE, Marmande, Lot-et-Garonne, France
Fell: July 4, 1848
Stone, Spherical chondrite
Description: Fragment from interior, friable, 2 grams Me1595
- MARSHALL COUNTY, Marshall County, Kentucky, USA
Described: 1860

Iron, Medium octahedrite

Description: Etched fragment with crust, 17 grams Me945

MART, Mart, McLennan County, Texas, USA

Found: 1898

Iron, Finest octahedrite

Description: End piece, etched, 1,127 grams Me1040

MASCOMBES, Mascombès, Correze, France

Fell: January 31, 1836, 1:00 P.M.

Stone, White chondrite

Description: Fragment with crust, 7 grams Me1591

Fragment from interior with polished surface,
8 grams Me1592

MÄSSING, Mässing, Eggenfelden, Lower Bavaria, Germany

Fell: December 13, 1803, 10:30 A.M.

Stone, Howardite

Description: Two fragments from interior, 1.7 grams Me1648

MATATIELE, Matatiele, Drakensberg, Cape Province, South Africa

Known: 1878

Iron, Medium octahedrite

Description: Fragment with crust and etched surface, 24 grams
Me936

MAUERKIRCHEN, Mauerkirchen, Upper Austria

Fell: November 20, 1768, 4:00 P.M.

Stone, White hypersthene-chondrite

Description: Mass with crust, 105 grams Me211

Mass from interior with polished surface, 11
grams Me1610

Fragment with crust, 16 grams Me1611

Fragment with crust, 14 grams Me1612

MAURITIUS, Mauritius, Indian Ocean

Fell: December 22, 1801

Stone, Polymict brecciated (howarditic) chondrite

Description: Fragment with crust, 6 grams Me1606

MAZAPIL, Mazapil, Zacatecas, Mexico
Found: November 27, 1885, 9:00 P.M.
 Iron, Medium octahedrite
Description: Section, etched, 19 grams Me1977

McKINNEY, McKinney, Collin County, Texas, USA
Found: 1870
 Stone, Black hypersthene-chondrite
Description: Mass with crust and polished surface, 54 grams
 Me355
 Mass with crust and polished surface, 1024 grams
 Me1436
 Full-sized, polished section, 2,565 grams Me1437
 Complete individual with one polished face,
 33 x 35 cm., thickness of stone 25 cm.,
 52,613 grams Me1438

MEJILLONES (1875), Mejillones, Atacama, Chile
Found: Before 1875
 Iron, Brecciated hexahedrite
Description: Etched fragment, 2 grams Me1063

MEJILLONES (1905), Mejillones, Atacama, Chile
Found: 1905
 Stony-iron, Mesosiderite (Grahamite)
Description: Polished section with crust. Large inclusions of
 chrysolite are visible, 183.4 grams Me1266

MELROSE, Melrose, Curry County, New Mexico, USA
Found: Before 1933
 Stone, Hypersthene-chondrite
Description: Slice with polished faces, 1,385 grams Me2172
 Six fragments, 119 grams Me2172

MENOW, Menow, Alt-Strelitz, Mecklenberg, Germany
Fell: October 7, 1862, 12:30 P.M.
 Stone, Crystalline spherical chondrite
Description: Mass with crust and two polished surfaces,
 701 grams Me1388
 Fragment from interior, 2 grams Me278
 Mass from interior, 80 grams Me1389

- MERCEDITAS, Merceditas, Chanarel, Atacama, Chile
Known: 1884
 Iron, Medium octahedrite
Description: Etched slab with crust, 124 grams Me586
 Etched slab with crust, 727 grams Me922
 Etched slab with crust, 172.5 grams Me821
- MERN, Mern, Praesto, Denmark
Fell: August 29, 1878, 2:30 P.M.
 Stone, Veined crystalline spherical chondrite
Description: Mass with crust, 28 grams Me1589
- MERTZON, Mertzon, Irion County, Texas, USA
Found: 1943-44
 Iron, Fine octahedrite
Description: Polished slice, 202 grams Me2408
- MEUSELBACH, Meuselbach, Thuringia, Germany
Fell: May 19, 1897, 7:45 P.M.
 Stone, Veined crystalline spherical hypersthene-chondrite
Description: Fragment with crust, 2.2 grams Me1855
- MEZO-MADARAS, Mezo-Madaras, Transylvania, Romania
Fell: September 4, 1852, 4:30 P.M.
 Stone, Polymict brecciated gray hypersthene-chondrite
Description: Fragment with crust and polished surface, 4 grams
 Me261
 Mass with crust and polished surface, 165 grams
 Me1607
 Mass with crust and armored surfaces, 331 grams
 Me1608
- MHOW, Mhow, Mau tahsil, Azambgarh district,
 United Provinces, India
Fell: February 16, 1827, 3:00 P.M.
 Stone, Intermediate chondrite
Description: Fragment from interior, polished surface, 2 grams
 Me1633
- MIDDLESBROUGH, Middlesbrough, Yorkshire, England
Fell: March 14, 1881, 3:35 P.M.

Stone, White hypersthene-chondrite

Description: Fragments with crust, 0.1 grams Me1634

MIGHEI, Mighei, Olviopol, Kherson, Ukraine, USSR

Fell: June 18, 1889, 8:30 A.M.

Stone, Carbonaceous chondrite

Description: Fragment with crust, 7 grams Me339

Fragment with crust, 0.3 grams Me338

Two large masses with crust, 2,281 grams Me1456

MILENA, Milena, Varazdin, Croatia, Yugoslavia

Fell: April 26, 1842, 3:00 P.M.

Stone, White chondrite

Description: Fragment from interior, 4 grams Me250

Polished slab with crust, 10 grams Me1849

Fragment from interior with polished surface,
3 grams Me1850

MILLER, Miller, Cleburne County, Arkansas, USA

Fell: July 13, 1930

Stone, Enstatite-chondrite

Description: Fragment with portion of fusion crust, 32.8 grams
Me2559

MINAS GERAES, Minas Geraes, Brazil

Found: 1888

Stone, Veined white chondrite

Description: Mass with crust and polished surface, 422 grams
Me1622

MINCY, Mincy, Taney County, Missouri, USA

Found: 1857

Stony-iron, Mesosiderite

Description: Thin slab 17×33 cm., with polished surface,
2,147 grams Me1253

MISSHOF, Misshof, Baldohn, Kurland, Latvia

Fell: April 10, 1890, 3:30 P.M.

Stone, Spherical bronzite-chondrite

Description: Mass with crust and polished surfaces, 85.5 grams
Me1630

Fragments, 1.5 grams Me1630
 Mass with crust and polished surface, 175 grams
 Me1631

MISTECA, Misteca, Oaxaca, Mexico

Known: 1804

Iron, Medium octahedrite

Description: Full-sized etched section, 82 grams Me32

Rhabdite, 2 grams Me1912

Etched section, 69 grams Me956

MOCs, Mocs, Cluj, Transylvania, Romania

Fell: February 3, 1882, 4:00 P.M.

Stone, Veined white hypersthene-chondrite

Description: Three fragments with crust, 26 grams Me323

Nearly complete individual, mended from five fragments, 542 grams Me324

One complete individual, 39 grams Me330

One complete individual, 7 grams Me331

Complete individual, 2,224 grams Me1444

Complete individual, 840 grams Me1445

Complete individual, 564 grams Me1446

Fifteen complete individuals, 540 grams Me1447

Eight small individuals, 11.5 grams Me1448

Complete individual, 291 grams Me1449

Oriented fragment, 188 grams Me1450

Nearly complete individual, 338 grams Me1451

Wedge-shaped individual with primary and secondary crust, 564 grams Me1452

Mass with crust, 530 grams Me1453

Mass with crust and polished surface, 481 grams
 Me1454

MOCTEZUMA, Moctezuma, Sonora, Mexico

Found: 1899

Iron, Medium octahedrite

Description: Etched slab with fractured edges, 357 grams

Me926

MODOC (1905), Modoc, Scott County, Kansas, USA

Fell: September 2, 1905, 9:30 P.M.

Stone, Veined white hypersthene-chondrite

Description: Complete individual, 3,184 grams Me743
 Complete individual, 163.3 grams Me744
 Nearly complete individual, 269.5 grams Me745
 Mass with oriented crust, 875 grams Me747
 Mass with crust, 170 grams Me1971
 Troilite from Modoc, 0.2 gram Me2348

MOKOIA, Mokoia, Taranaki, North Island, New Zealand
Fell: November 26, 1908, 12:30 P.M.
 Stone, Carbonaceous chondrite
Description: Two fragments from interior, 3.4 grams Me2460

MOLINA, Molina, Murcia, Spain
Fell: December 24, 1858
 Stone, Brecciated gray bronzite-chondrite
Description: Mass with crust, 33 grams Me1635

MOLONG, Molong, County Ashburnham,
 New South Wales, Australia
Found: 1912
 Stony-iron, Pallasite
Description: Fragments, 543.3 grams Me1970

MONAHANS, Monahans, Ward County, Texas, USA
Found: 1938
 Iron, Nickel-rich ataxite
Description: Polished slab, 844 grams Me2247

MONROE, Monroe, Cabarrus County, North Carolina, USA
Fell: October 31, 1849, 3:00 P.M.
 Stone, Polymict brecciated veined bronzite-chondrite
Description: Fragment from interior with polished surface,
 10 grams Me2448
 Fragment from interior, 4 grams Me256
 Mass from interior, 79.5 grams Me1761
 Mass with crust and polished surface, 19.8 grams
 Me1762

MONTE MILONE, Monte Milone, Macerata, Italy
Fell: May 8, 1846, 9:15 A.M.
 Stone, Brecciated white chondrite

Description: Fragments from interior and with crust, 11 grams
Me1623

MONTLIVAUT, Montlivault, Loir-et-Cher, France

Fell: July 22, 1838, day

Stone, White chondrite

Description: Two fragments with crust and polished surface,
4 grams Me1619

MONZE, Monze, Northern Rhodesia

Fell: October 5, 1950, 4:10 A.M.

Stone, Hypersthene-chondrite

Description: Mass with crust, 153 grams Me2441

MOORANOPPIN, Mooranoppin, Avon, County Lansdowne,
West Australia

Recognized: 1893

Iron, Coarsest octahedrite

Description: Polished and etched section with crust, 98 grams
Me540

Full-sized section, etched, 73 grams Me975

MOORESFORT, Mooresfort, County Tipperary, Ireland

Fell: August, 1810, noon

Stone, Veined gray chondrite

Description: Fragment with crust, 7 grams Me228

Two fragments from interior, 16 grams Me1681

Two fragments from interior, 14 grams Me1682

MORADABAD, Moradabad district, United Provinces, India

Fell: 1808

Stone, White chondrite

Description: Fragments from interior, 1 gram Me1596

MORITO, Morito, San Gregoria, Chihuahua, Mexico

Known: 1600

Iron, Medium octahedrite

Description: Etched fragment with crust, 13 grams Me942

MORLAND, Morland, Graham County, Kansas, USA

Found: About 1890—main mass found in 1935

Stone, Veined gray crystalline chondrite

Description: Mass with polished surface, 988 grams Me2213

MORNANS, Mornans, Bordeaux, Drome, France

Fell: September, 1875

Stone, Veined gray chondrite

Description: Sawed fragment with crust, 2 grams Me1599

MORRADAL, Morradal, Grjotli, between Skiaker and Stryn,
Norway

Found: 1892

Iron, Nickel-rich ataxite

Description: Thin, etched slab, 17.5 grams Me824

Thin, etched slab, 5 grams Me961

MORRISTOWN, Morristown, Hamblen County,
Tennessee, USA

Found: 1887

Stony-iron, Mesosiderite

Description: Thick, full-sized polished section, 646 grams

Me1280

End piece with polished surface, 1,084 grams

Me1281

Wedge-shaped section with crust and polished surface, 2,207 grams Me1282

MOTI-KA-NAGLA, Goordha, Biana district, Bharatpur State,
Rajputana, India

Fell: December 22, 1868, 5:00 P.M.

Stone, Crystalline chondrite

Description: Fragment with crust and two polished surfaces,
7.5 grams Me1683

Fragment from interior, 4.5 grams Me1684

MOTTA DI CONTI, Motta di Conti, Casale, Piedmont, Italy

Fell: February 29, 1868, 11:00 A.M.

Stone, Spherical chondrite

Description: Mass with crust, friable, 35.6 grams Me1685

MOUNT BROWNE, Mount Browne, County Evelyn,
New South Wales, Australia

Fell: July 17, 1902, 9:30 A.M.

Stone, Spherical bronzite-chondrite

Description: Mass with crust, 149 grams Me576

Mass with crust, 226 grams Me1329

Fragment from interior, 5.3 grams Me1329a

MOUNT DYRRING, Mount Dyrring, Singleton district,
County Durham, New South Wales, Australia

Found: 1903

Stony-iron, Pallasite

Description: Mass with crust, 271 grams Me575

Mass with crust, 131 grams Me1320

MOUNT EDITH, Mount Edith, Ashburton district,
Western Australia

Found: 1913

Iron, Medium octahedrite

Description: Full-sized, etched section, 9,823 grams Me1959

Small slab, 62 grams Me1959a

MOUNT JOY, Mount Joy, Adams County, Pennsylvania, USA

Found: 1887

Iron, Coarsest octahedrite

Description: Etched section, 10×13 cm., 670 grams Me482

Full-sized, etched section, 61×83 cm., 20,000 grams
Me1051

Etched section, 51 grams Me1899

MOUNT STIRLING, Mount Stirling, York, Southwest Division,
Western Australia

Found: 1892

Iron, Coarse octahedrite

Description: Etched fragment, 56 grams Me829

Full-sized etched section, 944 grams Me1004

MOUNT TABBY, Mount Tabby, Hannah, Duchesne County,
Utah, USA

Found: 1921

Iron, Octahedrite

Description: Etched section, 888 grams Me2111

MOUNT VERNON, Mount Vernon, Christian County,
Kentucky, USA

Found: 1868

Stony-iron, Pallasite

Description: Small polished slab and fragments, 248 grams

Me567

Fragments, 44 grams Me567

MUDDOOR, Muddoor taluq, Mysore, India

Fell: September 21, 1865, 7:00 A.M.

Stone, Spherical hypersthene-chondrite

Description: Fragment with crust, 6 grams Me1593

Fragment from interior, 4 grams Me1594

MUNGINDI, Mungindi, County Benarba,
New South Wales, Australia

Found: 1897

Iron, Finest octahedrite

Description: Full-sized etched section 21 × 9 cm., 627 grams

Me461

End piece with etched surface, 1,383 grams

Me1003

MUONIONALUSTA I, Muonionalusta, Norrbötten, Sweden

Found: 1906

Iron, Fine octahedrite

Description: Fragment with crust, 43.5 grams Me2452

MUONIONALUSTA II, Muonionalusta, Norrbötten, Sweden

Found: August 15, 1946

Iron, Fine octahedrite

Description: Fragment with crust, 41.6 grams Me2453

MURFREESBORO, Murfreesboro, Rutherford County,
Tennessee, USA

Found: 1847

Iron, Medium octahedrite

Description: Etched slab, 20 grams Me58

Etched slab from surface, 20 grams Me827

Thin, etched slab with crust, 18 grams Me909

Polished mass with oxidized edges, 25 grams

Me910

- MURPHY, Murphy, Cherokee County, North Carolina, USA
Found: 1899
 Iron, Hexahedrite
Description: Polished and etched section, 98.5 grams Me503
 Full-sized slab, etched, 257 grams Me966
 Full-sized slab, etched, 305 grams Me967
- NAGARIA, Nagaria, Fatehabad pargana, Agra district,
 United Provinces, India
Fell: April 24, 1875, 7:30 A.M.
 Stone, Eucrite
Description: Fragment with crust, 1.4 grams Me1674
- NAGY-BOROVE, Nagy-Borove, Lipto, Czechoslovakia
Fell: May 9, 1895
 Stone, Gray chondrite
Description: Complete individual, 183.5 grams Me1604
 Mass with crust and sawed surfaces, 26 grams
 Me1605
- NAGY-VAZSONY, Nagy-Vazsony, Veszprem, Hungary
Found: 1890
 Iron, Medium octahedrite
Description: Thin slab, etched, 36 grams Me974
- NAKHLA, Nakhla, Abu Hommos, Alexandria, Egypt
Fell: June 28, 1911, 9:00 A.M.
 Stone, Nakhlite (Diopside-olivine achondrite)
Description: Fragment with crust, 14 grams Me804
- NAMMIANTHAL, Nammianthal, North Arcot district,
 Madras, India
Fell: January 27, 1886
 Stone, Veined spherical chondrite
Description: Mass with crust, 64 grams Me1627
 Mass with crust and polished surface, 20.5 grams
 Me1628
 Mass from interior, 35 grams Me1629
- NANJEMOY, Nanjemoy, Charles County, Maryland, USA
Fell: February 10, 1825, noon
 Stone, Spherical chondrite

Description: Mass with crust and polished surface, 23.5 grams
 Me1625
 Fragment from interior, 0.5 grams Me238
 Mass with crust and sawed surfaces, 82 grams
 Me1626

NARRABURRA, Narrarburra Creek, Temora, County Bland,
 New South Wales, Australia

Found: 1855

Iron, Finest octahedrite

Description: Full-sized section, deeply etched, 133.5 grams
 Me1142

NÄS, Näs, Värvik, Dalsland, Sweden

Found: 1907

Stone, Chondrite

Description: Fragment with crust, 10.5 grams Me2450

NAVAJO, Navajo, Apache County, Arizona, USA

Found: July 10, 1921

Iron, Nickel-poor ataxite

Description: Complete individual, 1,497.618 kilograms Me2038
 Borings, 2 grams Me2038
 Individual, 683.124 kilograms Me2099
 Scalings, 420 grams Me2099
 Small end piece, etched, 48 grams Me2099a
 Polished slice, 1,676 grams Me2099b

NAWAPALI, Nawapali, Bargarh tahsil, Sambalpur district,
 Orissa, Central Provinces, India

Fell: June 6, 1890, 6:00 P.M.

Stone, Carbonaceous chondrite

Description: Fragment from interior, 1.5 grams Me1655

NEDAGOLLA, Nedagolla, Vizagapatam district, Madras, India

Fell: January 23, 1870, 7:00 P.M.

Iron, Nickel-poor ataxite

Description: Two fragments, etched, 9 grams Me1090

NEJED, Nejeda, Wadai Banee Khaled, Central Arabia

Found: 1863

Iron, Medium octahedrite

Description: Etched slab with crust, 179 grams Me523
 Nearly complete individual with one etched surface,
 48,080 grams Me1100

NELSON COUNTY, Nelson County, Kentucky, USA

Found: 1856

Iron, Coarsest octahedrite

Description: Oxidized scaling, 23 grams Me73
 Large, polished slab, 455 grams Me488
 Polished slab, 151 grams Me1183
 Etched section with crust, 281 grams Me1184

NENNTMANNSDORF, Nenntmannsdorf, Pirna, Saxony, Germany

Found: 1872

Iron, Hexahedrite

Description: Cleavage pieces, 4 grams Me447
 Thin slab with polished surface, 22 grams Me1123

NERFT, Nerft, Kurland, Latvia

Fell: April 12, 1864, 4:45 A.M.

Stone, Veined intermediate hypersthene-chondrite

Description: Mass from interior, 44 grams Me585
 Mass with crust, 61 grams Me1637

NESS COUNTY (1894), Ness County, Kansas, USA

Found: 1894

Stone, Crystalline bronzite-chondrite

Description: Complete individual, 1,362 grams Me754
 Ten complete individuals, 309 grams Me806
 Complete individual, 572 grams Me807
 Complete individual, crust black, 2,926 grams
 Me808
 Complete individual, rounded, wedge-shaped, shows
 primary and secondary crust, 3,410 grams Me809
 Complete individual, form rectangular prismatic,
 1,190 grams Me811
 Complete individual, 972 grams Me812
 Two complete individuals, 1,595 grams Me813
 Two complete individuals, 575 grams Me814
 Mass with polished surface, 953 grams Me815
 Complete individual, crust black, 34 grams Me816

- Complete individual, 22 grams Me817
Mass with crust and polished surface, 2,523 grams
Me818
Complete individual, 148 grams Me2042
Complete individual, 520 grams Me2043
Complete individual, 607 grams Me2044
Complete individual, 693 grams Me2046
Complete individual, 1,335 grams Me2050
Complete individual, form triangular pyramid,
1,190 grams Me810
Fragments (from Me818), 3 grams Me818a

NETSCHAEVO, Netschaevo, Tula, USSR

Found: 1846

Iron, Brecciated octahedrite with silicate inclusions

Description: Mass with crust and etched surfaces, 135 grams
Me1152

Thin slab, etched, 30 grams Me1153

Thin slab from siliceous portion, 15 grams Me1154

NEW ALMELO, New Almelo, Norton County, Kansas, USA

Found: about 1917, recognized: 1932

Stone, Polymict brecciated veined chondrite

Description: Polished slice, 240 grams Me2195

NEW BALTIMORE, New Baltimore, Somerset County,
Pennsylvania, USA

Found: 1922

Iron, Coarsest octahedrite

Description: Etched slice, 1,613 grams Me2054

NEW CONCORD, New Concord, Muskingum County, Ohio, USA

Fell: May 1, 1860, 12:45 P.M.

Stone, Veined intermediate hypersthene-chondrite

Description: Nearly complete individual, 341 grams Me273

Mass with crust and polished surfaces, 752 grams
Me274

Individual cut in two parts, 3,718 grams Me1824

Mass with crust and polished surfaces, 650 grams
Me1825

- NEWPORT, Newport, Jackson County, Arkansas, USA
Found: 1923
 Stony-iron, Pallasite
Description: End piece, polished and etched, 137 grams Me2144
- NEW WESTVILLE, New Westville, Preble County, Ohio, USA
Found: 1941
 Iron, Medium to fine octahedrite
Description: Etched slice, 206.3 grams Me2400
- NGAWI, Ngawi, Gentoeng, Madioen, Java
Fell: October 3, 1883, 5:15 P.M.
 Stone, Spherical hypersthene-chondrite
Description: Sawed section with crust, 8.5 grams Me1675
- N'GOUREYMA, N'Goureyma, Jenne, Massina, French West Africa
Fell: June 15, 1900
 Iron, Brecciated octahedrite
Description: Full-sized polished section, 145 grams Me597
 Full-sized etched section, 882 grams Me978
- NIAGARA, Niagara, Grand Forks County,
 North Dakota, USA
Found: 1879
 Iron, Coarse octahedrite
Description: Fragment with crust and etched surface, 25 grams
 Me946
- NOBLEBORO, Nobleboro, Lincoln County, Maine, USA
Fell: August 7, 1823, 4:30 P.M.
 Stone, Howardite
Description: Mass with crust, 19 grams Me1370
- NOCHTUISK, Nochtuisk, Yakutsk, Siberia, USSR
Found: 1876
 Iron, Coarse octahedrite
Description: Apparently a small individual w/lt h one end etched,
 2 grams Me1175

NOCOLECHE, Nocoleche, Wanaaring, County Ularara,
New South Wales, Australia

Found: 1895

Iron, Medium octahedrite

Description: Full-sized etched section, 1,120 grams Me1039

NOGOYA, Nogoya, Entre Rios, Argentina

Fell: June 30, 1879, evening

Stone, Carbonaceous hypersthene-chondrite

Description: Mass with crust, 10 grams Me1680

NORCATEUR, Norcateur, Decatur County, Kansas, USA

Found: 1940, recognized: July, 1948

Stone, Polymict brecciated veined intermediate chondrite

Description: Small slice, 31.5 grams Me2411

NORFOLK, Norfolk, Montgomery County, Virginia, USA

Fell: September 23, 1907

Iron, Medium octahedrite

Description: Etched slab, 145.5 grams Me2252

NOVO-UREI, Novo-Urei, Karamzinka, Nizhni-Novgorod, USSR

Fell: September 4, 1886, 7:15 A.M.

Stone, Ureilite

Description: Fragment with crust, 4.3 grams Me582

Mass with crust and polished surface, 48.3 grams

Me1678

NULLES, Nulles, Catalonia, Spain

Fell: November 5, 1851, 5:30 P.M.

Stone, Brecciated gray bronzite-chondrite

Description: Fragments with crust, 8 grams Me1676

OAKLEY (STONE), Oakley, Logan County, Kansas, USA

Found: 1895

Stone, Crystalline bronzite-chondrite

Description: Full-sized section, 25×30 cm., polished on one surface,
2,300 grams Me1457

End piece with polished surface, 25×30 cm.,

6,535 grams Me1458

OBERNKIRCHEN, Obernkirchen, Bukerberg, Rinteln,
Hesse-Nassau, Germany

Found: Before 1863

Iron, Fine octahedrite

Description: Mass with crust and polished surfaces, 124 grams
Me1081

Mass with crust and polished surfaces, 60 grams
Me1082

OCHANSK, Ochansk, Perm, USSR

Fell: August 30, 1887, 1:00 P.M.

Stone, Polymict brecciated spherical bronzite-chondrite

Description: Fragment with crust, 24 grams Me335
Fragment from interior, 48.5 grams Me1440
Mass with crust, 2,292 grams Me1442
Mass from interior, 1,742 grams Me1441
Mass with crust, 8,890 grams Me1443

OCZERETNA, Oczeretna, Lipovets, Kiev, Ukraine, USSR

Found: 1871

Stone, Veined gray chondrite

Description: Fragment with crust and sawed surface, 3 grams
Me1677

ODESSA, Odessa, Ector County, Texas, USA

Found: Before 1922

Iron, Coarse octahedrite

Description: Complete individual, 10,219 grams Me2397
Complete individual, 76 grams Me2398
Fragment, 6.2 grams Me2157
Etched slice, 1,162 grams Me2398
Iron shale, 11 grams Me2158
Complete individual, 832 grams Me2258

OESEL, Oesel Island, Esthonia

Fell: May 11, 1855, 3:30 P.M.

Stone, White hypersthene-chondrite

Description: Mass from interior, 46.5 grams Me1688
Crusted fragments, 1.5 grams Me264

OGALLALA, Ogallala, Keith County, Nebraska, USA

Found: 1918

Iron, Medium octahedrite

Description: Etched slice, 48 grams Me2145

OGI, Ogi, Hizen (Saga), Kyushu, Japan

Fell: June 8, 1741, 11:00 A.M.

Stone, White bronzite-chondrite

Description: Mass with crust and sawed surface, 23 grams
Me1690

OHABA, Ohaba, Alba Iulia, Transylvania, Romania

Fell: October 11, 1857, 12:15 A.M.

Stone, Veined gray bronzite-chondrite

Description: Slab with crust and polished surface, 7 grams
Me1652

OKECHOBEE, Lake Okechobee, Florida, USA

Found: Before 1916, fell: 1903?

Stone, Spherical chondrite

Description: Fragment, 71 grams Me1975

OKNINY, Okniny, Krzemieniec, Wolyn, Poland
(now Volhynia, West Ukraine)

Fell: January 8, 1934, 9:30 A.M.

Stone, Brecciated gray chondrite

Description: Polished slab with crust and armored surface,
10 grams Me1653

OKTIBBEHA COUNTY, Oktibbeha County, Mississippi, USA

Found: About 1854

Iron, Nickel-rich ataxite

Description: Small slice, 1 gram Me1174

OLIVENZA, Olivenza, Badajoz, Spain

Fell: June 19, 1924, 8:00 A.M.

Stone, Gray spherical hypersthene-chondrite

Description: Fragment with crust, 39.4 grams Me2094
Interior mass, 204 grams Me2095

OLMEDILLA DE ALARCON, Olmedilla de Alarcon, Cuenca, Spain

Fell: February 26, 1929, about midday

Stone, Veined brecciated hypersthene-chondrite, approaching eucrite

Description: Mass with crust, 398.5 grams Me2141

ORANGE RIVER (IRON), Orange River, Garib, South Africa

Known: 1855

Iron, Medium octahedrite

Description: Sawed section with natural crust, 114 grams
Me71

Etched slab, 95.5 grams Me72

Etched slab with crust, 74 grams Me1896

ORGUEIL, Orgueil, Montauban, Tarn-et-Garonne, France

Fell: May 14, 1864, 8:00 P.M.

Stone, Carbonaceous chondrite

Description: Fragments with crust, 20 grams Me509

Mass with crust, 29 grams Me1743

Fragments with crust, 26 grams Me1744

ORNANS, Ornans, Doubs, France

Fell: July 11, 1868, 7:15 P.M.

Stone, Spherical hypersthene-chondrite (Ornansite)

Description: Fragment sawed from interior, 19.5 grams Me294

Two fragments with crust, 62 grams Me1766

OROVILLE, Oroville, Butte County, California, USA

Found: 1893

Iron, Medium octahedrite

Description: Full-sized etched section, 315 grams Me859

ORVINIO, Orvinio, Rome, Italy

Fell: August 31, 1872, 5:15 A.M.

Stone, Polymict brecciated black bronzite-chondrite (Orvinite)

Description: Three fragments with crust, 38 grams Me1651

Two fragments with crust, 0.5 grams Me759

OSCURO MOUNTAINS, Oscuro Mountains, Socorro County,
New Mexico, USA

Found: 1895

Iron, Coarse octahedrite

Description: Etched section with crust, 113 grams Me457

End piece, etched, 638 grams Me855

- PACULA, Pacula, Jacala, Hidalgo, Mexico
Fell: June 18, 1881, morning
 Stone, Brecciated white chondrite
Description: Mass with crust, 91.5 grams Me1615
 Mass with crust, 88 grams Me1616
- PAMPA DE AGUA BLANCA, Pampa de Agua Blanca, Chile
Known: 1916
 Stone
Description: Much oxidized fragment with crust, 9.6 grams
 Me1901
 Fragment, 0.4 grams Me1901
- PAMPANGA, Pampanga, Luzon, Philippine Islands
Fell: April 4, 1859
 Stone, Brecciated grey chondrite
Description: Fragment with polished surface, 2 grams Me1598
- PAN DE AZUCAR, Pan de Azucar, Tarapaca,
 Desert of Atacama, Chile
Found: 1887
 Iron, Coarse octahedrite
Description: Full-sized slab, etched, 210 grams Me1133
- PANTAR, Pantar, Lanao, Philippine Islands
Fell: June 16, 1938, 8:45 P.M.
 Stone, Veined chondrite
Description: Individual, 521.4 grams Me2401
- PARAGOULD, Paragould, Greene County, Arkansas, USA
Fell: February 17, 1930, 4:08 A.M.
 Stone, Monomict brecciated gray chondrite
Description: Complete individual, 337,485 grams Me2135
- PARNALLEE, Parnallee, Ramnad district, Madras, India
Fell: February 28, 1875, noon
 Stone, Polymict brecciated veined gray hypersthene-chondrite
Description: Mass with crust and polished surface, abundant troi-
 lite, 162 grams Me437
 Thin slab with crust, 160 grams Me1847
 Mass with crust and polished surface, 486 grams
 Me1848

PASAMONTE, Pasamonte Ranch, Union County,
New Mexico, USA

Fell: March 24, 1933, 5:05 A.M.

Stone, Howardite

Description: Nearly complete individual, 21 grams Me2208

PAULDING COUNTY, Paulding County, Georgia, USA

Found: About 1901

Iron, Coarse octahedrite

Description: Oxidized fragments, 161 grams Me1978

PAVLODAR, Pavlodar, Semipalatinsk, Siberia, USSR

Found: 1885

Stony-iron, Pallasite

Description: End piece with polished surface, 1,406 grams
Me1313

PAVLOGRAD, Pavlogard, Ekaterinoslav, Ukraine, USSR

Fell: May 19, 1826

Stone, White chondrite

Description: Fragment from interior, 15 grams Me448
Fragment from interior, 11.8 grams Me1687
Fragment with crust, 9.7 grams Me1645
Mass with crust and polished surface, 22 grams
Me1686
Sawed mass from interior, oxidized, 87 grams
Me1644

PAVLOVKA, Pavlovka, Balashev, Saratov, USSR

Fell: August 2, 1882, 5:00 P.M.

Stone, Howardite

Description: Mass from interior, 69 grams Me1377
Mass with crust, 93.5 grams Me1378

PEACE RIVER, Peace River, Alberta, Canada

Fell: March 31, 1963, 4:35 A.M.

Stone, Hypersthene-chondrite

Description: Irregular fragment with small patch of fusion crust,
609 grams Me2556

- PEETZ, Peetz, Logan County, Colorado, USA
Found: 1937
 Stone, Black chondrite
Description: Polished slice with crust, 751 grams Me2295
- PERPETI, Perpeti, Tippera district, East Bengal, Pakistan
Fell: May 14, 1935, 11:00 P.M.
 Stone, White enstatite-chondrite
Description: Fragment with crust, 49 grams Me2245
- PERRYVILLE, Perryville, Perry County, Missouri, USA
Found: 1906
 Iron, Finest octahedrite
Description: Full-sized section, etched, 181 grams Me802
- PERSIMMON CREEK, Persimmon Creek, Cherokee County,
 North Carolina, USA
Found: 1903 (?)
 Iron, Granular, finest octahedrite
Description: Four fragments with crust, 146 grams Me614
 Shavings, 9 grams Me614
 Full-sized etched section, 108 grams Me970
- PETERSBURG, Petersburg, Lincoln County, Tennessee, USA
Fell: August 5, 1855, 3:30 P.M.
 Stone, Howardite
Description: Mass with crust, 205 grams Me1356
 Fragment with crust, 3.3 grams Me1357
- PETROPAVLOVSK, Petropavlovsk, Mrasa River,
 Tomsk, Siberia, USSR
Fell: 1841
 Iron, Medium octahedrite
Description: Slab from surface, etched, 45 grams Me1115
- PHILLIPS COUNTY, Phillips County, Colorado, USA
Found: 1935
 Stony-iron, Pallasite
Description: End piece with polished surface, 332.6 grams
 Me2313

- PHU-HONG, Phu-Hong, Binh-Chanh, Cochin China
Fell: September 22, 1887
 Stone, Veined spherical bronzite-chondrite
Description: Polished slab with crust, 11.8 grams Me1618
- PICKENS COUNTY, Pickens County, Georgia, USA
Found: 1908
 Stone, Crystalline chondrite
Description: Mass with crust, 312 grams Me836
 Mass with crust, 68 grams Me837
- PIERCEVILLE, Pierceville, Finney County, Kansas, USA
Found: 1939
 Stone, Gray chondrite
Description: Polished slice, 96.6 grams Me2314
- PILLISTFER, Pillistfer, Livonia, Latvia
Fell: August 8, 1863, 12:30 P.M.
 Stone, Crystalline enstatite-chondrite
Description: Mass with crust, 39 grams Me1646
 Fragment from interior, 1 gram Me279
 Mass with crust and polished surface, 29 grams
 Me1647
- PINE RIVER, Pine River, Waushara County, Wisconsin, USA
Found: 1931
 Iron, Octahedrite with silicate inclusions
Description: Fragment of crust, 2.6 grams Me2382
 Etched slice, 99.5 grams Me2390
- PIÑON, Piñon, Otero County, New Mexico, USA
Found: 1928 or 1930
 Iron, Nickel-rich ataxite
Description: Polished end with cubic streaks, 410 grams Me2196
- PIPE CREEK, Pipe Creek, Bandera County, Texas, USA
Found: 1887
 Stone, Veined crystalline bronzite-chondrite
Description: Mass with crust and polished surfaces, 368 grams
 Me1579
 About one-third the original mass; one surface polished, 3,873 grams Me1580

PIRGUNJE, Pirgunje, Thakurgaon Subdivision, Dinajpur district,
East Bengal, Pakistan

Fell: August 29, 1882

Stone, Veined white chondrite

Description: Mass with crust, contains vein of troilite, 28 grams
Me1639

PIRTHALLA, Pirthalla, Barwala tahsil, Hissar district,
Punjab, India

Fell: February 9, 1884, 2:30 P.M.

Stone, Brecciated spherical chondrite

Description: Fragments with crust, 1 gram Me1643

PITTS, Pitts, Wilcox County, Georgia, USA

Fell: April 20, 1921, 9:00 A.M.

Iron, Octahedrite (with silicate inclusions)

Description: Fragment, 0.42 gram Me2039

PITTSBURG, Pittsburg, Allegheny County, Pennsylvania, USA

Found: About 1850

Iron, Coarsest octahedrite

Description: Etched fragment with crust, 4.7 grams Me433

Etched fragment with crust, 12.5 grams Me823

Etched fragment with crust, 22 grams Me1187

PLAINVIEW (1917), Plainview, Hale County, Texas, USA

Found: 1917

Stone, Polymict brecciated, veined intermediate chondrite

Description: Complete individual in three parts, 1,921 grams
Me1968

Individual, 3,838 grams Me2323

PLOSKHOVITZ, Ploschkovitz, Litomerice, Bohemia, Czechoslovakia

Fell: June 22, 1723, 2:00 P.M.

Stone, Brecciated spherical chondrite

Description: Fragments with crust, 2 grams Me493

Fragment from interior, 2 grams Me1617

PLYMOUTH, Plymouth, Marshall County, Indiana, USA

Found: 1893

Iron, Medium octahedrite

Description: Full-sized section, etched, 626 grams Me1130
 Full-sized section, etched, 460 grams Me1131

PNOMPENH, Pnompenh, Cambodia
Fell: June 30, 1868, 3:00 P.M.
 Stone, White chondrite
Description: Fragments from interior, 0.2 grams Me1597

POHLITZ, Pohlitz, Gera, Reuss, Thuringia, Germany
Fell: October 13, 1819, 8:00 A.M.
 Stone, Veined white chondrite
Description: Three fragments with crust, 11 grams Me1624
 Interior fragment, 0.5 gram Me236

PONCA CREEK, Ponca Creek, Holt County, Nebraska, USA
Found: 1863
 Iron, Coarsest octahedrite
Description: Full-sized slab, etched, 303 grams Me929

POTTER, Potter, Cheyenne County, Nebraska, USA
Found: 1941
 Stone, Polymict brecciated grey chondrite
Description: Complete individual, 86,070 grams Me2381
 Slice with polished surface, 410 grams Me2370
 Fragments, 46 grams Me2381

PRAIRIE DOG CREEK, Prairie Dog Creek, Decatur County,
 Kansas, USA
Found: 1893
 Stone, Spherical crystalline chondrite
Description: Fragment from interior, 18 grams Me563
 Mass with crust, 94 grams Me1337
 Mass with crust, 63 grams Me1338

PRAMBANAN, Prambanan, Surakarta, Java
Known: 1797
 Iron, Fine octahedrite
Description: Etched fragment with crust, 16 grams Me1160

PRICETOWN, Pricetown, Highland County, Ohio, USA
Fell: February 13, 1893

Stone, White chondrite

Description: Fragment with crust, 4 grams Me1768

PUENTE DEL ZACATE, Puente del Zacate, Monclova district,
Coahuila, Mexico

Found: About 1904

Iron, Medium to fine octahedrite

Description: Polished and etched slice, 495 grams Me2253

PULSORA, Pulsora, Ratlam State, Central India

Fell: March 16, 1863, afternoon

Stone, Polymict brecciated intermediate chondrite

Description: Fragment from interior, 5 grams Me1638

PULTUSK, Pultusk, Warsaw, Poland

Fell: January 30, 1868, 7:00 P.M.

Stone, Veined gray bronzite-chondrite

Description: Part of a large individual, 377 grams Me289

Forty-eight small individuals, 660 grams Me290

Two medium-sized individuals, 142 grams Me291

Four medium-sized individuals, 248 grams Me292

Complete individual, 7,885 grams Me1581

Medium-sized individual, 354 grams Me1582

One medium-sized individual, 275 grams Me1584

Ninety-five small individuals, 1,770 grams Me1585

Individual with armored and smoked surfaces,
151 grams Me1586

Individual cut in two and surfaces polished,
166 grams Me1587

Individual showing primary and secondary crust,
646 grams Me1588

One medium-sized individual, 370 grams Me1583

PUQUIOS, Puquios, Copiapo, Atacama, Chile

Found: 1885

Iron, Medium octahedrite

Description: Full-sized slab, etched, 154 grams Me377

Nearly full-sized section, etched, 171 grams
Me1106

PUTNAM COUNTY, Putnam County, Georgia, USA

Found: 1839

Iron, Fine octahedrite

Description: Polished slab with crust, 26 grams Me892
Fragments, 27.2 grams Me893

QUEENS MERCY, Matatiele, East Griqualand, Cape Province,
South Africa

Fell: April 30, 1925, 8:00 P.M.

Stone, Veined gray bronzite-chondrite

Description: Mass with crust, 2,810 grams Me2100

QUENGGOUK, Quenggouk, Bassein district, Lower Burma, Burma

Fell: December 27, 1857, 2:30 A.M.

Stone, Spherical chondrite

Description: Mass with crust, 300 grams Me1614

QUESA, Quesa, Enguera, Valencia, Spain

Fell: August 1, 1898, 9:00 P.M.

Iron, Fine octahedrite

Description: Etched fragment, 1 gram Me1169

QUINCAY, Quincay, Vienne, France (Very doubtful)

Fell: 1851, Summer

Stone, Brecciated gray chondrite

Description: Two fragments with crust and polished surfaces,
11 grams Me1657

QUINN CANYON, Quinn Canyon, Nye County, Nevada, USA

Found: 1908

Iron, Coarse octahedrite

Description: Complete individual, 1,450,000 grams Me775
Drillings, 2 grams Me775

RACO, Raco, Tafi, Tucuman, Argentina

Fell: November 17, 1957

Stone

Description: Fragment from interior, 4 grams Me2455

RAFRUTI, Rafruti, Emmenthal, Berne, Switzerland

Found: 1886

Iron, Ataxite

Description: Two slabs with crust, etched, 7 grams Me1136
Fragment, 3 grams Me1136

- RAKOVKA, Rakovka, Tula, USSR
Fell: November 20, 1878, 3:00 P.M.
 Stone, Intermediate hypersthene-chondrite
Description: Mass with crust, 163 grams Me1654
- RAMSDORF, Ramsdorf, Westfallen, Germany
Fell: July 26, 1958, 6:30 P.M.
 Stone, Brecciated chondrite
Description: Three fragments, one with fusion crust, 40.3 grams
 Me2558
- RANCHO DE LA PILA, Rancho de la Pila, Durango, Mexico
Found: 1882
 Iron, Medium octahedrite
Description: Etched section with crust on three edges, 74 grams
 Me1172
- RANCHO DE LA PRESA, Rancho de la Presa, Zenapécuaro,
Michoacan, Mexico
Found: 1899
 Stone, Brecciated veined gray chondrite
Description: Fragment with crust, 3 grams Me1671
- RANSOM, Ransom, Ness County, Kansas, USA
Recognized: 1938
 Stone, Gray chondrite, metal-rich
Description: Polished slab, 343 grams Me2249
- RED RIVER, Red River, Cross Timbers, Johnson County,
Texas, USA
Found: 1808
 Iron, Medium octahedrite
Description: Chiseled fragment, one end etched, 55 grams Me34
 Etched fragment with crust, 33 grams Me917
 Small, etched slab, 20.5 grams Me918
- REED CITY, Reed City, Osceola County, Michigan, USA
Found: 1895
 Iron, Coarse octahedrite
Description: Full-sized individual, 882 grams Me1041
 End piece, etched, 2,086 grams Me1042

- RENAZZO, Renazzo, Cento, Ferrara, Italy
Fell: January 15, 1824, 8:30 P.M.
 Stone, Black chondrite
Description: Two fragments with crust, 7.5 grams Me1656
- RHINE VILLA, Rhine Villa, Rhine Valley, Adelaide, South Australia
Found: 1900
 Iron, Medium octahedrite
Description: Full-sized, etched section, 155 grams Me869
- RICHARDTON, Richardton, Stark County, North Dakota, USA
Fell: June 30, 1918, 10:00 P.M.
 Stone, Veined spherical bronzite-chondrite
Description: Complete individual, 3,180 grams Me1994
 Two individuals, 431 grams Me1995
- RICHMOND, Richmond, Chesterfield County, Virginia, USA
Fell: June 4, 1828, 8:30 A.M.
 Stone, Crystalline spherical hypersthene-chondrite
Description: Section with crust and polished, 35 grams Me1735
 Fragments from interior, 3.5 grams Me239
- ROCHESTER, Rochester, Fulton County, Indiana, USA
Fell: December 21, 1876, 8:45 P.M.
 Stone, Spherical chondrite
Description: Two fragments with crust, 1.5 grams Me1636
- RODA, Roda, Huesca, Spain
Fell: 1871, Spring
 Stone, Monomict brecciated amphoterite (rodite)
Description: Mass with crust, 26 grams Me1376
- RODEO, Rodeo, Durango, Mexico
Found: 1852
 Iron, Fine octahedrite
Description: About one-half of the original mass, etched surface,
 25,821 grams Me590
 Full-sized etched section, 1,105 grams Me1128
 Full-sized etched section, 1,797 grams Me1951

ROEBOURNE, Roebourne, Hammersley Range, North-West Division, Western Australia

Found: 1892

Iron, Medium octahedrite

Description: Full-sized section, etched, 6 cm. thick, 19,355 grams
Me873

Full-sized etched section, 2,400 grams Me872

End piece with etched surface, 12,116 grams
Me874

ROSARIO, Rosario, Opalaca Mountains, Honduras

Found: 1896

Iron, Coarse octahedrite

Description: Full-sized, etched section, 450 grams Me1132

ROSE CITY, Rose City, Ogemaw County, Michigan, USA

Fell: October 17, 1921, 11:00 P.M.

Stone, Brecciated black bronzite-chondrite

Description: Three pieces, 1,360 grams Me2396

ROWTON, Rowton, Wellington, Shropshire, England

Fell: April 20, 1876, 3:45 P.M.

Iron, Medium octahedrite

Description: Fragment with crust and etched surfaces, 13 grams
Me1164

ROY (1933), Roy, Harding County, New Mexico, USA

Found: 1933, Spring

Stone, Crystalline spherical bronzite-chondrite

Description: Mass with polished surfaces, 493 grams Me2207

RUFF'S MOUNTAIN, Ruff's Mountain, Lexington County, South Carolina, USA

Found: 1844

Iron, Medium octahedrite

Description: Mass with crust and etched surfaces, 116 grams
Me1171

Mass with crust and etched surface, 118 grams
Me1170

RUSH CREEK, Rush Creek, Kiowa County, Colorado, USA

Found: 1938

Stone, Polymict brecciated chondrite

Description: End piece with crust, 464.5 grams Me2315

RUSHVILLE, Rushville, Franklin County, Indiana, USA

Found: 1866

Stone, Brecciated gray chondrite

Description: Two fragments with crust, 1 gram Me1673

Two fragments from interior, 18 grams Me1672

RUSSEL GULCH, Russel Gulch, Gilpin County, Colorado, USA

Found: 1863

Iron, Fine octahedrite

Description: Etched slab with crust, 273 grams Me1157

SACRAMENTO MOUNTAINS, Sacramento Mountains,
Eddy County, New Mexico, USA

Found: 1896

Iron, Medium octahedrite

Description: Full-sized, etched section, 2,335 grams Me465

Full-sized, etched section, 15 x 53 cm., 6,100 grams
Me875

SAINT CAPRAIS-DE-QUINSAC, Saint Caprais-de-Quinsac,
Gironde, France

Fell: January 28, 1883, 2:45 P.M.

Stone, Intermediate chondrite

Description: Fragment from interior, 4 grams Me1668

SAINT CHRISTOPHE-LA-CHARTREUSE, Saint Christophe-la-
Chartreuse, Roche-Serviere, Vendée, France

Fell: November 5, 1841

Stone, White hypersthene-chondrite

Description: Slice with crust, 7.5 grams Me1693

SAINT DENIS-WESTREM, Saint Denis-Westrem, Ghent, Belgium

Fell: June 7, 1855, 4:45 P.M.

Stone, Veined spherical hypersthene-chondrite

Description: Two fragments with crust, 13 grams Me1642

SAINT FRANCOIS COUNTY, Saint Francois County, Missouri, USA

Known: Before 1863

Iron, Coarse octahedrite

Description: Full-sized, etched section, 749 grams Me866SAINT GENEVIEVE COUNTY, Saint Genevieve County,
Missouri, USA*Found:* 1888

Iron, Fine octahedrite

Description: Etched slab, 9 x 12 cm., 790 grams Me512

Full-sized etched section, 7,610 grams Me1048

About one-half the original mass, two etched surfaces
98,428 grams Me1049SAINT GERMAIN-DU-PINEL, Saint Germain-du-Pinel, Vitre,
Ille-et-Vilaine, France*Fell:* July 4, 1890, 3:30 P.M.

Stone, Spherical chondrite

Description: Mass with crust, 106 grams Me805

SAINT MESMIN, Saint Mesmin, Aube, France

Fell: May 30, 1866, 3:45 P.M.

Stone, Polymict brecciated intermediate hypersthene-chondrite

Description: Mass with crust, 32 grams Me612

Three fragments, one with crust, 13 grams Me1722

SAINT MICHEL, Saint Michel, Finland

Fell: July 12, 1910, 7:25 P.M.

Stone, White hypersthene-chondrite

Description: Mass with crust, 232 grams Me1947

SALINE, Saline Township, Sheridan County, Kansas, USA

Fell: November 15, 1898? 9:30 P.M.; found, 1901

Stone, Crystalline spherical hypersthene-chondrite

Description: About two-thirds of the original individual,
19,480 grams Me527

Polished section, 658 grams Me565

Mass with crust and polished surface, 1,432 grams
Me1333One large and one small fragment, 55 grams
Me1334

Mass with crust, 1,037 grams Me1334

- SALLES, Salles, Villefranche, Rhone, France
Found: March 12, 1798, 6:00 P.M.
 Stone, Veined intermediate chondrite
Description: Mass with crust, 107 grams Me1723
- SALT LAKE CITY, Salt Lake City, Utah, USA
Found: 1869
 Stone, Brecciated gray bronzite-chondrite
Description: Mass with crust and polished surface, 123 grams
 Me1859
- SALT RIVER, Salt River, Bullitt County, Kentucky, USA
Found: 1850
 Iron, Finest octahedrite
Description: Etched mass with crust, 79 grams Me1141
- SAMS VALLEY, Sams Valley, Jackson County, Oregon, USA
Found: 1894
 Iron, Medium octahedrite
Description: Etched section, 531 grams Me1976
- SAN ANGELO, San Angelo, Tom Green County, Texas, USA
Found: 1897
 Iron, Medium octahedrite
Description: Full-sized, etched section, 1,454 grams Me478
 Fragment, 5 grams Me478
 Full-sized, etched section, 1,875 grams Me964
 Full-sized section, etched, 2,551 grams Me965
- SAN CRISTOBAL, San Cristobal, Antofagasta, Chile
Found: About 1882
 Iron, Nickel-rich ataxite
Description: End piece, etched, 114 grams Me1146
- SANDERSON, Sanderson, Terrel County, Texas, USA
Found: March, 1936
 Iron, Medium (or fine) octahedrite
Description: Etched slice with crust, 335.5 grams Me2316

SANDIA MOUNTAINS, Sandia Mountains, Albuquerque,
New Mexico, USA

Found: 1925

Iron, Brecciated hexahedrite

Description: Polished slice, 460 grams Me2199

SAN EMIGDIO, San Emigdio Mountains, Kern County,
California, USA

Known: 1887

Stone, Spherical hypersthene-chondrite

Description: Fragments from interior, one bearing crust,
2.5 grams Me446

Fragments from interior, one bearing crust,
10 grams Me451

Interior fragments, 3 grams Me1712

Mass with crust and polished surface, 23 grams
Me1713

SAN FRANCISCO DEL MEZQUITAL, San Francisco del Mezquital,
Durango, Mexico

Known: Before 1868

Iron, Nickel-poor ataxite

Description: Etched slab with crust, 12 grams Me1135

SAN FRANCISCO MOUNTAINS, San Francisco Mountains,
near Flagstaff, Arizona, USA

Found: About 1920

Iron, Finest octahedrite

Description: Etched slice, 36 grams Me2391

SANTA APOLONIA, Santa Apolonia, Nativitas, Tlaxcala, Mexico

Found: 1872

Iron, Medium octahedrite

Description: Etched slab with crust, 211 grams Me1010

Several small fragments, 8.5 grams Me1010

SANTA BARBARA, Santa Barbara, Porto Alegre,
Rio Grande do Sul, Brazil

Fell: September 26, 1873

Stone, Howarditic chondrite

Description: Mass with crust, 41 grams Me1851

SANTA CATHARINA, Santa Catharina, Brazil

Found: 1875

Iron, Nickel-rich ataxite

- Description:* Complete individual, 2,575 grams Me100
 Complete individual, 11,525 grams Me106
 Polished slice, 1,002 grams Me1919
 Individual, 217 grams Me97
 Individual, 255 grams Me98
 Eighteen fragments, 1,732 grams Me101
 Individual, 556.5 grams Me102
 Individual, 3,307 grams Me104
 Individual (two pieces), 10,453 grams Me105
 Individual, 3,061 grams Me107
 Individual, 1,570 grams Me108
 Individual, 2,152 grams Me1920
 Individual, 311 grams Me1921
 Individual, 4,177 grams Me103

SANTA LUZIA, Santa Luzia, Goyaz, Brazil

Found: 1921 (supposed to have fallen June 1, 1919, 6:00 P.M.)

Iron, Coarsest octahedrite

- Description:* Individual, 2,480 grams Me2047
 Etched section of Me2047, 427 grams Me2063
 Fragment, 6.6 grams Me2047
 Etched section, 87.6 grams Me2068
 End piece with polished surface, 30 grams Me2069
 Schreibersite, 1 gram Me2047

SANTA ROSA, Santa Rosa, Tunja, Boyaca, Colombia

Found: 1810

Iron, Nickel-poor ataxite to obscure brecciated octahedrite

- Description:* Polished slab, 1,811 grams Me762
 Fragment with crust and etched surfaces, 15 grams Me1155
 End piece with etched surface, 98,200 grams Me1945
 Thin slice, 2 grams Me435
 Polished section, 97 grams Me571
 Mass with crust and polished surface, 55 grams Me1156

SÃO JULIÃO DE MOREIRA,

São Julião de Moreira,
Ponte de Lima, Minho, Portugal*Known:* Before 1883

Iron, Coarsest octahedrite

Description: Full-sized, polished section, 1,764 grams Me556
 Etched fragment with crust, 29.8 grams Me536
 Full-sized, etched section, 783 grams Me1104
 Schreibersite powder, 188 grams Me1908
 Schreibersite, 2 grams Me2345
 Schreibersite, 18 grams Me2346

SAREPTA,

Sarepta, Saratov, USSR

Found: 1854

Iron, Coarse octahedrite

Description: Etched section with crust, 286 grams Me1145

SAUGUIS,

Sauguis, St. Etienne, Basses-Pyrénées, France

Fell: September 7, 1868, 2:30 A.M.

Stone, Veined white enstatite-chondrite

Description: Fragment with crust and polished surface, 4 grams
 Me295
 Fragments from interior, 11 grams Me1711

SAVTSCHENSKOJE,

Savtschenskoje, Tiraspol, Kherson,
Ukraine, USSR*Fell:* July 27, 1894, 8:00 P.M.

Stone, Intermediate crystalline spherical chondrite

Description: Mass with crust, 25 grams Me1852

SCHELLIN,

Schellin, Stargard, Pomerania,
Prussia, Germany (now in Poland)*Fell:* April 11, 1715, 4:00 P.M.

Stone, Veined intermediate chondrite

Description: Fragment from interior, 0.5 gram Me1600

SCHÖNENBERG,

Schönenberg, Pfaffenhausen, Swabia,
Bavaria, Germany*Fell:* December 25, 1846, 2:00 P.M.

Stone, Veined white hypersthene-chondrite

Description: Fragment with crust, 8.2 grams Me254
 Thin slab with crust, 24 grams Me1853

- SCHWETZ, Schwetz, Kwidzyn, Poland
Found: 1850
 Iron, Medium octahedrite
Description: Etched slab with crust, 91 grams Me1163
- SCOTT CITY, Scott City, Scott County, Kansas, USA
Found: 1905
 Stone, Spherical chondrite
Description: Complete individual, 135 grams Me1958
 A polished slice and nearly complete individual with
 one polished surface, 800 grams Me1957
- SCOTTSVILLE, Scottsville, Allen County, Kentucky, USA
Found: 1867
 Iron, Hexahedrite
Description: Full-sized slab, etched, 361 grams Me91
 End piece, etched, 1,120 grams Me1043
- SEARSMONT, Searsmont, Waldo County, Maine, USA
Fell: May 21, 1871, 8:15 A.M.
 Stone, Spherical bronzite-chondrite
Description: Fragments from interior, 1.25 grams Me302
 Fragments from interior, 5.5 grams Me303
 Fragment with crust, 5 grams Me1710
- SEELÄSGEN, Seeläsgen, Schwiebus, Brandenburg,
 Prussia, Germany (now in Poland)
Known: Before 1847
 Iron, Coarsest octahedrite
Description: Chiseled fragment, 41.5 grams Me57
 Mass with crust and etched surfaces, 374 grams
 Me1054
 Etched slab, 12.5 grams Me375
 Etched slab, 623 grams Me1055
- SEGOWLIE, Segowlie, Bettiah, Champaran district, Bihar, India
Fell: March 4, 1853, noon
 Stone, Crystalline chondrite
Description: Slice from interior with polished surfaces, much oxi-
 dized, 11 grams Me1863
 Fragments from interior, 7 grams Me1864

Broad mass with crust and polished surface,
166 grams Me1865

SEIBERT, Seibert, Kit Carson County, Colorado, USA

Found: 1941

Stone, Chondrite

Description: Slice with polished surface, 151 grams Me2386

SELMA, Selma, Dallas County, Alabama, USA

Found: 1906 (possibly fell July 20, 1898, 9:00 P.M.)

Stone, Spherical chondrite

Description: Mass from interior with polished surface, 24 grams
Me1868

SENA, Sena, Sarinena, Huesca, Spain

Fell: November 17, 1773, midnight

Stone, Brecciated gray chondrite

Description: Fragment from interior, 5 grams Me445

Two fragments, one with crust, 4 grams Me1854

SENECA FALLS, Seneca Falls, Cayuga County, New York, USA

Found: 1850

Iron, Medium octahedrite

Description: Sawed section showing natural surface and fracture
261 grams Me60

Full-sized section, etched, 104 grams Me1200

SENECA TOWNSHIP, Seneca Township, Lenawee County,
Michigan, USA

Found: July, 1923, possibly fell 1914

Iron, Medium octahedrite

Description: Etched slice, 181 grams Me2256

SERES, Seres, Macedonia, Greece

Fell: June, 1818

Stone, Gray hypersthene-chondrite

Description: Mass from interior, 38.5 grams Me1866

Mass with polished surfaces, 5.5 grams Me1867

SERRANIA DE VARAS, Serrania de Varas, Atacama, Chile

Found: 1875

Iron, Fine octahedrite

Description: Mass with crust and etched surface, 31 grams
Me950
Rough fragment, 10 grams Me951

SEVILLA, Sevilla, Andalusia, Spain

Fell: November 1, 1862

Stone, Polymict brecciated chondrite

Description: Fragments with crust, 0.2 grams Me1601

SEVRUKOVO, Sevrukovo, Belgorod, Kursk, USSR

Fell: May 11, 1874, 11:45 P.M.

Stone, Black bronzite-chondrite

Description: Mass from interior with polished surface, 140 grams
Me1602

Mass from interior with polished surface, 51 grams
Me1603

SHALKA, Shalka, Bishnupur, Bankura district, West Bengal, India

Fell: November 30, 1850, 4:30 P.M.

Stone, Monomict brecciated diogenite or chladnite

Description: Fragments with crust, 11 grams Me572

Fragment with crust, 9 grams Me1367

SHALLOWATER, Shallowater, Lubbock County, Texas, USA

Found: July, 1936

Stone, Aubrite

Description: One polished slice, 289 grams Me2234

SHELBURNE, Shelburne, Gray County, Ontario, Canada

Fell: August 13, 1904, 8:00 P.M.

Stone, Polymict brecciated veined gray hypersthene-chondrite

Description: One-half of small individual, 2,905 grams Me606

Mass with crust and two polished surfaces,
1,756 grams Me1336

End piece, 176.5 grams Me1952

Full-sized section, 338 grams Me1953

Full-sized section, 476 grams Me2142

Fragment with crust, 28.5 grams Me2142A

SHERGOTTY, Shergotty, Gya district, Bihar, India

Fell: August 25, 1865, 9:00 A.M.

Stone, Shergottite

Description: Mass with crust, 40 grams Me1372

- SHINGLE SPRINGS, Shingle Springs, El Dorado County,
California, USA
Found: 1869-70
Iron, Nickel-rich ataxite
Description: Etched section with crust, 117 grams Me1137
- SHREWSBURY, Shrewsbury, York County, Pennsylvania, USA
Found: 1907
Iron, Medium octahedrite
Description: Etched section, 85 grams Me776
Fragment, 18.5 grams Me777
- SHYTAL, Shytal, Madhupur jungle, Mymensingh district,
East Bengal, Pakistan
Fell: August 11, 1863, noon
Stone, Polymict brecciated intermediate hypersthene-chondrite
Description: Fragment from interior, 8 grams Me1696
Two fragments with polished surfaces, 13.5 grams
Me1697
- SIENA, Siena, Tuscany, Italy
Fell: June 16, 1794, 7:00 P.M.
Stone, Polymict brecciated intermediate chondrite (howarditic
chondrite)
Description: Mass with crust, 52 grams Me1698
Mass with polished surface, 13 grams Me1699
- SIERRA BLANCA, Sierra Blanca, Jiminez, Chihuahua, Mexico
Found: 1784
Iron, Coarse octahedrite
Description: Two fragments, 2 grams Me1144
- SIERRA GORDA, Santa Catalina, Desert of Tarapaca, Chile
Found: 1898
Iron, Hexahedrite
Description: Polished slice, 550 grams Me2420
- SIKHOTE-ALIN, Sikhote-Alin, Eastern Siberia, USSR
Fell: February 12, 1947, 10:38 A.M.
Description: Mass from interior, 86 grams Me2456

- SILVER BELL, Silver Bell, Pima County, Arizona, USA
Known: Before 1947
 Iron, Coarsest octahedrite
Description: Etched slice, 89 grams Me2403
- SILVER CROWN, Silver Crown, Laramie County, Wyoming, USA
Found: 1887
 Iron, Coarse octahedrite
Description: Etched slab with crust, 105 grams Me995
 Etched slab with crust, 71 grams Me130
- SINDHRI, Sindhri, Khipro taluq, Thar and Parkar district,
 Sind, Pakistan
Fell: June 10, 1901, 11:00 P.M.
 Stone, Spherical chondrite
Description: Mass with crust, 351 grams Me573
 Mass with crust, 322 grams Me1339
 Fragment from interior, 15 grams Me1340
- SITATHALI, Sitathali, Mahasamund tahsil, Raipur district,
 Central Provinces, India
Fell: March 4, 1875, 11:00 A.M.
 Stone, Gray bronzite-chondrite, or howarditic chondrite
Description: Two fragments with crust and sawed surfaces,
 14 grams Me1695
- SKI, Ski, Akershuus, Christiania, Oslo, Norway
Fell: December 27, 1848, evening
 Stone, Veined white hypersthene-chondrite
Description: Fragment from interior, 1 gram Me1667
- SLAVETIC, Slavetic, Zagreb, Croatia, Yugoslavia
Fell: May 22, 1868, 10:30 A.M.
 Stone, Brecciated gray chondrite
Description: Mass with crust and polished surface, 11 grams
 Me1665
- SLOBODKA, Slobodka, Yukhnov, Smolensk, USSR
Fell: August 10, 1818
 Stone, Spherical chondrite
Description: Fragment from interior, 11 grams Me1694

SMITHLAND, Smithland, Livingston County, Kentucky, USA

Found: 1839-40

Iron, Nickel-rich ataxite

Description: Torn fragment, etched, 21.5 grams Me1161
 Mass worked into form of a wedge, 49 grams
 Me1162
 Etched slice, 21.5 grams Me1181

SMITHONIA, Smithonia, Oglethorpe County, Georgia, USA

Found: 1940

Iron, Hexahedrite

Description: Complete individual, 69,000 grams Me2383
 Fragment with crust, 31 grams Me2383a
 End piece with polished surface, 67.5 grams
 Me2383b
 Polished slice, 1,109 grams Me2383c

SMITH'S MOUNTAIN, Smith's Mountain, Rockingham County,
North Carolina, USA*Found:* 1863

Iron, Fine octahedrite

Description: Large etched section, 228.5 grams Me452
 Etched section, 17.5 grams Me85
 Full-sized etched section, 213 grams Me1107

SMITHVILLE, Smithville, De Kalb County, Tennessee, USA

Found: 1840

Iron, Coarse octahedrite

Description: Thin slab, etched, 55 grams Me50
 Etched end piece, 1,804 grams Me1027
 Full-sized, etched section, 1,867 grams Me1026

SOKO-BANJA, Soko-Banja, Aleksinac, Serbia, Yugoslavia

Fell: October 13, 1877, 2:00 P.M.

Stone, Polymict brecciated spherical hypersthene-chondrite

Description: Irregular fragment, 33 grams Me319
 Mass from interior, 243 grams Me1373
 Mass from interior, 75 grams Me1374

- SOPER, Soper, Choctaw County, Oklahoma, USA
Found: March 14, 1938
 Iron, Nickel-poor ataxite
Description: Etched slice, 165 grams Me2264
- SOUTH BEND, South Bend, St. Joseph County, Indiana, USA
Found: 1893
 Stony-iron, Pallasite
Description: Nearly complete individual, 1,652 grams Me607
- SOUTH BYRON, South Byron, Genesee County, New York, USA
Found: 1915
 Iron, Nickel-rich ataxite
Description: Slab with crust and polished surface, 161.5 grams
 Me2553
 Polished fragment with crust, 8.2 grams Me2555
 Slab with crust and polished surface, 16.4 grams
 Me2554
 End piece with polished surface, 2,685 grams
 Me1980
- SOUTHERN ARIZONA, Southern Arizona, USA (doubtful)
Known: 1947
 Iron, Coarse octahedrite
Description: Etched slab, 266 grams Me2406
- SOUTHERN MICHIGAN, Southern Michigan, USA
Found: ?
 Iron, Medium octahedrite
Description: Polished and etched slice, 49 grams Me2407
- SPEARMAN, Spearman, Hansford County, Texas, USA
Found: 1934
 Iron, Medium octahedrite
Description: Etched slice, 766 grams Me2218
- SPRINGFIELD, Springfield, Baca County, Colorado, USA
Found: 1937
 Stone, Crystalline spherical chondrite
Description: End piece with crust, 45.2 grams Me2317

SPRINGWATER, Springwater, Battleford County,
Saskatchewan, Canada

Found: August, 1931

Stony-iron, Pallasite

Description: Polished slice, 857 grams Me2220

Polished slice, 366 grams Me2220

SSYROMOLOTOVO, Ssyromolotovo, Keshma, Yeniseisk,
Siberia, USSR

Found: 1873

Iron, Medium octahedrite

Description: Torn fragment, etched, 22 grams Me1147

Thin slab, etched, 4 grams Me1148

STÄLLDALEN, Ställdalen, Nya Kopparberg, Örebro, Sweden

Fell: June 28, 1876, 11:30 P.M.

Stone, Brecciated gray bronzite-chondrite

Description: Fragment with crust, 2 grams Me315

Irregular mass, with crust and polished surface,
34 grams Me316

Mass with crust and armored surfaces, 341 grams
Me1658

STANNERN, Stannern, Iglau, Moravia, Czechoslovakia

Fell: May 22, 1808, 6:00 A.M.

Stone, Monomict brecciated eucrite

Description: Crust and interior fragments, 1.5 grams Me227

Mass with crust, 269 grams Me1362

Mass with crust, 386 grams Me1363

STAUNTON, Staunton, Augusta County, Virginia, USA

Found: 1858-9

Iron, Medium octahedrite

Description: Full-sized etched section, 1,582 grams Me80

Full-sized etched section, 1,260 grams Me1095

STAVROPOL, Stavropol, northside of the Caucasus, USSR

Fell: March 24, 1857, 5:00 P.M.

Stone, Crystalline bronzite-chondrite

Description: Three fragments from interior, with polished surfaces,
21.5 grams Me1883

- STEINBACH, Steinbach, Erzgebirge, Saxony, Germany
Found: 1724
 Stony-iron, Siderophyre
Description: Thin, polished slab; the stony portion exceeds the
 metallic, 34 grams Me164
 Thin, polished fragment, 1 gram Me169
 Slab with crust, polished and etched, 148 grams
 Me1321
 Fragment with polished surfaces, 45 grams Me1322
- SUMMIT, Summit, Blount County, Alabama, USA
Found: 1890
 Iron, Granular hexahedrite
Description: Etched section with crust, 38 grams Me1149
- SUPUHEE, Supuhee, Padrauna tahsil, Gorakhpur district,
 United Provinces, India
Fell: January 19, 1865, noon
 Stone, Brecciated gray chondrite
Description: Polished fragment with crust, 14 grams Me1880
 Fragment with crust, 5 grams Me1881
- SURPRISE SPRINGS, Surprise Springs, Bagdad,
 San Bernardino County, California, USA
Found: 1899
 Iron, Medium octahedrite
Description: End piece, etched, 1,008 grams Me854
- TABOR, Tabor, Bohemia, Czechoslovakia
Fell: July 3, 1753, 8:00 P.M.
 Stone, Brecciated spherical bronzite-chondrite
Description: Mass with crust, 58.5 grams Me1856
 Interior fragment, 0.3 gram Me209
 Full-sized section, polished, 54 grams Me1857
- TACUBAYA, Tacubaya, Mexico
Found: 1931
 Iron, Medium octahedrite
Description: Etched section, 275 grams Me2149
- TAMARUGAL, Tamarugal, Iquique, Tarapaca, Chile
Found: 1903

Iron, Medium octahedrite

Description: Square slab with crust, polished and etched surfaces,
830 grams Me819

TAMENTIT, Tamentit, Tuat, Morocco, Africa

Known: 1864, fell in the late 14th century

Iron, Coarse octahedrite

Description: Etched slice, 534 grams Me2272

TANOKAMI MOUNTAIN, Tanokami Mountain, Kurimuto,
Shiga, Honshu, Japan

Found: 1885

Iron, Medium octahedrite

Description: Etched slab with crust, 162 grams Me1150

TAZEWELL, Tazewell, Claiborne County, Tennessee, USA

Found: 1853

Iron, Finest octahedrite

Description: Torn mass, 197 grams Me867

Slab with polished surfaces, 82 grams Me868

TEMPLE, Temple, Bell County, Texas, USA

Found: 1959

Stone, Hypersthene-chondrite

Description: Fragment with polished surface, 33.2 grams
Me2560

TENHAM, Tenham, South Gregory, Queensland, Australia

Fell: Spring of 1879, night

Stone, Veined white hypersthene-olivine-chondrite

Description: Fragment with crust, 57 grams Me2000

TENNANT'S IRON, USSR

Found: 1784

Iron, Coarse octahedrite

Description: Etched slab with crust, 29 grams Me1166

TENNASILM, Tennasilm, Estonia

Fell: June 28, 1872, noon

Stone, Veined spherical hypersthene-chondrite

Description: Mass from interior, 62 grams Me1874

- TEPLÁ, Teplá, Finsterhölzel-Ries, Marienbad,
Bohemia, Czechoslovakia
Found: September 18, 1909
Iron, Medium octahedrite
Description: Etched section with crust, 42 grams Me803
- TERNERA, Ternera, Atacama, Chile
Found: Before 1891
Iron, Nickel-rich ataxite
Description: Fragment, 1 gram Me1176
- TEXLINE, Texline, Dallam County, Texas, USA
Found: July, 1937
Stone, Gray chondrite
Description: Complete individual, 672.9 grams Me2318
- THUNDA, Thunda, Windorah, County Grey,
Queensland, Australia
Known: Since 1881
Iron, Medium octahedrite
Description: Etched section, 71.5 grams Me861
Thick slab with crust, etched, 1,145 grams Me994
Sawed slab, one surface etched, 154 grams Me128
- THURLOW, Thurlow, Hastings County, Ontario, Canada
Found: 1888
Iron, Fine octahedrite
Description: End piece, etched, 209 grams Me870
- TIERACO CREEK, Tieraco Creek, North Murchison Goldfield,
Western Australia
Found: Before 1922
Iron, Fine (to medium) octahedrite
Description: Fragments, 15 grams Me2102
- TIESCHITZ, Tieschitz, Prerov, Moravia, Czechoslovakia
Fell: July 15, 1878, 1:45 P.M.
Stone, Spherical hypersthene-chondrite
Description: Mass with crust, 27 grams Me1726
Mass with crust, 17 grams Me1725

- TILDEN, Tilden, Randolph County, Illinois, USA
Fell: July 13, 1927, 1:00 P.M.
 Stone, White hypersthene-chondrite
Description: Mass with crust, 1,282 grams Me2112
 Fragment, 1.7 grams Me2112
- TIMOCHIN, Timochin, Yukhnov, Smolensk, USSR
Fell: March 25, 1807, 3:00 P.M.
 Stone, Spherical chondrite
Description: Mass with crust and polished surface, 37 grams
 Me1727
 Mass from interior with sawed surfaces, 18 grams
 Me1728
- TJABE, Tjabe, Padang, Rembang, Java
Fell: September 19, 1869, 9:00 P.M.
 Stone, Crystalline hypersthene-chondrite
Description: Mass with crust, 47.2 grams Me1704
 Mass with crust and sawed surface, 22.5 grams
 Me1705
- TLACOTEPEC, Tlacotepec, Tecamachalco, Puebla, Mexico
Found: 1903
 Iron, Nickel-rich ataxite
Description: Full-sized slab, polished and etched, 2,008 grams
 Me2159
 Full-sized polished section, 138 grams Me1165
- TOLUCA, Toluca, Mexico State, Mexico
Known: Before 1776
 Iron, Medium octahedrite
Description: End piece with etched surface, 6,130 grams Me16
 Complete individual, 4,800 grams Me18
 Complete individual of crescentic form, 18,960 grams
 Me27
 Full-sized etched section, 4,520 grams Me370
 Complete individual, 2,585 grams Me372
 Complete individual, 8,190 grams Me1204
 Etched section, 4,600 grams Me1205
 Complete individual, 4,410 grams Me1206
 Complete individual, 5,777 grams Me1207
 End piece, etched, 900 grams Me1210

- Complete individual, 23,814 grams Me22
Sealings from Me22, 23, 27, 3,330 grams
Etched slice, 49 grams Me1083
Complete individual, of spheroidal form, 456 grams
Me7
Complete individual, of spheroidal form, 251 grams
Me9
Complete individual, 251 grams Me10
Complete individual, of spheroidal form, 225 grams
Me11
Complete individual, of spheroidal form, 808 grams
Me12
Complete individual, 111 grams Me13
Complete individual, 227 grams Me14
Nearly complete individual, with etched surface,
16,157 grams Me15
Mass showing cleavage, 1,968 grams Me17
Complete individual, 1,879 grams Me20
Complete individual, of spheroidal form, 1,106 grams
Me21
Complete individual, of hemi-spheroidal form,
43,318 grams Me23
Complete individual, 17,750 grams Me24
Etched section, 1,890 grams Me25
Etched section, 2,400 grams Me26
Complete individual, 19,251 grams Me1202
Broad thin etched section, 255.8 grams Me1222
Nearly complete individual with etched surface,
16,130 grams Me1203
Etched section, 91.8 grams Me1223
Cube, 6 cm. on a side, etched, 1,489 grams
Me1209
End piece, etched, 617 grams Me1211
Ten hammer stones (complete individual): 947 grams
Me1212; 669 grams Me1213; 439 grams Me1214;
562 grams Me1215; 495 grams Me1216; 416 grams
Me1217; 540 grams Me1218; 245 grams Me1219;
808 grams Me1220; 223 grams Me1221
Etched section, 313 grams Me1224
Etched section, 485 grams Me1225
Etched section, 478 grams Me1226

Etched section, 382 grams Me1227
 Torn fragment, 110 grams Me1228
 Chisel forged from meteorite, 110 grams Me1229
 Chisel forged from meteorite, 116 grams Me1230
 Etched section, 60 grams Me1231
 Etched section, 58 grams Me1232
 Taenite, 1 gram Me2350

TOMATLAN, Tomatlan, Jalisco, Mexico

Fell: September 17, 1879, 4:30 P.M.

Stone, Spherical chondrite

Description: Fragments with crust, 8 grams Me1703

TOMBIGBEE RIVER, Tombigbee River, Choctaw and
 Sumter County, Alabama, USA

Found: 1859

Iron, Nickel-poor ataxite

Description: Etched section, 1,705 grams Me504

Full-sized etched section, 506 grams Me1180

TOMHANNOCK CREEK, Tomhannock Creek, Rensselaer County,
 New York, USA

Found: About 1863

Stone, Brecciated gray chondrite

Description: Slice showing crust, 7.5 grams Me281

Polished section, 18.5 grams Me1760

TONGANOXIE, Tonganoxie, Leavenworth County, Kansas, USA

Found: 1886

Iron, Medium octahedrite

Description: Full-sized etched section, 247 grams Me477

End piece, etched, 351.5 grams Me988

Full-sized section, etched, 347 grams Me989

TOUBIL RIVER, Achinsk, Yeniseisk, Siberia, USSR

Found: 1891

Iron, Medium octahedrite

Description: Etched mass, 164 grams Me505

Mass with crust, with etched surface, 327 grams
 Me1143

Etched fragment with crust, 46 grams Me1167

Thin slab, etched, 16 grams Me1168

- TOULOUSE, Toulouse, Haute Garonne, France
Fell: April 10, 1812, 8:00 P.M.
 Stone, Veined intermediate chondrite
Description: Complete individual, interior brownish from oxidation, 14 grams Me1869
 Fragment from interior, 12 grams Me1870
- TOURINNES-LA-GROSSE, Tourinnes-la-Grosse, Tirlemont, Belgium
Fell: December 7, 1863, 11:30 A.M.
 Stone, White hypersthene-chondrite
Description: Interior fragment, 3 grams Me486
 Fragment with crust, 11 grams Me1796
 Interior fragment, 9 grams Me1797
- TRENTON, Trenton, Washington County, Wisconsin, USA
Found: 1858
 Iron, Medium octahedrite
Description: Full-sized section, etched, 138 grams Me1037
 End piece, etched, 3,300 grams Me1038
 Thin slice, etched, 135.8 grams Me81
- TREZZANO, Trezzano, Brescia, Italy
Fell: November 12, 1856, 4:00 P.M.
 Stone, Veined spherical bronzite-chondrite
Description: Cubical fragment with crust on two surfaces, 57 grams Me268
 Fragment with crust, 31 grams Me1871
- TREYSA, Treysa, Hesse, Germany
Fell: April 3, 1916, 3:30 P.M.
 Iron, Medium octahedrite
Description: Small slab with etched surface, 89.3 grams Me2561
- TUCSON, Tucson, Pima County, Arizona, USA
Known: Before 1850
 Iron, Nickel-rich ataxite
Description: Full-sized polished section, 416 grams Me858
 Full-sized polished section, 1,066 grams Me2087
 Polished section, 11.7 grams Me59

- TULE, Tule, Balleza, Chihuahua, Mexico
Found: 1889
 Iron, Medium octahedrite
Description: Etched fragment, 8.4 grams Me955
- TULIA, Tulia, Swisher County, Texas, USA
Found: 1917
 Stone, Polymict brecciated veined crystalline hypersthene-chondrite
Description: Complete individual, 1,736 grams Me2322
 Complete individual, 609 grams Me2251
- TYSNES ISLAND, Tysnes Island, Hardanger Fiord, Norway
Fell: May 20, 1884, 8:30 P.M.
 Stone, Polymict brecciated gray bronzite-chondrite
Description: Fragment from interior, 26 grams Me543
 Mass with crust and armored surface, 427 grams Me1719
- UBERABA, Uberaba, Minas Geraes, Brazil
Fell: June 29, 1903, 10:00 A.M.
 Stone, Veined spherical chondrite
Description: Mass with crust on three sides, 147 grams Me1528
- UDEN, Uden, North Brabant, Netherlands
Fell: June, 12, 1840, 10:30 A.M.
 Stone, White hypersthene-chondrite
Description: Fragment with crust, 3 grams Me1715
- UDIPI, Udipi taluq, South Kanara district, Madras, India
Fell: April, 1866, 10:00 A.M.
 Stone, Veined gray chondrite
Description: Fragment with crust and polished surface, 15 grams Me1701
 Fragment from interior with polished surfaces, 9 grams Me1702
- ULTUNA, Ultuna, Upsala, Sweden
Found: 1944
 Stone, Chondrite
Description: Fragment with crust, 15 grams Me2449

- UMBALA, Umbala, Patiala State, Punjab States; India
Fell: 1822-23
 Stone, Veined gray chondrite
Description: Polished fragments with crust, 5.5 grams Me1717
 Fragment from interior, 4 grams Me1718
- UNION COUNTY, Union County, Georgia, USA
Found: 1853
 Iron, Coarsest octahedrite
Description: Cuboidal mass with crust and etched surfaces.
 No lamellae are visible, 67 grams Me1188
 Cleavage pieces, 1.5 grams Me63
- UTE CREEK, Ute Creek, Union County, New Mexico, USA
Found: 1936
 Stone, Crystalline spherical chondrite
Description: Polished slice with crust, 73.4 grams Me2320
- UTE PASS, Ute Pass, Summit County, Colorado, USA
Found: 1894
 Iron, Coarsest octahedrite
Description: Slab with thick oxidized crust on one side and etched
 surface on the other, 120 grams Me1112
- UTRECHT, Utrecht, Netherlands
Fell: June 2, 1843, 8:00 P.M.
 Stone, Veined spherical hypersthene-chondrite
Description: Mass with crust, 50 grams Me581
 Fragments, 1.2 grams Me581
 Mass with crust, 106 grams Me1700
- UWET, Uwet, Calabar, Southern Nigeria, Africa
Known: Before 1903
 Iron, Hexahedrite
Description: Etched slab, 348 grams Me778
- VACA MUERTA, Vaca Muerta, Taltal, Atacama, Chile
Recognized: 1861
 Stony-iron, Mesosiderite

- Description:* Polished fragment, 54 grams Me188
 Complete individual, 136 grams Me189
 Thick, polished slab, showing no metal, 38 grams
 Me190
 Complete individual, 740 grams Me193
 Individual with polished surface, 245 grams Me194
 Full-sized section, polished, metal abundant,
 170 grams Me1284
 Individual with polished surface, 70 grams Me1286
 Polished slab, 21.5 grams Me1295
 Complete individual, 43.2 grams Me1293
 Individual with polished surface, 78.8 grams
 Me1297
 Fragment with crust and polished surface, 16 grams
 Me1879
 Individual with polished surface, 26.8 grams
 Me1299
 Fragment from interior, 15 grams Me171
 Complete individual, 20 grams Me1301
 Fragment from interior, 13.2 grams Me1294
 Fragment with crust and two polished surfaces,
 16 grams Me1300
 Complete individual, 38 grams Me1292
 Complete individual, 247 grams Me1291
 Fragment with crust, 17.5 grams Me170
 Polished section, 23.8 grams Me1296

VAVILOVKA, Vavilovka, Kherson, Ukraine, USSR

Fell: June 19, 1876, 2:00 P.M.

Stone, Monomict brecciated amphoterite (rodite)

Description: Mass with crust, 125 grams Me1659

VERA, Vera, Santa Fe, Argentina

Found: Before 1953

Stone

Description: Fragment with crust, 6 grams Me2454

VERAMIN, Veramin, Karand, Teheran, Iran

Fell: May, 1880, three hours before sunset

Stony-iron, Mesosiderite

Description: Fragments with polished surfaces, 18.2 grams
Me1268
Mass with crust and polished surface, 912 grams
Me1269

VERKHNE DNEPROVSK, Ekaterinoslav, Ukraine, USSR
Found: 1876
Iron, Finest octahedrite
Description: Etched slab with crust, 97 grams Me862

VERKHNE TSCHIRSKAIA, Region of the Don Cossacks, USSR
Fell: November 12, 1843, midday
Stone, Veined spherical chondrite
Description: Two fragments of about equal size with a crust,
14 grams Me1873

VERKHNE UDINSK, Transbaikal, Siberia, USSR
Found: 1854
Iron, Medium octahedrite
Description: Cuboidal, etched mass with crust, 220 grams
Me1138
Etched slab with crust, 75 grams Me1139
Etched section, 432 grams Me1140

VERNON COUNTY, Vernon County, Wisconsin, USA
Fell: March 26, 1865, 9:00 A.M.
Stone, Veined crystalline bronzite-chondrite
Description: Mass from interior with polished surface, 22.5 grams
Me1706

VICTORIA WEST, Victoria West, Cape Province, South Africa
Fell: 1860; found: 1862
Iron, Fine octahedrite
Description: Etched slab with crust, 17 grams Me871

VIGARANO, Vigarano, Ferrara, Italy
Fell: January 22, 1910, 9:30 P.M.
Stone, Black spherical chondrite
Description: Mass with crust and polished surface, 110 grams
Me782

- VIRBA, Virba, Vidin, Bulgaria
Fell: June 1, 1873
 Stone, Veined white chondrite
Description: Fragment with crust, 1.7 grams Me1716
- VOUILLE, Vouille, Poitiers, Vienne, France
Fell: May 13, 1831, 11:00 P.M.
 Stone, Veined intermediate chondrite
Description: Mass from interior, 211 grams Me1662
 Mass with crust and polished surface, 453 grams
 Me1663
- WABAR, Wabar, Rub'al Khali, Arabia
Fell: February, 1932
 Iron, Medium octahedrite
Description: Individual, 33 grams Me2266
 Individual, 29 grams Me2267
- WACONDA, Waconda, Mitchell County, Kansas, USA
Found: 1874
 Stone, Polymict brecciated spherical hypersthene-chondrite
Description: Mass from interior, 2,542 grams Me309
 Mass with crust, veined, 121 grams Me310
 Fragments, 12.5 grams Me310
 Sawed mass with crust, 228 grams Me1730
 Mass with crust, 870 grams Me1731
- WAIRARAPA VALLEY, Wairarapa Valley, Wellington, New Zealand
Fell: December 4, 1864
 Stone, Crystalline chondrite
Description: Mass with crust and polished surface; color reddish-
 brown from oxidation, 196 grams Me1882
- WALDRON RIDGE, Waldron Ridge, Claiborne County,
 Tennessee, USA
Known: March, 1887
 Iron, Coarse octahedrite
Description: End piece, etched, 427 grams Me1134
- WALKER COUNTY, Walker County, Alabama, USA
Found: 1832
 Iron, Hexahedrite

Description: Section with crust, 25 grams Me434
Etched section with crust, 38 grams Me914
Two polished sections, 48 grams Me938

WALTERS, Walters, Cotton County, Oklahoma, USA
Fell: July 28, 1941, 3:45 P.M.
Stone, Monomict brecciated hypersthene-chondrite
Description: Polished slice, 535 grams Me2422

WARIALDA, Warialda, County Burnett, New South Wales, Australia
Found: 1919
Iron, Nickel-poor ataxite (or hexahedrite)
Description: Fragment, 3.5 grams Me2040

WARRENTON, Warrenton, Warren County, Missouri, USA
Fell: January 3, 1877, 7:15 A.M.
Stone, Spherical hypersthene-chondrite
Description: Mass with crust, 113.1 grams Me1720

WEAVER MOUNTAINS, Weaver Mountains, Wickenburg,
Maricopa County, Arizona, USA
Found: 1898
Iron, Nickel-rich ataxite
Description: Etched segment with crust, 370 grams Me615
Full-sized section, etched, 176 grams Me1158
Thin polished slice, 498 grams Me2414

WEEKEROO STATION, Weekeroo Station, Mannahill,
South Australia
Found: 1924
Iron, Brecciated coarse octahedrite, with troilite and silicate in-
clusions
Description: Etched section, 6,445 grams Me2118

WELDONA, Weldona, Morgan County, Colorado, USA
Found: 1934
Stone, Crystalline spherical chondrite
Description: Polished slice with crust, 1,086 grams Me2321

WELLAND, Welland, Welland County, Ontario, Canada
Found: 1888
Iron, Medium octahedrite

Description: Full-sized etched section, 200 grams Me991
 Segment, showing etched and natural surfaces,
 713 grams Me132
 Thin slab, etched, 13 grams Me990
 Taenite, 0.5 grams Me1905

WELLMAN, Wellman, Terry County, Texas, USA
Found: 1940
 Stone, Chondrite
Description: Complete individual, 497.5 grams Me2380

WESSELY, Wessely, Hradisch, Moravia, Czechoslovakia
Fell: September 9, 1831, 3:30 P.M.
 Stone, Veined gray chondrite
Description: Fragment with crust and polished surface, 4 grams
 Me1875

WESTON, Weston, Fairfield County, Connecticut, USA
Fell: December 14, 1807, 6:30 A.M.
 Stone, Polymict brecciated spherical chondrite
Description: Mass with crust and sawed surfaces, 65 grams
 Me1835
 Fragment from interior, 3.5 grams Me223
 Slab with crust and polished surface, 79 grams
 Me1836

WICHITA COUNTY, Wichita County, Texas, USA
Known: Before 1836
 Iron, Coarse octahedrite
Description: Full-sized, etched section, 1,392 grams Me41
 Full-sized, etched section, 2,487 grams Me885

WICKENBURG (STONE), Wickenburg, Maricopa County,
 Arizona, USA
Recognized: 1940
 Stone, Black chondrite
Description: End piece with polished surface, 1,446 grams
 Me2361

WILEY, Wiley, Prowers County, Colorado, USA
Found: 1938
 Iron, Finest octahedrite (or nickel-rich ataxite)
Description: Polished slice, 285 grams Me2368

- WILLAMETTE, Willamette, Clackamas County, Oregon, USA
Found: 1902
 Iron, Medium octahedrite
Description: Full-sized, etched section, 1,487 grams Me592
 Mass with crust and broken surface, 923 grams
 Me1195
- WILLIAMSTOWN, Williamstown, Grant County, Kentucky, USA
Found: 1892
 Iron, Medium octahedrite
Description: Full-sized etched section, 910 grams Me766
 Long narrow end piece, etched, 954 grams
 Me1185
- WILLOW CREEK, Willow Creek, Natrona County, Wyoming, USA
Found: About 1914; recognized: 1934
 Iron, Medium octahedrite
Description: Etched slice, 1,820 grams Me2205
- WINONA, Winona, Coconino County, Arizona, USA
Found: 1928 (probably prehistoric)
 Stony-iron, Mesosiderite
Description: Fragment, 12.8 grams Me2139
- WOLD COTTAGE, Wold Cottage, Thwing, Scarborough,
 Yorkshire, England
Fell: December 13, 1795, 3:30 P.M.
 Stone, Veined white chondrite
Description: Polished chips, 2.5 grams Me215
 Fragment from interior with three polished surfaces,
 10 grams Me1833
 Fragment from interior, 2.5 grams Me1834
- WOOD'S MOUNTAIN, Wood's Mountain, McDowell County,
 North Carolina, USA
Found: 1918
 Iron, Finest octahedrite
Description: Etched end piece, 146.5 grams Me2255
- WOOSTER, Wooster, Wayne County, Ohio, USA
Recognized: 1858
 Iron, Medium octahedrite

Description: One etched fragment, 2 grams Me494
Two etched fragments, 9 grams Me1193

WRAY, Wray, Yuma County, Colorado, USA
Found: 1936
Stone, Chondrite
Description: End piece with polished surface, 24.3 grams
Me2387

YANHUITLAN, Yanhuitlan, Oaxaca, Mexico
Known: Before 1825
Iron, Fine octahedrite
Description: Full-sized etched section, 7,340 grams Me962
End piece, etched, 9,665 grams Me963

YARDEA, Yardea Station, Gawler Range, South Australia
Found: 1875
Iron, Medium octahedrite
Description: End piece, etched, 73 grams Me935

YATOOR, Yatoor, Rapur taluq, Nellore district, Madras, India
Fell: January 23, 1852, 4:30 P.M.
Stone, Spherical chondrite
Description: Mass with crust and polished surfaces; structure
coarse, metal abundant, 27 grams Me1877
Interior fragments, 1 gram Me259

YENBERRIE, Yenberrie, Northern Territory, Australia
Found: 1918
Iron, Coarse octahedrite
Description: Section with polished surface, 4,500 grams Me2004

YORKTOWN, Yorktown, Westchester County, New York, USA
Found: 1896
Stone, Chondrite
Description: Three polished fragments with crust, 7.3 grams
Me1763

YOUNDEGIN, Youndegin, South-West Division, Western Australia
Found: 1884
Iron, Coarse (to coarsest) octahedrite

Description: Full-sized, elongated section, etched, 1,083 grams
 Me118
 Nearly complete individual, 141,069 grams Me878
 Full-sized etched section, 4,330 grams Me877

ZABORZIKA, Zaborzika, Zhitomir, Volhynia, Ukraine, USSR
Fell: April 11, 1818
 Stone, Veined intermediate chondrite
Description: Mass with crust, 50 grams Me1709

ZABRODJE, Zabrodje, Vilna, Lithuania
Fell: September 22, 1893
 Stone, Veined intermediate hypersthene-chondrite
Description: Fragment from interior, one polished surface,
 4 grams Me1707

ZACATECAS, Zacatecas, Mexico
Known: Before 1792
 Iron, Brecciated octahedrite
Description: Etched fragment, 5.6 grams Me28
 Mass with three etched surfaces, 1,247 grams
 Me894
 Etched mass with crust, 93 grams Me895

ZAVID, Zavid, Zvornik, Bosnia, Yugoslavia
Fell: August 1, 1897, 11:30 A.M.
 Stone, Brecciated gray hypersthene-chondrite
Description: Mass with crust, 384 grams Me1860
 Mass with crust, 293 grams Me1861
 Mass from interior, 142 grams Me1862

ZEBRAK, ZebraK, Horovice, Beraun, Bohemia, Czechoslovakia
Fell: October 14, 1824, 8:00 A.M.
 Stone, Spherical hypersthene-chondrite
Description: Mass with crust, 14 grams Me1708

ZOMBA, Zomba, Nyasaland, British Central Africa
Fell: January 25, 1899, 7:45 A.M.
 Stone, White hypersthene-chondrite
Description: Fragment with crust, 18 grams Me1360

ZSADANY, Zsadany, Temes district, Romania

Fell: March 31, 1875, 3-4:00 P.M.

Stone, Spherical chondrite

Description: Nearly complete individual, one surface polished,
14.5 grams Me1878

REFERENCES

FARRINGTON, O. C.

1895. Handbook and Catalogue of the Meteorite Collection. Field Columbian Museum Geological Series, Vol. I, no. 1, pp. 1-66.
1903. Catalogue of the Collection of Meteorites, May 1, 1903. Field Columbian Museum Geological Series, Vol. II, no. 2, pp. 79-124.
1916. Catalogue of the Collection of Meteorites, Field Museum of Natural History Geological Series, Vol. III, no. 10, pp. 231-312.

MASON, BRIAN

1962. Meteorites. John Wiley and Sons, Inc., New York, 274 pp.

PRIOR, G. T. and MAX H. HEY

1953. Catalogue of Meteorites. British Museum (Natural History), London, 432 pp.

UNIVERSITY OF ILLINOIS-URBANA

550 5F1 C001
FIELDIANA GEOLOGY CHGO
14-15 1960 '65



3 0112 026616034